

LIBRARY OF THE  
UNIVERSITY OF ILLINOIS  
AT URBANA-CHAMPAIGN

550.5  
FI  
v. 14-15

JAN 2 1975



GEOLOGY

UNIVERSITY OF  
ILLINOIS LIBRARY  
AT URBANA-CHAMPAIGN  
GEOLOGY



15  
2.3

*Geology*

CATALOG OF THE COLLECTION  
OF METEORITES

IN CHICAGO NATURAL HISTORY MUSEUM

HENRY HORBACK  
AND  
EDWARD J. OLSEN

THE LIBRARY OF THE  
JUN 28 1966  
UNIVERSITY OF ILLINOIS

JUL 8 1966

FIELDIANA: GEOLOGY  
VOLUME 15, NUMBER 3  
*Published by*  
CHICAGO NATURAL HISTORY MUSEUM  
DECEMBER 30, 1965

GEOLOGY LIBRARY



CATALOG OF THE COLLECTION  
OF METEORITES

IN CHICAGO NATURAL HISTORY MUSEUM

HENRY HORBACK

*Assistant, Department of Geology,  
Chicago Natural History Museum*

AND

EDWARD J. OLSEN

*Curator, Mineralogy,  
Chicago Natural History Museum*

FIELDIANA: GEOLOGY

VOLUME 15, NUMBER 3

*Published by*

CHICAGO NATURAL HISTORY MUSEUM

DECEMBER 30, 1965

ACKNOWLEDGMENTS

*The authors would like to thank Mrs. Winifred Reinders, Department of Geology, Chicago Natural History Museum, for typing the original manuscript, and Dr. M. H. Hey, British Museum (Natural History), for bringing several corrections to the attention of the authors.*

*Library of Congress Catalog Card Number: 65-28714*

PRINTED IN THE UNITED STATES OF AMERICA  
BY CHICAGO NATURAL HISTORY MUSEUM PRESS

# Catalog of the Collection of Meteorites

## INTRODUCTION

This is the fourth catalog to be published for the meteorite collection of the Chicago Natural History Museum. The preceding catalogs were published in 1895, 1903, and 1916. Over the past forty-eight years the collection has increased in size to a point where a new catalog was felt to be necessary.

At the present time there are approximately 2,400 catalog numbers assigned to specimens in this collection. Such numbers are, in a sense, not an accurate measure of the extent of the meteorite collection for, in some cases, one number may be assigned to many hundreds of specimens, as in the case of individuals from a meteorite shower, or a large meteorite which fragmented badly on impact. For example, in the collection CAÑON DIABLO is represented by 63 individuals, ESTHERVILLE by 145 individuals, and FOREST CITY by 688 individuals. On the other hand, one meteorite, specimens of which were acquired over a period of years, may have several catalog numbers assigned to it.

A more accurate measure of the extent of the collection is in terms of the representation of the number of known finds and falls. On the basis of the figures given by Mason (*Meteorites*, p. 22, 1962, John Wiley and Sons, New York) current coverage is as follows:

KIND	MUSEUM	WORLD TOTAL	% OF WORLD TOTAL
Irons	338	578	58%
Stony-irons	33	66	50%
Chondrites	437	954	46%
Achondrites	37	64	58%
TOTALS	845	1662	51%

No attempt has been made to assess the total gross weight of the collection; it is undoubtedly in the thousands of kilograms. The smallest weight specimen represented is MIDDLESBROUGH at 0.1 gram; the largest weight specimen is NAVAJO at 1,497,618 grams. In a num-

ber of cases the collection contains all, or virtually all, of individual meteorites as, for example, NAVAJO, QUINN CANYON and PARAGOULD.

The Chicago Natural History Museum collection represents one of the larger concentrations of meteorite materials in the world. The size and extent of the collection are largely due to the efforts of Dr. O. C. Farrington (1864-1933), former Curator of Geology, and the late Mr. Stanley Field, Chairman of the Board of Trustees of the Museum, who together added the major portions of the collection through a combination of purchases, exchanges, and field finds.

August 14, 1964

HENRY HORBACK  
EDWARD J. OLSEN

ABEE,

Abee, Alberta, Canada

*Fall:* June 10, 1952, 6:00 A.M.

Stone, Enstatite chondrite

*Description:* Mass from interior, 214 grams Me2474  
Slice with crust, 1,668 grams Me2475

ABERNATHY,

Abernathy, Lubbock County, Texas, USA

*Found:* 1941

Stone, Chondrite

*Description:* Slice, 504.5 grams Me2374

ADAMS COUNTY,

Adams County, Colorado, USA

*Found:* 1928

Stone, Brecciated chondrite

*Description:* Polished section with crust, 250 grams Me2151

ADARGAS,

Adargas, Jiminez, Chihuahua, Mexico

*Found:* 1780 (known for centuries)

Iron, Medium octahedrite

*Description:* Polished slab with crust, 78 grams Me1012  
Full-sized etched section, 266 grams Me1013

cont 17466

## ADMIRE, Admire, Lyon County, Kansas, USA

*Found:* 1881

Stony-iron, Brecciated pallasite

*Description:* Mass and fragments, 4,750 grams Me761

Thick, full-sized section, polished, 2,430 grams

Me1270

Polished sections, two pieces, 1,175 grams Me557

Fragment, 18.5 grams Me748

End piece, 6,800 grams Me834

Fragments, 9.3 grams Me750

## ADRIAN, Adrian, Deaf Smith County, Texas, USA

*Found:* 1936

Stone, Veined crystalline spherical chondrite

*Description:* Polished section with crust, 140 grams Me2212

## AGEN, Agen, Lot-et-Garonne, France

*Fell:* September 5, 1814, noon

Stone, Veined intermediate chondrite

*Description:* Mass with crust, 47 grams Me525

Interior fragment, 0.5 gram Me235

Nearly complete individual, with sawed surface,

292 grams Me1381

## AHUMADA, Ahumada, Chihuahua, Mexico

*Found:* 1909

Stony-iron, Pallasite

*Description:* Nearly complete individual with sawed surface,

44,847 grams Me780

Slice, 1,071 grams Me780

## AINSWORTH, Ainsworth, Brown County, Nebraska, USA

*Found:* 1907

Iron, Coarsest octahedrite

*Description:* Full sized etched slab, 164 grams Me977

Full sized slab, 544 grams Me767

## AKBARPUR, Akbarpur, Saharanpur district, N. W. provinces, India

*Fell:* April 18, 1838, 8:00 A.M.

Stone, Polymict brecciated gray chondrite

*Description:* Fragment with crust and polished surface, 7 grams

Me1507

## ALAIS, Alais, Gard, France

*Fell:* March 15, 1806, 5:00 P.M.

Stone, Carbonaceous chondrite

*Description:* Coarse, brown-black powder, very friable, 14 grams

Me1486

## ALAMOGORDO, Alamogordo, Otero County, New Mexico, USA

*Found:* 1938

Stone, Crystalline spherical chondrite

*Description:* End piece with crust, 574.7 grams Me2302

## ALBARETO, Albareto, Modena, Italy

*Fell:* July, 1766, 5:00 P.M.

Stone, Spherical hypersthene-chondrite

*Description:* Sawed fragment with crust, 6 grams Me1755

## ALDSWORTH, Aldsworth, Cirencester, Gloucestershire, England

*Fell:* August 4, 1835, 4:30 P.M.

Stone, Veined gray chondrite

*Description:* Fragment with crust, 4 grams Me1776

## ALEPPO, Aleppo, Syria

*Fell:* 1873?

Stone, Polymict brecciated white chondrite

*Description:* Fragment with crust, 1.5 grams Me544

Fragment with crust, 10 grams Me1778

Fragment from interior, 8 grams Me1779

## ALESSANDRIA, Alessandria, Piedmont, Italy

*Fell:* February 2, 1860, 11:45 A.M.

Stone, Veined gray chondrite

*Description:* Mass with crust and polished surface, 70 grams

Me1513

## ALFIANELLO, Alfianello, Brescia, Italy

*Fell:* February 16, 1883, 3:00 P.M.

Stone, Intermediate hypersthene-chondrite

*Description:* Mass from interior, 131 grams Me333

Mass from interior, 766 grams Me1386

Mass with crust, 283 grams Me334

Mass with crust, 147 grams Me1383

Mass with crust, 24 grams Me332

Mass with crust, pitted, 236 grams Me1384  
 Mass with crust, 475 grams Me1385  
 Mass with crust, 4,041 grams Me1387

ALGOMA, Algoma, Kewaunee County, Wisconsin, USA  
*Found:* 1887  
 Iron, Medium octahedrite  
*Description:* Etched fragment with crust, 10 grams Me1057

ALLEGAN, Allegan, Allegan County, Michigan, USA  
*Fell:* July 10, 1899, 8:00 A.M.  
 Stone, Spherical bronzite-chondrite  
*Description:* Fragments, 6 grams Me500  
 Mass with crust, 45.2 grams Me500  
 Mass with crust, 83 grams Me498  
 Mass with crust, 124 grams Me1430  
 Mass with crust, chondrules readily separable,  
 288 grams Me1433  
 Mass with crust, 258 grams Me1432  
 Chondrules, 1 gram Me1915  
 Particles and dust, 1 gram Me498  
 Mass from interior, 139 grams Me1431

ALT BELA, Alt Bela, Ostrava, Moravia, Czechoslovakia  
*Found:* 1898  
 Iron, Fine octahedrite  
*Description:* Etched section with crust; figures well marked,  
 19 grams Me1070

AMATES, (Rancho de los Amates), Iguala, Morelos, Mexico  
*Known:* Before 1889  
 Iron, Medium octahedrite  
*Description:* Oxidized octahedral fragment, 3 grams Me1173

AMBAPUR NAGLA, Ambapur Nagla, Aligarh district,  
 United Provinces, India  
*Fell:* May 27, 1895, 1:00 A.M.  
 Stone, Crystalline spherical chondrite  
*Description:* Fragment from interior, 13 grams Me1575  
 Fragment from interior, 12.6 grams Me1577  
 Fragment with crust, 4 grams Me1576

AMECA-AMECA, Ameca-Ameca, Mexico State, Mexico  
*Known:* Before 1889  
 Iron, Medium octahedrite?  
*Description:* Two small chips, 1.2 grams Me2359

ANDERSON, Anderson, Hamilton County, Ohio, USA  
*Found:* 1882 (prehistoric)  
 Stony-iron, Pallasite  
*Description:* Fragment, 2 grams Me1317

ANDOVER, Andover, Oxford County, Maine, USA  
*Fell:* August 5, 1898, 7:30 A.M.  
 Stone, Spherical chondrite  
*Description:* Mass with crust, 91 grams Me1466

ANGELICA, Angelica, Shawano County, Wisconsin, USA  
*Found:* 1916  
 Iron, Coarse octahedrite  
*Description:* Mass with crust and polished faces, 84 grams  
 Me2457

ANGERS, Angers, Maine-et-Loire, France  
*Fell:* June 3, 1822, 8:15 P.M.  
 Stone, Veined white chondrite  
*Description:* Fragment from interior, 25 grams Me1468  
 Fragments with crust, 3 grams Me1469

ANGRA DOS REIS, Angra dos Reis, Rio de Janeiro, Brazil  
*Fell:* January 30, 1869, 5:00 A.M.  
 Stone, Angrite  
*Description:* Fragment with crust, 4 grams Me1368  
 Sawed slice, 6 grams Me1369

ANTHONY, Anthony, Harper County, Kansas, USA  
*Found:* 1919  
 Stone, Gray chondrite  
*Description:* Polished slab, 21 grams Me2210  
 Fragment, 0.8 gram Me2210

APOALA, Apoala, Oaxaca, Mexico  
*Found:* 1889  
 Iron, Fine octahedrite



*Description:* Full-sized, etched section. Shows Reichenbach lamellae, 764 grams Me1008

Full-sized, etched section. Shows circular nodules of troilite and elongated ones of schreibersite, 1,405 grams Me1009

APT, Apt, Vaucluse, France

*Fell:* October 8, 1803, 10:30 A.M.

Stone, Veined gray chondrite

*Description:* Mass with crust. Extensive veining gives a brecciated appearance. 34 grams Me1472

ARAGON, Aragon, Polk County, Georgia, USA

*Found:* 1898

Iron, Nickel-poor ataxite

*Description:* Two fragments, 5 grams Me1962

ARAPAHOE, Arapahoe, Cheyenne County, Colorado, USA

*Found:* 1940

Stone, Black chondrite

*Description:* End piece with polished face, 1,720 grams Me2363

ARCADIA, Arcadia, Valley County, Nebraska, USA

*Found:* 1937

Stone, Achondrite

*Description:* Polished slice, 388.4 grams Me2301

ARCHIE, Archie, Cass County, Missouri, USA

*Fell:* August 10, 1932, 4:30 P.M.

Stone, Gray chondrite

*Description:* Complete individual, 97 grams Me2171

ARISPE, Arispe, Sonora, Mexico

*Found:* 1896

Iron, Coarsest octahedrite

*Description:* Full-sized etched section, 350 grams Me781

Nearly complete individual, 8,033 grams Me781

Thick, etched slab, 1,114 grams Me1011

End piece with etched face 30 x 44 cm.,

32,659 grams Me1099

Cohenite from siderite, 0.2 gram Me1983

ARLINGTON, Arlington, Sibley County, Minnesota, USA

*Found:* 1894

Iron, Medium octahedrite

*Description:* Etched slab with crust on broad surface, 94 grams Me976

Etched fragment with crust, 70 grams Me459

ARRIBA, Arriba, Lincoln County, Colorado, USA

*Found:* 1936

Stone, Polymict brecciated intermediate chondrite

*Description:* One end piece with polished face, 2,041 grams Me2232

ASCO, Asco, Corsica

*Fell:* November, 1805

Stone, Veined white chondrite

*Description:* Fragment from interior, 5 grams Me1523

Fragment with crust and large mass of troilite, 4.2 grams Me1522

ASHEVILLE, Asheville, Buncombe County, North Carolina, USA

*Found:* 1839

Iron, Medium octahedrite

*Description:* Etched fragment with crust, 5 grams Me1086

ASSAM, Assam, India

*Found:* 1846

Stone, Polymict brecciated gray chondrite

*Description:* Coarse, dark powder with one light-colored fragment, 3 grams Me1829

ASSISI, Assisi, Perugia, Italy

*Fell:* May 24, 1886, 7:00 A.M.

Stone, Spherical chondrite

*Description:* Fragment with crust, 44.3 grams Me1503

Sawed fragment with crust, interior dark gray, 70 grams Me1502

ATEMAJAC, Atemajac, Sierra de Topalpo, Jalisco, Mexico

*Fell:* February 26, 1896

Stone, Gray hypersthene-chondrite

*Description:* Mass with crust, 32 grams Me1521

ATLANTA, Atlanta, Winn County, Louisiana, USA

*Found:* 1938

Stone

*Description:* End piece with polished face, 267 grams Me2289

AUBRES, Aubres, Nyons, Drome, France

*Fell:* September 14, 1836, 3:00 P.M.

Stone, Aubrite (enstatite-achondrite)

*Description:* Fragments, color ash gray, 3 grams Me1506

AUBURN, Auburn, Lee (formerly Macon) County, Alabama, USA

*Found:* 1867

Iron, Hexahedrite

*Description:* Sawed fragments with crust, 5 grams Me92

Two irregular fragments with oxidized surfaces,  
23 grams Me1111

AUGUSTINOVKA, Augustinovka, Ekaterinoslav, USSR

*Found:* 1890

Iron, Fine octahedrite

*Description:* Etched section, 209.6 grams Me508

Etched end piece, 944 grams Me971

Oxidized fragments, 49.5 grams Me972

Oxidized fragment, 59 grams Me507

AUMALE, Aumale, Alger, Algeria, Africa

*Fell:* August 25, 1865, 11:00 A.M.

Stone, Veined white chondrite

*Description:* Fragment from interior, 1.5 grams Me283

Mass from interior, 50.5 grams Me599

Mass with crust, 284 grams Me1837

AUMIERES, Aumieres, Lozere, France

*Fell:* June 3, 1842, 9:00 P.M.

Stone, Veined white chondrite

*Description:* Fragment with crust, 11.3 grams Me491

Fragment with crust, 19 grams Me1741

Fragment from interior with one polished surface,  
15.3 grams Me1742

AURORA, Aurora, Colfax County, New Mexico, USA

*Found:* 1938

Stone

*Description:* Polished slice, 108.5 grams Me2294

AUSSON, Ausson, Haute Garonne, France

*Fell:* December 9, 1858, 7:30 A.M.

Stone, Spherical hypersthene-chondrite

*Description:* Mass from interior, 11 grams Me271

Mass from interior, 181.5 grams Me1510

Polished fragment, 21.6 grams Me272

Mass with crust and sawed surface, 160 grams  
Me1511

AVILEZ, Avilez, Cuencame, Durango, Mexico

*Fell:* June, 1855

Stone, Gray or spherical chondrite

*Description:* Fragment with crust, 6 grams Me1574

AZTEC, Aztec, San Juan County, New Mexico, USA

*Fell:* February 1, 1938, 5:00 P.M.

Stone

*Description:* One nearly complete individual, 2,779 grams  
Me2298

BABB'S MILL, Babb's Mill, Greene County, Tennessee, USA

*Found:* 1842

Iron, Nickel-rich ataxite

*Description:* Morradal group, polished slab, 70 grams Me109

Etched slab. Etching produces minute pits,  
43.5 grams Me904

Etched slab, 47 grams Me906

Polished slab with crust, 43.5 grams Me905

BACHMUT, Bachmut, Ekaterinoslav, Ukraine, USSR

*Fell:* February 15, 1814, noon

Stone, White hypersthene-chondrite

*Description:* Fragment with crust and polished surface, 9 grams  
Me234

Fragment with crust, 5 grams Me1724

Sawed slab with crust and polished surface, 26 grams  
Me1379

- BACUBIRITO, Bacubirito, Sinaloa, Mexico  
*Found:* 1863  
 Iron, Finest octahedrite  
*Description:* Etched slab, 352 grams Me537  
 End piece with etched surface, 1,497 grams Me1124
- BALD EAGLE, Bald Eagle, Williamsport, Lycoming County,  
 Pennsylvania, USA  
*Found:* 1891  
 Iron, Medium octahedrite  
*Description:* Full-sized section, etched, 300 grams Me1006
- BALD MOUNTAIN, Bald Mountain, Yancey County,  
 North Carolina, USA  
*Fell:* July 9, 1929, afternoon  
 Stone, Veined gray chondrite  
*Description:* Mass with crust, 306.5 grams Me2392
- BALLINGER, Ballinger, Runnels County, Texas, USA  
*Found:* 1927  
 Iron, Granular hexahedrite  
*Description:* Etched section, 53 grams Me2152  
 Etched section, 70 grams Me2110
- BALLINOO, Ballinoo, Murchison River, Western Australia  
*Found:* 1892  
 Iron, Finest octahedrite  
*Description:* Section with crust, 145×253 mm., 8,290 grams Me979  
 End piece, 70×150 mm., etched, 2,748 grams Me980
- BANDONG, Bandong, Preanger, Java  
*Fell:* December 10, 1871, 1:30 P.M.  
 Stone, Amphoterite (Rodite)  
*Description:* Mass with crust, 17 grams Me1753  
 Mass from interior, 8.5 grams Me1754  
 Two fragments from interior, 1.5 grams Me304
- BARBOTAN, Barbotan, Gers, France  
*Fell:* July 24, 1790, 9:00 P.M.  
 Stone, Veined gray chondrite

- Description:* Mass with crust, 129 grams Me214  
 Fragment from interior, 6.0 grams Me213  
 Mass with crust and polished surface, 314.2 grams Me1844
- BAREA, Barea, Logrono, Spain  
*Fell:* July 4, 1842  
 Stony-iron, Mesosiderite  
*Description:* Fragment with polished surface, 5 grams Me1264  
 Two fragments, 6.5 grams Me1265
- BAROTI, Baroti, Bilaspur, Simla Hill States, Punjab, India  
*Fell:* September 15, 1910, 10:00 A.M.  
 Stone, White hypersthene-chondrite  
*Description:* Two fragments with crust, 42 grams Me2001
- BARRANCA BLANCA, Barranca Blanca, Come Caballo Pass,  
 Atacama, Chile  
*Found:* 1855  
 Iron, Brecciated octahedrite  
*Description:* Fragment 17 x 30 mm., with torn and etched surfaces,  
 figures irregular, 16 grams Me1085
- BARRATTA, Deniliquin, County Townsend,  
 New South Wales, Australia  
*Found:* 1845  
 Stone, Black hypersthene-chondrite  
*Description:* Nearly complete individual, one surface polished,  
 72,348 grams Me1465  
 Mass with crust, 288.5 grams Me539  
 Full-sized, polished section, 2,107 grams Me1463  
 Nearly complete individual, one surface polished,  
 16,867 grams Me1464
- BATH, Bath, Brown County, South Dakota, USA  
*Fell:* August 29, 1892, 4:00 P.M.  
 Stone, Brecciated spherical chondrite  
*Description:* Mass with crust and armored surface, 1,262 grams Me351  
 Mass with crust and three polished surfaces,  
 1,698.7 grams Me1782

## BATH FURNACE, Bath Furnace, Bath County, Kentucky, USA

*Fell:* November 15, 1902, 6:45 P.M.

Stone, Intermediate chondrite

*Description:* End piece with crust and polished surface,  
3,038 grams Me1331

Fragments, 3 grams Me555

Complete individual, 80,739 grams Me1332

## BEAR CREEK, Bear Creek, Jefferson County, Colorado, USA

*Found:* 1866

Iron, Fine octahedrite

*Description:* Etched section with crust on three sides, 60 grams  
Me1125

Fragment showing crust, 43.7 grams Me88

Thin slab, etched, 26 grams Me89

## BEARDSLEY, Beardsley, Rawlins County, Kansas, USA

*Fell:* October 15, 1929, 11:30 P.M.

Stone, Gray chondrite

*Description:* Individual, 225 grams Me2193

Polished end, 218 grams Me2194

BEAVER CREEK, Beaver Creek, West Kootenay District,  
British Columbia*Fell:* May 26, 1893, 3:30 P.M.

Stone, Crystalline spherical bronzite-chondrite

*Description:* Mass from interior, 212 grams Me1391

Mass with crust, 19 grams Me353

Mass with crust, 573.3 grams Me1392

Mass with crust and polished surface, 1,098 grams  
Me1393

Two fragments, 60.5 grams Me1390

Fragment with crust, 5.6 grams Me352

## BEENHAM, Beenham, Union County, New Mexico, USA

*Found:* 1937

Stone, Veined gray hypersthene-chondrite

*Description:* Individual, 774.5 grams Me2297BELLA ROCA, Sierra de San Francisco, Santiago Papasquiaro,  
Durango, Mexico*Known:* 1888

Iron, Fine octahedrite

*Description:* Etched slice with crust, 222 grams Me611

Section of troilite, 15.2 grams Me1903

Etched slice, 443 grams Me985

## BENARES, Benares, United Provinces, India

*Fell:* December 19, 1798, 8:00 P.M.

Stone, Spherical chondrite

*Description:* Powder, 0.71 grams Me216

Mass with crust, 61 grams Me1505

## BENDEGO, Bendego, Monte Santo, Bahia, Brazil

*Found:* 1784

Iron, Coarse octahedrite

*Description:* Etched slab with elongated troilite, 1,126 grams  
Me6

Scalings from crust, 17 grams Me3

Etched slab, 851 grams Me5

Etched slab with crust, 754 grams Me896

## BENLD, Benld, Macoupin County, Illinois, USA

*Fell:* September 29, 1938, 9:00 A.M.

Stone, Veined gray hypersthene-chondrite

*Description:* Complete individual, 1,748.5 grams Me2259

## BERLANGUILLAS, Berlanguillas, Burgos, Spain

*Fell:* July 8, 1811, 8:00 P.M.

Stone, Veined intermediate chondrite

*Description:* Polished fragment, abundant metallic grains,  
5.5 grams Me492Fragment from interior with polished surface,  
9 grams Me1757

Fragments with crust, 10.5 grams Me1756

## BETHANY, Bethany, Great Namaqualand, Southwest Africa

*Known:* Before 1836

Iron, Fine octahedrite

*Description:* Etched slab, 14 grams Me552

Etched slab, 429 grams Me569

Thin shaving, etched, 0.8 gram Me825

Full-sized section, 33×37 cm., etched, 9,460 grams  
Me789

Fragment with crust, 2.8 grams Me1028  
 Etched slab, 215 grams Me1032  
 Fragment, 11 grams Me1029  
 Mass with crust and two etched surfaces,  
 20,360 grams Me1033  
 Etched fragment, 10.5 grams Me1030  
 Full-sized section, 36×69 cm., etched, 22,620 grams  
 Me1034

## BETHLEHEM, Bethlehem, Albany County, New York, USA

*Fell:* August 11, 1859, 7:30 A.M.  
 Stone, Crystalline spherical chondrite  
*Description:* Fragment from interior, 1 gram Me1843

## BEUSTE, Beuste, Pau, Basses-Pyrenées, France

*Fell:* May, 1859, afternoon  
 Stone, Brecciated gray chondrite  
*Description:* Full-sized section with crust, one side polished,  
 37 grams Me1568

## BIALYSTOK, Bialystok, Grodno, Poland

*Fell:* October 5, 1827, 9:30 A.M.  
 Stone, Howardite  
*Description:* Fragment from interior, light colored, friable,  
 4.5 grams Me1563

BIELOKRYNITSCHIE, Bielokrynitschie, Zaslavl, Volhynia,  
Ukraine, USSR

*Fell:* January 1, 1887, 6:00 P.M.  
 Stone, Veined spherical chondrite  
*Description:* Complete individual, 257 grams Me1394

## BILLINGS, Billings, Christian County, Missouri, USA

*Found:* 1903  
 Iron, Coarse octahedrite  
*Description:* Full-sized, etched section, 925 grams Me1097  
 Drillings, 22 grams Me1098  
 About one-fourth the original mass, polished and  
 etched, 11,884 grams Me1098

BINGERA, Bingera, County Murchison,  
New South Wales, Australia

*Found:* 1880  
 Iron, Nickel-poor ataxite  
*Description:* Shaving, 1 gram Me1078

## BISCHTÜBE, Bischtübe, Nikolaev, Turgai, Siberia, USSR

*Found:* 1888  
 Iron, Coarse octahedrite  
*Description:* Complete individual, 630 grams Me932  
 Full-sized etched section, 1,864 grams Me933  
 Thin slab from interior, etched, 14.3 grams Me934

BISHOP CANYON, Bishop Canyon, San Miguel County,  
Colorado, USA

*Found:* 1912  
 Iron, Fine octahedrite  
*Description:* Complete individual, 5,965 grams Me1955  
 Etched fragment, 42.2 grams Me1948

## BISHOPVILLE, Bishopville, Lee County, South Carolina, USA

*Fell:* March 25, 1843  
 Stone, Aubrite (enstatite-achondrite)  
*Description:* Fragments with and without crust, 3 grams  
 Me251 and 252  
 Fragments with and without crust, 5 grams Me253  
 Fragments showing crust, 32 grams Me1886  
 Fragments, 7.5 grams Me1887  
 Fragments from interior, 25 grams Me1888

## BISHUNPUR, Bishunpur, Mirzapur district, United Provinces, India

*Fell:* April 26, 1895, 3:00 P.M.  
 Stone, Black chondrite  
*Description:* Fragment with crust, 1 gram Me1537

## BITBURG, Bitburg, Trier, Rhenish Prussia, Germany

*Found:* 1802  
 Stony-iron, Pallasite  
*Description:* Porous slab with one surface polished, 186 grams  
 Me1257  
 Porous mass, 4×4 cm., containing grains of charcoal,  
 206 grams Me1258

Porous slab with one surface, 6×9 cm., polished,  
572 grams Me 1259

BJELAJA ZERKOV, Bjelaja Zerkov, Kiev, Ukraine, USSR  
*Fell:* January 15, 1796  
Stone, Spherical chondrite  
*Description:* Fragments with crust, 7 grams Me1416

BJURBÖLE, Bjurböle, Borga, Nyland, Finland  
*Fell:* March 12, 1899, 10:30 P.M.  
Stone, Spherical hypersthene-chondrite  
*Description:* Mass with crust, 307 grams Me522  
Powder, 1 gram Me522  
Mass with crust, 4,777 grams Me1428  
Mass with crust, 944 grams Me1427  
Mass from interior, shows veins of troilite,  
84.8 grams Me1426

BLACK MOUNTAIN, Black Mountain, 15 miles east of Asheville,  
Buncombe County, North Carolina, USA  
*Found:* About 1839  
Iron, Coarse octahedrite  
*Description:* Several octahedral fragments, 7 grams Me 1080

BLANKET, Blanket, Brown County, Texas, USA  
*Fell:* May 30, 1909, 10:30 P.M.  
Stone, Gray chondrite  
*Description:* Nearly complete individual, 1,460 grams Me1964  
Nearly complete individual, 133.5 grams Me1964  
Complete individual, 1,360 grams Me1965  
Fragment, 3.1 grams Me1964

BLANSKO, Blansko, Brno, Moravia, Czechoslovakia  
*Fell:* November 25, 1833, 6:30 P.M.  
Stone, Veined gray bronzite-chondrite  
*Description:* Nearly complete individual, one polished surface,  
metal abundant, 9 grams Me1571

BLITHFIELD, Blithfield, Renfrew County, Ontario, Canada  
*Found:* August 13, 1910

Stone, Enstatite-chondrite  
*Description:* Mass with crust, 472 grams Me1979

BLUE TIER, Blue Tier, County Dorset, NE Coast of Tasmania  
*Found:* 1890  
Iron, Medium octahedrite  
*Description:* Etched fragment, 14×19 mm., with oxidized surface,  
figures not well marked, 29 grams Me952

BLUFF, Bluff, Fayette County, Texas, USA  
*Found:* About 1878  
Stone, Brecciated crystalline hypersthene-chondrite  
*Description:* End piece with polished surface, 25×35 cm., alterna-  
tion extends inward from the crust about 1 cm.,  
10,962 grams Me173  
Polished section, 31×38 cm., showing the characteris-  
tic veins of the meteorite, 2,918 grams Me174  
Polished slab, 5,538 grams Me1459  
Complete individual. This is a crusted fragment of a  
much larger individual; a primary crust is shown  
on a relatively small surface, the remainder of the  
crust is secondary; the surface is much reddened  
by oxidation, 7,516 grams Me1461

BOCAS, Bocas, San Luis Potosi, Mexico  
*Fell:* November 24, 1804  
Stone, White chondrite  
*Description:* Fragment with crust, interior veined, 1 gram  
Me1497

BOHUMILITZ, Bohumilitz, Vimperk, Bohemia, Czechoslovakia  
*Fell:* Possibly January 1, 1770, *Found:* 1829  
Iron, Coarse octahedrite  
*Description:* Etched slab with crust, 275 grams Me487  
Thin slab, etched, 23.6 grams Me898  
Full-sized, etched section, 13×22 cm., 1,604 grams  
Me899

BONDOC, Bondoc Peninsula, Luzon, Philippine Islands  
*Found:* 1957  
Iron (with silicate inclusions)

*Description:* Slab, polished on one side, 10.2×6.4 cm. Almost all silicate with small patches of iron, 153.8 grams  
Me2557

BONITA SPRINGS, Bonita Springs, Lee County, Florida, USA  
*Found:* 1938  
Stone  
*Description:* Thin slab with crust, 546 grams Me2442

BORGO SAN DONINO, Borgo San Donino, Cusignano,  
Parma, Italy  
*Fell:* April 19, 1808, noon  
Stone, (Howarditic chondrite of Brezina) Polymict brecciated gray chondrite  
*Description:* Fragment with crust, 6.4 grams Me1530  
Interior fragment, 4.2 grams Me1531

BORI, Bori, Betul district, Central Provinces, India  
*Fell:* May 9, 1894, 4:00 P.M.  
Stone, Veined intermediate chondrite  
*Description:* Mass, 5×5×7 cm., with crust, 482 grams Me1382

BORKUT, Borkut, Maramaros, Ruthenia, Ukraine  
(formerly in Czechoslovakia)  
*Fell:* October 13, 1852, 3:00 P.M.  
Stone, Spherical chondrite  
*Description:* Sawed fragment with crust, texture coarse,  
77.5 grams Me1555  
Individual chondrules, 0.12 gram Me262

BORODINO, Borodino, Moscow, USSR  
*Fell:* September 5, 1812, 1:00 A.M.  
Stone, Brecciated gray chondrite  
*Description:* Fragment with crust, polished, firm texture, rusty brown color, 1 gram Me1420

BOTSCHETSCHKI, Botschetschki, Kursk, USSR  
*Fell:* 1823 (end of the year)  
Stone, Gray chondrite  
*Description:* Slice, 2×3 cm., from interior, two sides polished; color so dark that the meteorite appears like a black chondrite, 11 grams Me1570

BRADY, Brady, McCulloch County, Texas, USA  
*Found:* 1937  
Stone, Gray chondrite  
*Description:* Polished slice with crust, 67.6 grams Me2303

BRAHIN, Brahlin, Minsk, USSR  
*Found:* 1810  
Stony-iron, Pallasite  
*Description:* Slab with polished surface, 51 grams Me1318  
Fragment, 32 grams Me1319

BRAUNAU, Braunau, Trutnov, Bohemia, Czechoslovakia  
*Fell:* July 14, 1847, 3:45 A.M.  
Iron, Hexahedrite  
*Description:* Sawed block showing natural surface with pits,  
47 grams Me55  
Mass with crust, 36 grams Me604  
Etched slab with crust, three faces etched, 106 grams Me907  
Wedge-shaped mass from interior, shows cubic cleavage, 278 grams Me908

BREECE, Breece, McKinley County, New Mexico, USA  
*Found:* 1921  
Iron, Medium octahedrite  
*Description:* Nearly complete iron meteorite with etched surface,  
36,500 grams Me2140  
Etched section of Me2140, 1,680 grams Me2162  
Two fragments, etched, 8.2 grams Me2164  
Etched section of Me2140, 1,614 grams Me2165  
Etched section of Me2140, 747 grams Me2167

BREMERVÖRDE, Bremervörde, Hanover, Germany  
*Fell:* May 13, 1855, 5:00 P.M.  
Stone, Polymict brecciated spherical bronzite-chondrite  
*Description:* Fragment with crust and polished surface, 72 grams Me438  
Interior fragment, 0.5 gram Me265  
Fragment with crust, 17 grams Me1758

BRENHAM, Brenham Township, Kiowa County, Kansas, USA  
*Found:* 1882

Stony-iron, Pallasite, passing in some specimens into an iron.

*Description:* Polished section, 40 grams Me199

One-half of a complete individual, one surface polished, 1,832 grams Me195

Four fragments, 29.3 grams Me436

Full-sized section, polished. The central portion for a width of about 5 cm. is solid metal, but on either side the pallasite structure occurs, 1,243 grams Me196

Full-sized section polished, 4,977 grams Me198

Complete individual, the largest of the fall, 218,847 grams Me200

Chrysolite grains, 19 grams Me1914

Full-sized polished section, 1,665 grams Me201

Complete individual, 8,049 grams Me202

Complete individual, of spheroidal form, almost wholly iron, 16,091 grams Me205

Full-sized polished section, 8,490 grams Me203

Complete individual, almost wholly iron, 155,473 grams Me204

Etched section, 160 grams Me432

Full-sized etched section showing transition from siderite to pallasite, 410 grams Me1271

Full-sized etched section showing transition from siderite to pallasite, 587 grams Me1272

Cubical section, 5×5×8 cm., with crust, 768 grams Me1273

Thin, broad section 16×36 cm., polished, 3,065 grams Me1275

End piece with polished surface 16×31 cm., 9,814 grams Me1276

Twelve altered individuals, 1,016 grams Me2119 to 2130

Altered meteorite, 2,014 grams Me2134

End piece with polished surface, 12,522 grams Me1277

End piece of large individual, one polished surface, 44,905 grams Me1278

Sand from Brenham meteorite, 1 gram Me2131

BRIDGEWATER, Bridgewater, Burke County, North Carolina, USA

*Found:* 1890

Iron, Fine octahedrite

*Description:* Etched slab with crust, 83 grams Me1895

Etched slab with crust, 19 grams Me137

BRISTOL, Bristol, Sullivan County, Tennessee, USA

*Recognized:* 1937

Iron, Finest octahedrite

*Description:* Polished slab, 443 grams Me2248

BROKEN BOW, Broken Bow, Custer County, Nebraska, USA

*Found:* 1937

Stone, Chondrite

*Description:* End piece with polished surface, 287 grams Me2244

BRUDERHEIM, Bruderheim, Alberta, Canada

*Fell:* March 24, 1960, 1:06 A.M.

Stone, Olivine-hypersthene chondrite

*Description:* Complete individual, 1,199 grams Me2476

BUR-GHELUI, Bur-Gheluai, Province of Bur-Hagaba, Italian Somaliland, Africa

*Fell:* October 16, 1919, 8:00 A.M.

Stone, Gray hypersthene-chondrite

*Description:* Complete individual, 1,556 grams Me2098

BURLINGTON, Burlington, Otsego County, New York, USA

*Found:* Before 1819

Iron, Medium octahedrite

*Description:* Etched slab from interior, 61 grams Me915

Wedge-shaped, etched section, showing cleavage, 60.5 grams Me916

BUSCHHOF, Buschhof, Zemgale, Latvia

*Fell:* June 2, 1863, 7:30 A.M.

Stone, Veined white hypersthene-chondrite

*Description:* Mass with crust, 37 grams Me774

Fragment from interior, fine grained and friable, 15 grams Me1475

Mass with crust, 21 grams Me1473



BUSTEE, Bustee, between Gorakhpur and Fyzabad, Basti District,  
United Provinces, India

*Fell:* December 2, 1852, 10:00 A.M.

Stone, Polymict brecciated aubrite (enstatite-achondrite)

*Description:* Fragments, 5 grams Me1352

BUTLER, Butler, Bates County, Missouri, USA

*Found:* Before 1874

Iron, Finest octahedrite

*Description:* Slab with crust, 108 grams Me1121

Etched slab with crust, 325 grams Me1122

Small slab, etched, 7.5 grams Me96

BUTSURA, Bagaha, Champaran District, Bihar, India

*Fell:* May 12, 1861, about noon

Stone, Intermediate chondrite

*Description:* Fragments with crust, 1.85 grams Me277

Polished slab with crust, color dark-brown, metal  
abundant, 27 grams Me1884

Fragment with crust and polished surface,  
10.5 grams Me1885

CABEZO DE MAYO, Cabezo de Mayo, Murcia, Spain

*Fell:* August 18, 1870, 6:15 A.M.

Stone, White chondrite

*Description:* Mass with crust, 102.5 grams Me1514

Mass with crust, 59.5 grams Me1515

CABIN CREEK, Cabin Creek, Johnson County, Arkansas, USA

*Fell:* March 27, 1886, 3:00 P.M.

Iron, Medium octahedrite

*Description:* Etched fragment with crust on one side, 1 gram  
Me1091

CACARIA, Cacaria, Durango, Mexico

*Found:* 1867

Iron, Hammond medium octahedrite

*Description:* Mass with crust and three etched surfaces,  
1,644 grams Me922

Etched slab with crust, 383 grams Me923

CACHIYUYAL, Cachiyuyal, Atacama, Chile

*Found:* 1874

Iron, Medium octahedrite

*Description:* End piece with etched surface, 723 grams Me958

CAMBRIA, Cambria, Niagara County, New York, USA

*Found:* 1818

Iron, Fine octahedrite

*Description:* Etched slab, 78 grams Me927

Slab with crust; etched, 102.5 grams Me928

CANELLAS, Canellas, Barcelona, Spain

*Fell:* May 14, 1861, 1:30 P.M.

Stone, Polymict brecciated intermediate chondrite

*Description:* Fragment with crust, 7 grams Me1793

Fragment from interior, 2 grams Me1794

CANGAS DE ONIS, Cangas de Onis, Asturias, Spain

*Fell:* December 6, 1866, 11:00 A.M.

Stone, Polymict brecciated gray chondrite

*Description:* Part of a small individual, 40.8 grams Me1841

Nearly complete individual with crust broken from  
one end, 53.5 grams Me1842

CAÑON DIABLO, Cañon Diablo, Coconino County, Arizona, USA

*Found:* 1891

Iron, Coarse octahedrite

*Description:* Complete individual, flattened form, 460.304 kg.  
Me143

Six fragments, 122.5 grams Me152

Etched section, 20×29 cm., 2,920 grams Me144

Complete individual, 60 grams Me455

Complete individual, 120.657 kg. Me146

Complete individual, 155 grams Me610

Etched section, 19×30 cm., 4,309 grams Me147

One fragment, 34 grams Me751

Nearly complete individual, 23.590 kg. Me148

Meteoritic crust, three fragments, 31.3 grams Me771

Thick slab, 20×27 cm., polished, 26.047 kg. Me150

Nearly complete individual, one polished surface,  
24.489 kg. Me151

Complete individual, 185 grams Me2153  
 Complete individual, 383.292 kg. Me1233  
 Section of graphitic meteorite and filings; filings  
 10.9 grams, fragment 31.3 grams Me2150  
 Cohenite from meteorite, 2.5 grams Me1910  
 Cohenite, 2.2 grams Me2349  
 Polished section, 190 grams Me2342  
 Complete individual, 252.202 kg. Me1234  
 Complete individual, 169.553 kg. Me1235  
 Complete individual, 143.791 kg. Me1236  
 End piece, etched, 48.080 kg. Me1244  
 End piece, etched, 31.752 kg. Me1245  
 Etched section, 35×45 cm., 18,514 grams Me1246  
 Etched section, 35×52 cm., 17.290 kg. Me1247  
 Etched section, 18×40 cm., 8.455 kg. Me1248  
 Etched section, 1,286 grams Me1249  
 Fifty-one individuals ranging from 900 to 25 grams  
 each in weight, 10,731 grams Me1252

## CANTON, Canton, Cherokee County, Georgia, USA

*Found:* 1894  
 Iron, Medium octahedrite  
*Description:* Fragment from interior, one surface polished,  
 110 grams Me1092  
 Full-sized section, etched, 152 grams Me1093

## CANYON CITY, Canyon City, Trinity County, California, USA

*Found:* 1875  
 Iron, Medium octahedrite  
*Description:* Full-sized section, etched, 412 grams Me1018  
 End piece, etched, 4,240 grams Me1019

CAPE GIRARDEAU, Cape Girardeau, Cape Girardeau County,  
Missouri, USA

*Fell:* August 14, 1846, 3:00 P.M.  
 Stone, Spherical bronzite-chondrite  
*Description:* Mass with crust, 43 grams Me1566  
 Mass with crust, 18 grams Me1567

CAPE OF GOOD HOPE, Cape of Good Hope, Cape Province,  
South Africa

*Found:* 1793  
 Iron, Nickel-rich ataxite  
*Description:* Polished slab, 27 grams Me29  
 Thin, broad slab, etched, 169 grams Me911

## CAPERR, Caperr, Rio Senguerr, Chubut Territory, Patagonia

*Known:* 1869  
 Iron, Medium octahedrite  
*Description:* Full-sized section, etched, 383 grams Me1005

## CAPE YORK, Cape York, West Greenland

*Known:* 1818  
 Iron, Medium octahedrite  
*Description:* Shavings, 6 grams Me953

## CARBO, Carbo, Alamo Ranch, Sonora, Mexico

*Found:* 1923  
 Iron, Medium octahedrite  
*Description:* Torn piece, 41 grams Me2148

## CARCOTE, Carcote, western Cordilleras, Atacama, Chile

*Found:* 1888  
 Stone, Crystalline bronzite-chondrite  
*Description:* Sawed fragment, 1 gram Me1492

## CARLTON, Carlton, Hamilton County, Texas, USA

*Found:* 1887  
 Iron, Fine octahedrite  
*Description:* Full-sized etched section, 2,750 grams Me880  
 Full-sized etched section, 3,215 grams Me879  
 Full-sized, thin slab, 22×30 cm., showing polished  
 and etched surfaces, 3,385 grams Me131

## CARTHAGE, Carthage, Smith County, Tennessee, USA

*Found:* 1840  
 Iron, Medium octahedrite  
*Description:* Thick slab showing polished and etched surface and  
 crust, 50 grams Me51  
 Etched section with crust, 445 grams Me924  
 Etched section with crust, 14 grams Me925

- CASAS GRANDES, Casas Grandes, de Malintzin, Chihuahua, Mexico  
*Recognized:* 1867  
 Iron, Medium octahedrite  
*Description:* Etched section, 12×12 cm., found in old Aztec tomb,  
 608 grams Me524  
 Broad slab, 24×41 cm., etched, 6,026 grams Me881  
 Broad slab, etched, 3,353 grams Me882
- CASEY COUNTY, Casey County, Kentucky, USA  
*Found:* 1877  
 Iron, Coarse octahedrite  
*Description:* Etched section with crust, 29 grams Me1075  
 Etched section in two parts, 42 grams Me1076
- CASTALIA, Castalia, Nash County, North Carolina, USA  
*Fell:* May 14, 1874, 2:30 P.M.  
 Stone, Gray brecciated bronzite-chondrite  
*Description:* Fragment with crust, 1.5 grams Me307  
 Fragment from interior, 6.5 grams Me308  
 Mass with crust and one sawed surface, 184 grams  
 Me1519
- CASTINE, Castine, Hancock County, Maine, USA  
*Fell:* May 20, 1848, 4:00 A.M.  
 Stone, Veined white hypersthene-chondrite  
*Description:* Mass with crust and polished surface, 42 grams  
 Me1565
- CAVOUR, Cavour, Beadle County, South Dakota, USA  
*Found:* 1941  
 Stone, Brecciated crystalline hypersthene?-chondrite  
*Description:* End piece, polished slice, 301 grams Me2416
- CEDAR (KANSAS), Cedar, Smith County, Kansas, USA  
*Found:* 1937  
 Stone, Black chondrite  
*Description:* Slice, polished on both sides, 79.1 grams Me2293
- CEDARTOWN, Cedartown, Polk County, Georgia, USA  
*Found:* Before 1898  
 Iron, Hexahedrite  
*Description:* Slice, polished, 213 grams Me2373

- CENTRAL MISSOURI, Central Missouri, USA  
*Found:* 1855  
 Iron, Coarsest octahedrite  
*Description:* End piece with polished surface, 2,530 grams  
 Me1059
- CERESETO, Cereseto, Casale, Piedmont, Italy  
*Fell:* July 17, 1840, 7:30 A.M.  
 Stone, Brecciated spherical chondrite  
*Description:* Fragment with crust and armoured surface,  
 9.5 grams Me1476
- CHAMBERLIN, Chamberlin, Dallam County, Texas, USA  
*Found:* 1941  
 Stone, Crystalline spherical chondrite  
*Description:* Polished slice, 271.5 grams Me2377
- CHAMBORD, Chambord, Lake Saint John County,  
 Quebec, Canada  
*Found:* 1904  
 Iron, Medium octahedrite  
*Description:* Etched section with crust, 18.2 grams Me921
- CHANARAL, Chanaral, Atacama, Chile  
*Found:* 1884  
 Iron, Medium octahedrite  
*Description:* End piece with etched surface, 11 grams Me939
- CHANDAKAPUR, Chandakapur, Berar, Central Provinces, India  
*Fell:* June 6, 1838, noon  
 Stone, Polymict brecciated intermediate hypersthene-chondrite  
*Description:* Three fragments from interior; two polished,  
 3.5 grams Me245  
 Mass with crust, 68 grams Me1800  
 Fragment from interior with two polished surfaces,  
 12 grams Me1802
- CHANNING, Channing, Hartley County, Texas, USA  
*Found:* 1936  
 Stone, Black chondrite  
*Description:* Chondrite with large metallic inclusions, 639 grams  
 Me2215

- CHANTONNAY, Chantonnay, Vendée, France  
*Fell:* August 5, 1812, 2:00 A.M.  
 Stone, Polymict brecciated gray hypersthene-chondrite  
*Description:* Polished chip, 2 grams Me232  
 Mass from interior, 46 grams Me1790  
 Mass from interior, 51 grams Me1791
- CHARCAS, Charcas, San Luis Potosi, Mexico  
*Known:* 1804  
 Iron, Medium octahedrite  
*Description:* Broad, etched section, 5,230 grams Me931
- CHARLOTTE, Charlotte, Dickson County, Tennessee, USA  
*Fell:* August 1, 1835, 2-3 P.M.  
 Iron, Fine octahedrite  
*Description:* Thin slab, one surface etched, 5 grams Me40  
 Triangular section with crust, etched, 6 grams Me903
- CHARSONVILLE, Charsonville, Meung, Loiret, France  
*Fell:* November 23, 1810, 1:30 P.M.  
 Stone, Veined gray chondrite  
*Description:* Fragment from interior, 22 grams Me229  
 Two fragments from interior, one with polished surface, 43 grams Me1489  
 Fragment from interior, 15 grams Me1490
- CHARWALLAS, Charwallas, Hissar District, Punjab, India  
*Fell:* June 12, 1834, 8:00 A.M.  
 Stone, Intermediate chondrite  
*Description:* Fragments, 0.2 gram Me1832
- CHASSIGNY, Chassigny, Haute Marne, France  
*Fell:* October 3, 1815, 8:00 A.M.  
 Stone, Chassignite  
*Description:* Fragment from interior, 9.3 grams Me1780  
 Powder from the interior, 0.70 gram Me546
- CHATEAU-RENARD, Chateau-Renard, Montargis, Loiret, France  
*Fell:* June 12, 1841, 1:30 P.M.  
 Stone, Veined intermediate hypersthene-chondrite

- Description:* Fragment from interior, 7 grams Me248  
 Mass with crust, 174 grams Me1804  
 Mass from interior, 62 grams Me1805  
 Fragment with crust and polished surface, 15 grams Me1806
- CHERVETTAZ, Chervettaz, Palezieux, Vaud, Switzerland  
*Fell:* November 30, 1901, 2:00 P.M.  
 Stone, Crystalline spherical chondrite  
*Description:* Fragment with crust and polished surface, 26 grams Me1562
- CHESTERVILLE, Chesterville, Chester County, South Carolina, USA  
*Found:* Before 1849  
 Iron, Nickel-poor ataxite  
*Description:* Thin etched slab, 6.5 grams Me56  
 Etched slab with crust, 138 grams Me1077
- CHIHUAHUA CITY, Chihuahua City, Mexico  
*Recognized:* 1929  
 Iron, Brecciated hexahedrite  
*Description:* End piece with polished surface, 1,994 grams Me2136
- CHILKOOT, Chilkoot Inlet, Portage Bay, Alaska, USA  
*Found:* 1881  
 Iron, Medium octahedrite  
*Description:* Etched section with crust, 62 grams Me1069
- CHINAUTLA, Chinautla, Guatemala, Central America  
*Found:* 1902  
 Iron, Medium octahedrite  
*Description:* Full-sized etched section, 127 grams Me1949
- CHULAFINNEE, Chulafinnee, Cleburne County, Alabama, USA  
*Found:* 1873  
 Iron, Medium octahedrite  
*Description:* Etched slab, 29 grams Me94  
 Etched slab with crust, 87 grams Me1109

## CHUPADEROS, Chupaderos, Jimenez, Chihuahua, Mexico

*Found:* 1852—first mentioned (known for centuries)

Iron, Fine octahedrite

*Description:* Etched mass with crust, 293.2 grams Me1044

Full-sized etched slab; troilite and schreibersite are prominent constituents, 2,593 grams Me1045

Full-sized, etched slab, 2,492 grams Me1046

End piece, etched, 5,438 grams Me1047

Fragment, 2.7 grams Me1902

## CINCINNATI, Cincinnati, Hamilton County, Ohio, USA

*Found:* 1870

Iron, Nickel-poor ataxite

*Description:* A section with crust, 61.4 grams Me2104

Etched fragment with crust, 1.1 grams Me1089

Powder, 1 gram Me2104

## CLARETON, Clareton, Weston County, Wyoming, USA

*Found:* After 1931

Stone, Gray chondrite

*Description:* Polished slice, 3×2 cm., 43.7 grams Me2304

## CLEVELAND, Cleveland, Bradley County, Tennessee, USA

*Found:* 1860

Iron, Medium octahedrite

*Description:* Etched slab with crust, 94.2 grams Me1197

Large, thin slab showing crust, polished and etched surfaces, 234 grams Me127

Etched slab, 174.5 grams Me1196

## COAHUILA, Coahuila, Mexico

*Known:* 1837

Iron, Hexahedrite

*Description:* Thin polished slab, partly etched, 70.3 grams Me37

Turnings (drill chips), 10.3 grams Me90

Etched slab with crust, 1,233 grams Me847

Etched slabs, 163 grams Me849

Etched slab with crust, 104 grams Me113

Etched section with crust, 425.7 grams Me852

Sawed fragment with crust, 11.5 grams Me853

End section with polished surface; crust surface smooth, 3,381 grams Me43

Etched section, 924 grams Me841

Broad slab, 15×33 cm., etched, 2,153 grams Me843

Thin, etched section, 440 grams Me844

## COBIJA, Cobija, Pampa of Santa Barbara, Antofagasta, Chile

*Found:* February, 1892

Stone, Crystalline bronzite-chondrite

*Description:* Polished section, 120 grams Me753

End piece with polished surface, 1,100 grams Me1409

One fragment, 2.5 grams Me753

## COLBY (KANSAS), Colby, Thomas County, Kansas, USA

*Found:* 1940

Stone, Crystalline spherical chondrite

*Description:* Slice, 108.5 grams Me2376

## COLBY (WISCONSIN), Colby, Clark County, Wisconsin, USA

*Fell:* July 4, 1917, 6:20 P.M.

Stone, Veined intermediate hypersthene-chondrite

*Description:* Mass with crust, 760 grams Me1988

One large fragment, 670 grams Me1989

Three fragments, probably from larger mass, 431 grams Me1989

429 fragments, 8,169 grams Me1990

## COLD BOKKEVELD, Cold Bokkeveld, Cape Province, South Africa

*Fell:* October 13, 1838, 9:00 A.M.

Stone, Carbonaceous chondrite

*Description:* Fragment with crust, 35 grams Me1736

Fragment with crust, 18 grams Me1737

Four fragments with crust, one from interior, 12 grams Me1738

## COLDWATER (IRON), Coldwater, Comanche County, Kansas, USA

*Found:* 1923

Iron, Octahedrite

*Description:* Section, 3,736 grams. Meteorite altered to limonite by weathering Me2051

## COLDWATER (STONE), Coldwater, Comanche County, Kansas, USA

*Found:* 1924

Stone, Crystalline spherical chondrite

*Description:* Nearly complete individual, 3,550 grams Me2052

Polished section, 275 grams Me2071

Polished section, 215 grams Me2072

Three polished sections, 37 grams Me2076

## COLFAX, Colfax, Rutherford County, North Carolina, USA

*Found:* 1880

Iron, Medium octahedrite

*Description:* End piece etched, 652 grams Me1960

End piece etched (cut from Me153), 193 grams

Me1961

## COLLESCIPOLI, Collescipoli, Terni, Umbria, Italy

*Fell:* February 3, 1890, 1:30 P.M.

Stone, Spherical bronzite-chondrite

*Description:* Fragment with crust, 3 grams Me356

Mass with crust, 40 grams Me1532

Mass with crust, 45 grams Me1533

## COOKEVILLE, Cookeville, Putnam County, Tennessee, USA

*Found:* 1913

Iron, Coarse octahedrite

*Description:* Etched section, 216 grams Me1985

## COOLAC, Coolac, County Harder, New South Wales, Australia

*Found:* 1874

Iron, Coarse octahedrite

*Description:* Slice, etched and polished, 14.9 grams Me2421

## COOLIDGE, Coolidge, Hamilton County, Kansas, USA

*Found:* 1937

Stone, Chondrite

*Description:* End piece, polished face, 213 grams Me2243

## COON BUTTE, Coon Butte, Coconino County, Arizona, USA

*Found:* 1905

Stone, Brecciated gray chondrite

*Description:* Full-sized section, one surface polished, 308 grams

Me1434

## COOPERTOWN, Coopertown, Robertson County, Tennessee, USA

*Known:* 1860

Iron, Medium octahedrite

*Description:* Thin slab, etched, 82.5 grams Me83

Polished section, 21 grams Me822

Etched section with crust on three edges, 50 grams

Me1126

Etched section with crust, 60 grams Me1127

## COPE, Cope, Washington County, Colorado, USA

*Found:* 1934

Stone, Chondrite

*Description:* Complete individual, 451.4 grams Me2250

## COPIAPO, Copiapo, Atacama, Chile

*Found:* 1863

Iron, Brecciated octahedrite with silicate inclusions

*Description:* Surface section, etched, 195 grams Me833

## COSBY'S CREEK, Cosby's Creek, Cocke County, Tennessee, USA

*Known:* Before 1837

Iron, Coarse octahedrite

*Description:* Five irregular fragments, 34 grams Me48Irregular fragment, shows octahedral cleavage,  
43 grams Me49

Four octahedral fragments, 115 grams Me53

Taenite, 5 grams Me1906

Etched slab with crust, 96 grams Me889

Graphite, 10 grams Me1907

Irregular fragment, shows octahedral cleavage,  
56 grams Me890

Mass with crust, 2,880 grams Me891

## COSINA, Cosina, Dolores Hidalgo, Guanajuato, Mexico

*Fell:* January, 1844, 11:00 A.M.

Stone, Crystalline chondrite

*Description:* Fragment with one sawed surface, color  
dark gray, 5 grams Me1561

## COSTILLA PEAK, Costilla Peak, Taos County, New Mexico, USA

*Found:* 1881

Iron, Medium octahedrite

*Description:* Nearly full-sized section, etched, 11×20 cm.,  
1,133 grams Me502

Full-sized, etched section, 11×31 cm., 1,740 grams  
Me856

Broad, etched section with crust, 6,807 grams  
Me857

COTESFIELD, Cotesfield, Howard County, Nebraska, USA

*Found:* 1928

Stone, Veined chondrite

*Description:* Slice with crust, 77.5 grams Me2154

COVERT, Covert, Osborne County, Kansas, USA

*Recognized:* 1929, known before 1896

Stone, Veined spherical chondrite

*Description:* Thick slab, polished one side, 798 grams Me2366

COWRA, Cowra, County Bathurst, New South Wales,  
Australia

*Found:* 1888

Iron, Finest octahedrite

*Description:* Etched section, 68 grams Me783

Thin, broad, etched section, 25 grams Me973

CRAB ORCHARD, Crab Orchard Mountains, Rockwood,  
Cumberland County, Tennessee, USA

*Found:* 1887

Stony-iron, Mesosiderite

*Description:* Etched section, 40.5 grams Me184

Complete individual, the surface shows weathering,  
4,343 grams Me185

End piece, with polished surface, 17×26 cm.,  
6,030 grams Me187

End piece, with polished surface, 600 grams  
Me1262

Full-sized polished section, 18×27 cm., 1,920 grams  
Me1263

CRANBERRY PLAINS, Poplar Hill, Giles County, Virginia, USA

*Found:* 1852

Iron, Fine octahedrite

*Description:* Fragment, 1.2 grams Me1084

CRANBOURNE, Cranbourne, near Melbourne, County  
Mornington, Victoria, Australia

*Found:* 1854

Iron, Coarse octahedrite

*Description:* Etched section, contains two troilite nodules, each  
rimmed by schreibersite, 321 grams Me499

Thin, etched slab, 15.4 grams Me70

Two fragments, 2.3 grams Me1159

Etched slice, 712 grams Me1159

Interior fragment with octahedral structure,  
22.8 grams Me1198

Three fragments from interior, 38 grams Me68

Cohenite fragments from meteorite, 0.5 grams  
Me1909

Troilite powder, 0.5 grams Me2344

Anthracite-like carbon from decomposition of cohe-  
nite, 0.7 grams Me2353

Full-sized, etched section, 100×120 mm., 707 grams  
Me1159

Full-sized, etched section, 1,628 grams Me1199

CRONSTAD, Cronstad, Orange Free State, South Africa

*Fell:* November 19, 1877, 4:00 P.M.

Stone, Veined gray bronzite-chondrite

*Description:* Fragment with crust, 6 grams Me1546

Slice with crust, 4.5 grams Me1547

CROSS ROADS, Cross Roads, Boyett, Wilson County,  
North Carolina, USA

*Fell:* May 24, 1892, 5:00 A.M.

Stone, Gray chondrite

*Description:* Mass with crust, 18 grams Me1559

CRUMLIN, Crumlin, County Antrim, Ireland

*Fell:* September 13, 1902, 10:30 A.M.

Stone, Gray hypersthene-chondrite

*Description:* Fragment with crust, texture firm, 13 grams  
Me1499

CRUZ DEL AIRE, Sabina Hidalgo, Nuevo Leon, Mexico  
*Found:* 1930 (part of second mass)  
 Iron, Fine octahedrite  
*Description:* Polished and etched slab, 217 grams Me2405

CUBA, Cuba, West Indies  
*Described:* 1871  
 Iron, Medium octahedrite  
*Description:* Oxidized fragments, 2.6 grams Me1087

CUERNAVACA, Cuernavaca, Morelos, Mexico  
*Found:* 1889  
 Iron, Fine octahedrite  
*Description:* Full-sized slab, etched, 338 grams Me1024  
 End piece with two polished surfaces, 17,340 grams  
 Me1025

CULLISON, Cullison, Pratt County, Kansas, USA  
*Found:* 1911  
 Stone, Polymict brecciated, spherical bronzite-chondrite  
*Description:* Thin, broad slab with crust and polished surface,  
 154 grams Me1746

CUMBERLAND FALLS, Cumberland Falls, Whitley County,  
 Kentucky, USA  
*Fell:* April 9, 1919, noon  
 Stone, Whitleyite, a breccia consisting of fragments of white aubrite  
 and black enstatite-chondrite  
*Description:* Complete individual, 877 grams Me1996  
 Two end pieces, with polished surface, 1,611 grams  
 Me1997  
 Complete individual, 2,192 grams Me1998  
 Fragments with crust, 45 grams Me2002  
 Fragments of brecciated structure, 11 specimens,  
 150 grams Me2015

CYNTHIANA, Cynthiana, Harrison County, Kentucky, USA  
*Fell:* January 23, 1877, 4:00 P.M.  
 Stone, Gray hypersthene-chondrite  
*Description:* Five fragments with crust, 22 grams Me1504

DALTON, Dalton, Whitfield County, Georgia, USA  
*Found:* 1877  
 Iron, Medium octahedrite  
*Description:* Etched section, 91.7 grams Me1967  
 Full-sized, etched section, 123 grams Me1119  
 Angular block etched on two faces, 41 grams  
 Me1120

DANDAPUR, Dandapur, Gorakhpur district, United Provinces,  
 India  
*Fell:* September 5, 1878, 5:00 P.M.  
 Stone, Veined intermediate hypersthene-chondrite  
*Description:* Sawed mass from interior, 65 grams Me1548

DANIEL'S KUIL, Daniel's Kuil, Griqualand, West Africa  
*Fell:* March 20, 1868  
 Stone, Crystalline enstatite-chondrite  
*Description:* Polished slice and fragment with crust, 16 grams  
 Me1500

DANVILLE, Danville, Morgan County, Alabama, USA  
*Fell:* November 27, 1868, 5:00 P.M.  
 Stone, Polymict brecciated veined gray hypersthene-chondrite  
*Description:* Fragment from interior, 5 grams Me1578

DAVIS MOUNTAINS, Davis Mountains, Jeff Davis County,  
 Texas, USA  
*Found:* 1903  
 Iron, Medium octahedrite  
*Description:* Individual, complete except for a small piece cut from  
 a projecting corner, 693.09 kg. Me1946  
 Etched mass with crust, 460 grams Me2107

DEAL, Deal, Long Branch, Monmouth County, New Jersey, USA  
*Fell:* August 15, 1829, 12:30 A.M.  
 Stone, Intermediate chondrite  
*Description:* Fragment from interior, veined, 0.3 grams Me1543

DE CEWSVILLE, De Cewsville, Haldimand County, Ontario,  
 Canada  
*Fell:* January 21, 1887, 2:00 P.M.



Stone, White chondrite  
*Description:* Fragment from interior, 0.2 grams Me1558

DEEP SPRINGS, Deep Springs, Rockingham County,  
 North Carolina, USA

*Found:* Said to have fallen, 1846  
 Iron, Nickel-rich ataxite  
*Description:* Nearly complete, etched section, 420 grams Me453  
 Sawdust, 1.3 grams Me453  
 Fragment, 9 grams Me884

DELEGATE, Delegate, County Wellesley, New South Wales,  
 Australia

*Found:* About 1904  
 Iron, Medium to coarse octahedrite  
*Description:* Etched section, 359.2 grams Me1969

DELLYS, Dellys, Algeria

*Found:* 1865  
 Iron, Medium octahedrite  
*Description:* Two irregular fragments, one etched, 3 grams  
 Me1064

DE NOVA, De Nova, Washington County, Colorado, USA

*Found:* 1940  
 Stone, White veined crystalline spherical chondrite  
*Description:* Mass with crust and polished face, 632 grams  
 Me2378

DENTON COUNTY, Denton County, Texas, USA

*Found:* 1856  
 Iron, Medium octahedrite  
*Description:* Thin slab, polished, 2 grams Me74  
 Pyramidal fragment with crust, etched, 25 grams  
 Me1190  
 Thin slab with crust on edge, etched, 17 grams  
 Me1191

DEPORT, Deport, Red River County, Texas, USA

*Found:* 1926  
 Iron, Coarse octahedrite  
*Description:* Etched section, 315 grams Me2169

DESCUBRIDORA, Descubridora, Catorce, San Luis Potosi, Mexico

*Found:* Between 1780 and 1783  
 Iron, Medium octahedrite  
*Description:* Pyramidal mass with one etched surface,  
 28,576 grams Me947  
 Etched slab, 14.2 grams Me2  
 Full-sized triangular, etched section, 4,755 grams  
 Me 948  
 Rhabdite from meteorite, 1.6 grams Me1913  
 Etched slab, 41.2 grams Me949

DHULIA, Dhulia, West Khandesh District, Bombay, India

*Fell:* November 27, 1877, 6:00 P.M.  
 Stone, Veined white chondrite  
*Description:* Fragment from interior, 1.5 grams Me1544  
 Fragments of dark glass, perhaps from crust, 1 gram  
 Me1545

DHURMSALA, Dhurmsala, Kangra District, Punjab, India

*Fell:* July 14, 1860, 2:15 P.M.  
 Stone, Intermediate hypersthene chondrite  
*Description:* Mass with crust, 500 grams Me1346  
 Fragments from interior, 3.6 grams Me275  
 Mass with crust, 985 grams Me1347  
 Mass with crust, 1,409 grams Me1348

DIMMITT, Dimmitt, Castro County, Texas, USA

*Found:* About 1942  
 Stone, Chondrite  
*Description:* Complete individual, 734 grams Me2402

DIX, Dix, Kimball County, Nebraska, USA

*Found:* 1927  
 Stone, Chondrite  
*Description:* End piece with polished surface, 834.1 grams  
 Me2296

DJATI-PENGILON, Djati-Pengilon, Ngawi district, Java

*Fell:* March 19, 1884, 4:30 A.M.  
 Stone, Crystalline bronzite-chondrite

*Description:* Mass with crust and sawed surface, 28 grams  
Me1556

Mass with crust and sawed surface, 11 grams  
Me1557

DOKACHI, Dokachi, Munshiganj Subdivision, Dacca District,  
East Bengal, Pakistan

*Fell:* October 22, 1903, 7:00 P.M.

Stone, Intermediate veined hypersthene-chondrite

*Description:* Mass with crust, 25 grams Me772

Nearly complete individual with polished surface,  
193 grams Me1380

DOLGOVOLI, Dolgovoli, Luck, Volhynia, West Ukraine  
(formerly in Wolyn, Poland)

*Fell:* June 26, 1864, 7:00 A.M.

Stone, White chondrite

*Description:* Fragment from interior, 6.3 grams Me1509

DORONINSK, Dorcninsk, Irkutsk, Siberia, USSR

*Fell:* April 6, 1805, 5:00 P.M.

Stone, Brecciated gray chondrite

*Description:* Mass with crust, 53 grams Me1560

DRAKE CREEK, Drake Creek, Nashville, Sumner County,  
Tennessee, USA

*Fell:* May 9, 1827, 4:00 P.M.

Stone, Polymict brecciated veined white hypersthene-chondrite

*Description:* Mass with crust, crust cracked, interior friable,  
119.5 grams Me1526

DRUM MOUNTAINS, Drum Mountains, Millard County, Utah,  
USA

*Found:* September 24, 1944

Iron, Medium octahedrite

*Description:* Slice, polished and etched, 1,030 grams Me2419

DUCHESNE, Duchesne County, Utah, USA

*Found:* 1906

Iron, Fine octahedrite

*Description:* Etched section, 95 grams Me2109

DUEL HILL (1854), Duel Hill, Walnut Mountains,  
Madison County, North Carolina, USA

*Found:* 1854

Iron, Fine octahedrite

*Description:* Etched slab with crust, 40 grams Me1108

DUEL HILL (1873), Duel Hill, Walnut Mountains,  
Madison County, North Carolina, USA

*Found:* 1873

Iron, Coarse octahedrite

*Description:* Etched slab with crust on edge, 178 grams Me864  
Etched slab with crust on one edge, 12.7 grams  
Me865

DUNDRUM, Dundrum, County Tipperary, Ireland

*Fell:* August 12, 1865, 7:00 P.M.

Stone, Crystalline bronzite-chondrite

*Description:* Fragment from interior, 1 gram Me1501

DUNGANNON, Dungannon, Scott County, Virginia, USA

*Found:* 1922-23

Iron, Medium (to coarse) octahedrite

*Description:* Incomplete individual, 6,540 grams Me2037

Fragments, 3.7 grams Me2037

Polished and etched section of Me2037, 331 grams  
Me2090

Polished and etched section, 365 grams Me2091

DURALA, Durala, N. W. of Karnal District, Patiala State,  
Punjab, India

*Fell:* February 18, 1815, noon

Stone, Veined intermediate hypersthene-chondrite

*Description:* Sawed fragment with crust, 53 grams Me559

Sawed fragment with crust, 25 grams Me1542

DURANGO, Durango, Mexico

*Recognized:* 1904

Iron, Medium octahedrite

*Description:* Section of iron meteorite, 302 grams Me2138

DURUMA, Duruma, Mombasa, Wanikaland, Kenya, Africa

*Fell:* March 6, 1853

Stone, Veined intermediate chondrite  
*Description:* Fragment from interior, 4 grams Me1552

DWIGHT, Dwight, Geary County, Kansas, USA  
*Found:* 1940  
 Stone, Chondrite  
*Description:* End piece, with polished surface, 435.5 grams  
 Me2379

DYALPUR, Dyalpur, Sultanpur District, United Provinces, India  
*Fell:* May 8, 1872  
 Stone, Ureilite  
*Description:* Fragment, one side polished, black and friable,  
 0.4 grams Me1541

EAGLE STATION, Eagle Station, Carroll County, Kentucky, USA  
*Found:* 1880  
 Stony-iron, Pallasite  
*Description:* Sawed slab showing deeply pitted, natural surface and  
 polished surface, 106 grams Me180  
 Polished slab, 180 grams Me1314  
 Olivine grains, 4.7 grams Me182

ECTOR COUNTY, Ector County, Texas, USA  
*Found:* About 1943-44  
 Iron  
*Description:* End piece with polished surface, 721.5 grams  
 Me2329  
 Three fragments, 473 grams Me2330  
 Slice, 369.3 grams Me2331  
 Polished slice, 75.9 grams Me2388  
 One large and two small fragments, 60 grams  
 Me2332

EDMONTON KENTUCKY, Edmonton, Metcalfe County,  
 Kentucky, USA  
*Found:* 1942  
 Iron, Finest to fine octahedrite  
*Description:* Slice, etched, 151.5 grams Me2399

EICHSTADT, Eichstadt, Middle Franconia, Bavaria, Germany  
*Fell:* February 19, 1785, 12:15 P.M.  
 Stone, Spherical bronzite-chondrite

*Description:* Fragment from interior, 1 gram Me212  
 Fragment with crust, 13.7 grams Me1876

ELBOGEN, Elbogen, Bohemia, Czechoslovakia  
*Fell:* 1400?, recognized: 1811  
 Iron, Medium octahedrite  
*Description:* Etched fragment, 2.5 grams Me1  
 Lath-shaped section from interior, etched,  
 41.7 grams Me919  
 Section with polished and oxidized surface,  
 18.7 grams Me920

EL CAPITAN, El Capitan Range, Lincoln County, New Mexico,  
 USA  
*Found:* 1893  
 Iron, Medium octahedrite  
*Description:* Etched section with crust, 137 grams Me828  
 Full-sized, etched section, 483 grams Me968  
 Full-sized, etched section, 1,612 grams Me969

ELI ELWAH, Eli Elwah, Hay, County Waradgery,  
 New South Wales, Australia  
*Found:* 1888  
 Stone, White hypersthene-chondrite  
*Description:* Polished slab with crust, 81 grams Me779  
 Two fragments with crust, 3 grams Me1343

ELM CREEK, Elm Creek, Admire, Lyon County, Kansas, USA  
*Found:* 1906  
 Stone, Spherical hypersthene-chondrite  
*Description:* Full-sized section, one surface polished, 386 grams  
 Me765  
 Full-sized section, one surface polished, 378 grams  
 Me1415

EMMITSBURG, Emmitsburg, Frederick County, Maryland,  
 USA  
*Found:* 1854  
 Iron, Medium octahedrite  
*Description:* Etched slab with crust, 28.2 grams Me67  
 Etched slab with crust, 13.5 grams Me1182

ENSISHEIM, Ensisheim, Upper Alsace, France

*Fell:* November 16, 1492, 11:30 A.M.

Stone, Polymict brecciated crystalline hypersthene-chondrite

*Description:* Fragment from interior, 22.5 grams Me207

Fragment from interior, 4 grams Me208

Mass with crust and armoured surface, 36 grams Me1739

Two masses with polished surfaces, 57 grams Me1740

EPINAL, Epinal, Vosges, France

*Fell:* September 13, 1822, 7:00 A.M.

Stone, Spherical chondrite

*Description:* Fragment with crust, 7 grams Me1786

Mass from interior, 12 grams Me1787

ERGHEO, Ergheo, Brava, Italian Somaliland, East Africa

*Found:* July, 1889

Stone, Crystalline hypersthene-chondrite

*Description:* Polished section with crust, 186 grams Me553

Fragment of larger specimen, 2 grams Me553

Polished section with crust, 399 grams Me1769

ERXLEBEN, Erxleben, Magdeburg, Prussia, Germany

*Fell:* April 15, 1812, 4:00 P.M.

Stone, Crystalline bronzite-chondrite

*Description:* Fragment with crust, 49 grams Me1772

ESNANDES, Esnandes, Charente-Inferieure, France

*Fell:* August 3, 1837

Stone, Gray chondrite

*Description:* Fragment from interior, 23 grams Me1569

ESPIRITU SANTO, Espiritu Santo, Michoacan, Mexico

*Found:* Before 1916(?)

Iron, Fine octahedrite

*Description:* Etched fragment with crust, 54 grams Me1056

ESTACADO, Estacado, Hale County, Texas, USA

*Found:* 1883

Stone, Crystalline bronzite-chondrite

*Description:* Full-sized slab with polished surfaces, 15,380 grams Me760

About one-third the original mass, has two broad polished surfaces, 103,200 grams Me1439

ESTHERVILLE, Estherville, Emmet County, Iowa, USA

*Fell:* May 10, 1879, 5:00 P.M.

Stony-iron, Mesosiderite

*Description:* Irregular fragment, 75 grams Me176

Full-sized section, 18×31 cm., one surface polished, 2,716 grams Me177

Thirteen complete individuals, 34 grams Me178

Complete individual, 7 grams Me458

Full-sized section, one surface polished, 5,050 grams Me1302

Section with crust, 489 grams Me1303

Stony mass with crust, 240 grams Me1305

Two individuals, 42 grams Me1306

Twelve small individuals, 23 grams Me1307

One hundred and thirteen complete individuals, 855 grams Me1308

FAIRBANKS, Fairbanks, Alaska, USA

*Found:* Before 1947

Iron, Medium octahedrite

*Description:* Polished and etched piece, 75 grams Me2409

FARLEY, Farley, Colfax County, New Mexico, USA

*Found:* 1936

Stone, Veined gray crystalline-chondrite

*Description:* Polished slice, 635 grams Me2216

FARMINGTON, Farmington, Washington County, Kansas, USA

*Fell:* June 25, 1890, 1:00 P.M.

Stone, Polymict brecciated, veined, black hypersthene-chondrite

*Description:* Mass with crust, 134.4 grams Me345

Fragment, 0.5 grams Me345

Full-sized section, 3,292 grams Me346

End piece of 84 kg. individual, one surface 15×40 cm., polished, 13,353 grams Me347

Nearly encrusted mass, 2,263 grams Me349

Full-sized section, 3,561 grams Me1820

Full-sized section, 2,724 grams Me1820

FAVARS, Favars, Laissac, Aveyron, France

*Fell*: October 21, 1844, 6:45 A.M.

Stone, Intermediate chondrite

*Description*: Fragment with crust, 21 grams Me1838

Fragment with crust and polished surface, 8 grams  
Me1839

FELIX, Felix, Perry County, Alabama, USA

*Fell*: May 15, 1900, 11:30 A.M.

Stone, Spherical carbonaceous hypersthene-chondrite

*Description*: Mass with crust, 39.4 grams Me613

Mass with crust, 50 grams Me1330

Mass with crust, 41.9 grams Me613

FINMARKEN, Finmarken, Arctic Norway

*Found*: 1902

Stony-iron, Pallasite

*Description*: Polished slab, 462 grams Me2225

Broad polished slab, 2,395 grams Me1310

Polished slab, 181 grams Me2226

Polished slab, 290 grams Me1311

Fragments, 60 grams Me1312

Fragment, 25.8 grams Me2227

Polished slab, 39 grams Me2228

Mass and fragments, 542 grams Me2229

Fragments, 55.6 grams Me1310

FISHER, Fisher, Polk County, Minnesota, USA

*Fell*: April 9, 1894, 4:00 P.M.

Stone, Veined intermediate hypersthene-chondrite

*Description*: Mass from interior, 184 grams Me596

Mass with crust, 277 grams Me1341

FÖLLINGE, Föllinge, Ottsjön, Jämtland, Sweden

*Found*: September, 1932

Iron

*Description*: Fragment with crust, 17.9 grams Me2451

FOREST CITY, Forest City, Winnebago County, Iowa, USA

*Fell*: May 2, 1890, 5:15 P.M.

Stone, Brecciated spherical bronzite-chondrite

*Description*: Five hundred and eighty-eight small, complete individuals, 7,951 grams Me340

One complete individual, 4,218 grams Me340

Fifty-five small, complete individuals, 326 grams  
Me341

Complete individual, 96 grams Me1816

Complete individual, 175 grams Me1816

Complete individual, 59 grams Me1816

Complete individual, 1,765 grams Me1807

About two-thirds of a complete individual, 998 grams  
Me1808

Complete individual, 491.5 grams Me1810

Complete individual, 294 grams Me1811

Complete individual, 273 grams Me1812

Complete individual, 234 grams Me1813

Complete individual, 261 grams Me1815

Twenty-one small, complete individuals, 139 grams  
Me1818

Eight small, complete individuals, 11.7 grams  
Me1819

Complete individual, 1,698 grams Me1972

Complete individual, 464 grams Me2034

Complete individual, 143 grams Me2035

Complete individual, 282 grams Me2036

FORSYTH, Forsyth, Monroe County, Georgia, USA

*Fell*: May 8, 1829, 3:30 P.M.

Stone, Veined white hypersthene-chondrite

*Description*: Polished chip and fragment, 3.5 grams Me240

Mass with crust, 33.5 grams Me241

Mass with crust, 41.6 grams Me1788

Fragment from interior, 6 grams Me1789

FORSYTH COUNTY, Forsyth County, North Carolina, USA

*Found*: 1891

Iron, Nickel-poor ataxite

*Description*: Full-sized section with crust, 536 grams Me1014

FORT PIERRE, Fort Pierre, Stanley County, South Dakota, USA

*Found:* 1856

Iron, Medium octahedrite

*Description:* Etched section with crust, 64 grams Me1068

FOUR CORNERS, Four Corners, San Juan County,  
New Mexico, USA

*Found:* 1924

Iron, Brecciated octahedrite, with silicate inclusions

*Description:* Polished section, 1,842 grams Me2048

FRANCEVILLE, Franceville, El Paso County, Colorado, USA

*Found:* 1890

Iron, Medium octahedrite

*Description:* Full-sized etched section, 892 grams Me863

FRANKFORT (STONE), Frankfort, Franklin County, Alabama, USA

*Fell:* December 5, 1868, 3:00 P.M.

Stone, Howardite

*Description:* Fragment, 0.5 gram Me296

Mass from interior, with sawed surface, 16 grams

Me1359

Fragment with crust, 6 grams Me1358

FRANKFORT (IRON), Frankfort, Franklin County, Kentucky, USA

*Found:* 1866

Iron, Medium octahedrite

*Description:* Etched interior section, 5.5 grams Me1073

FUKUTOMI, Fukutomi, Kinoshima, Saga, Kyushu, Japan

*Fell:* March 19, 1882, 1:00 P.M.

Stone, Veined gray chondrite

*Description:* End piece with crust and polished surface, 180 grams  
Me1491

FUTTEHPUR, Futtehpur, Allahabad District, United Provinces,  
India

*Fell:* November 30, 1822, 6:00 P.M.

Stone, Veined white chondrite

*Description:* Polished fragment with crust, 17 grams Me588

Mass with crust and sawed surfaces, 37.5 grams

Me1733

Mass with crust and sawed surfaces, 38.5 grams

Me1734

GALAPIAN, Galapian, Agen, Lot-et-Garonne, France

*Fell:* August (?), 1826

Stone, Veined white chondrite

*Description:* Two fragments, one with crust, 5 grams Me1777

GAMBAT, Gambat, Khairpur State, Sind, Pakistan

*Fell:* September 15, 1897

Stone, Veined intermediate chondrite

*Description:* Mass with crust and two polished surfaces,  
72 grams Me1512

GARNETT, Garnett, Anderson County, Kansas, USA

*Found:* 1938

Stone, Chondrite

*Description:* Polished slice; contains free copper, 254.5 grams  
Me2288

GARRAF, Garraf, Barcelona, Catalonia, Spain

*Found:* 1905

Stone, Chondrite

*Description:* Fragment with crust, 61 grams Me2105

Fragment with crust, 7 grams Me2106

GERONA, Gerona, Catalonia, Spain

*Found:* 1899

Stone, Polymict brecciated gray to white chondrite

*Description:* Fragment from interior showing dark and light areas,  
1 gram Me1487

GILGOIN, Gilgoin Station, Brewarrina, County Clyde,  
New South Wales, Australia

*Recognized:* 1889

Stone, Crystalline bronzite-chondrite

*Description:* Mass with crust and polished surface, 195.5 grams  
Me538

Fragments, 7 grams Me538

Mass with crust, 757 grams Me1424  
 Complete individual; the surface is much reddened by  
 oxidation, 11,947 grams Me1425

GIRGENTI, Girgenti, Sicily, Italy

*Found:* February 10, 1853, 1:00 P.M.

Stone, Veined white hypersthene-chondrite

*Description:* Mass with crust on two surfaces, 45 grams

Me1774

Incomplete individual with crust, 2,141 grams

Me2412

Mass with crust, 29 grams Me1775

GLADSTONE (IRON), Gladstone, Port Curtis, Queensland,  
 Australia

*Found:* 1915

Iron, Coarsest octahedrite

*Description:* Nearly complete individual, 634,200 grams Me2114

End piece with crust and polished surface, 40 lbs.

(18 kgs.) Me2147

Many fragments, 290 grams Me2147

Iron shale, 247.2 grams Me2147

Turnings no. 1, 1,777 grams Me2147

Turnings no. 2, 970 grams Me2147

Fragment, 26.9 grams Me2147

Fragments 4,944 grams Me2192

Metal strips on blocks, 2 grams Me2147

Troilite from crust, 1.3 grams Me2147

Carbon residue, 0.1 gram Me2147

Troilite from nodule, 8.7 grams Me2147

GLADSTONE (STONE), Gladstone, Union County, New Mexico,  
 USA

*Found:* 1936

Stone, Black veined crystalline spherical chondrite

*Description:* Mass from interior with polished surface, 800 grams

Me2219

GLASGOW, Glasgow, Barren County, Kentucky, USA

*Found:* 1922

Iron, Coarse octahedrite

*Description:* Polished and etched slice, 138.4 grams Me2254

GLORIETA MOUNTAIN, Glorieta Mountain, Canonicito,  
 Santa Fe County, New Mexico, USA

*Found:* 1884

Iron, Medium octahedrite, passing in parts into a pallasite

*Description:* Individual of pallasite, 167.5 grams Me2365

Broad, thin etched section showing curved figures,  
 65 grams Me1001

Full-sized etched section, 1,262 grams Me122

Complete individual, 358 grams Me998

Etched section, 284.5 grams Me1002

Etched section, 13.3 grams Me123

Complete individual, 1,467 grams Me997

Cut mass showing etched, torn and striated surfaces,  
 1,054 grams Me999

Etched section, 40.8 grams Me2170

GNADENFREI, Between Reichenbach and Frankenstein,  
 Silesia, Germany (now Poland)

*Fell:* May 17, 1879, 4:00 P.M.

Stone, Polymict brecciated spherical bronzite-chondrite

*Description:* Fragment with crust, 18 grams Me1549

Fragment with crust, 6 grams Me1550

GOALPARA, Goalpara, Assam, India

*Found:* 1868

Stone, Ureilite

*Description:* Fragments, 7 grams Me764

Fragments, including crust and polished surface,  
 6 grams Me1771

GRADY (1937), Grady, Curry County, New Mexico, USA

*Found:* 1937

Stone, Veined crystalline spherical chondrite

*Description:* Polished slice with crust, 581 grams Me2305

GRAND RAPIDS, Grand Rapids, Kent County, Michigan, USA

*Found:* 1883

Iron, Fine octahedrite

*Description:* Full-sized etched section, 2,246 grams Me1102

Full-sized etched section, 1,136.3 grams Me116

Thick, full-sized section, polished and etched,

7,862 grams Me117

## GREENBRIER COUNTY, Greenbrier County, West Virginia, USA

*Found:* 1880

Iron, Coarse octahedrite

*Description:* Polished slab with crust, 21.5 grams Me957

## GROSNAJA, Mekensk, Terek, Caucasus, USSR

*Fell:* June 28, 1861, 7:00 P.M.

Stone, Black hypersthene-chondrite

*Description:* Fragments from interior, 4 grams Me485Slab from interior with polished surfaces, 76.3 grams  
Me1732GROSS-DIVINA, Gross-Divina, Sillein, Trencsen,  
Czechoslovakia*Fell:* July 24, 1837, 11:30 A.M.

Stone, Spherical chondrite

*Description:* Crust fragments, 0.559 grams Me545

Fragments with crust, friable, 4.3 grams Me1792

GROSSLIEBENTHAL, Grossliebenthal, Odessa, Kherson,  
Ukraine, USSR*Fell:* November 19, 1881, 6:30 A.M.

Stone, Veined white hypersthene-chondrite

*Description:* Mass from interior, 24 grams Me785

Mass with crust, 20.3 grams Me1830

Fragment with crust, 1 gram Me549

## GRÜNEBERG, Grüneberg, Silesia, Germany (Now Poland)

*Fell:* March 22, 1841, 3:30 P.M.

Stone, Veined gray chondrite

*Description:* Slab with crust and two polished surfaces, 12 grams  
Me1479

Two fragments from interior, 3.8 grams Me1481

Mass with slightly crusted surface, 98.5 grams  
Me1478

## GRUVER, Gruver, Hansford County, Texas, USA

*Found:* 1934

Stone, Chondrite

*Description:* End piece with polished surface, 783.6 grams  
Me2214

## GUARENA, Guarena, Badajos, Spain

*Fell:* July 20, 1892, 10:30 A.M.

Stone, Crystalline chondrite

*Description:* Fragment from interior with polished surface,  
6.5 grams Me1540

Fragment with crust, 14 grams Me1539

## GUFFEY, Guffey, Park County, Colorado, USA

*Found:* 1907

Iron, Ataxite

*Description:* Fragment, 15 grams Me770

## GUILFORD COUNTY, Guilford County, North Carolina, USA

*Found:* 1822 (Known before)

Iron, Medium octahedrite

*Description:* Etched fragment, 13 grams Me2143

Oxidized fragment, 2.4 grams Me1066

## GÜTERSLOH, Gütersloh, Westphalia, Germany

*Fell:* April 17, 1851, 8:00 P.M.

Stone, Brecciated spherical chondrite

*Description:* Fragments from interior, 2 grams Me1495

## HAINHOLZ, Hainholz, Minden, Westphalia, Germany

*Found:* 1856

Stony-iron, Mesosiderite

*Description:* Interior fragment, 1.3 grams Me267Mass with crust and polished surface, 1,048 grams  
Me1287Mass with crust and polished surface, 768 grams  
Me1288

Full-sized section, polished, 386 grams Me1290

## HALLINGEBERG, Hallingeberg, Västervik, Kalmarlän, Sweden

*Fell:* February 1, 1944, 2:00 P.M.

Stone, Gray chondrite

*Description:* Two fragments from interior, 4.5 grams  
Me2444HAMMOND, Hammond Township, St. Croix County,  
Wisconsin, USA*Found:* 1884



Iron, Medium octahedrite

*Description:* Etched section with crust, 97 grams Me987

Thin slab, showing one etched and one polished surface, 35 grams Me124

HANIET-EL-BEGUEL, Haniet-El-Beguel, Oued Mzab,  
South Algeria, Africa

*Found:* 1888

Iron, Medium octahedrite

*Description:* Full-sized section with polished surface, 11 grams  
Me944

HARDWICK, Hardwick, Battle Plain Township,  
Rock County, Minnesota, USA

*Found:* 1937

Stone, Chondrite

*Description:* Slice, one surface polished, 279.6 grams Me2292

HARRISON COUNTY, Harrison County, Indiana, USA

*Fell:* March 28, 1859, 4:00 P.M.

Stone, Polymict brecciated spherical hypersthene-chondrite (Howarditic chondrite)

*Description:* Fragments from interior, 1.3 grams Me1494

HARRISONVILLE, Harrisonville, Cass County, Missouri, USA

*Found:* April 9, 1933

Stone, Crystalline chondrite

*Description:* Polished slice, 93 grams Me2198

Complete individual, 1,450 grams Me2217

HASSI-JEKNA, Oued Mequiden, El Golea, South Algeria, Africa

*Found:* 1890

Iron, Fine octahedrite

*Description:* Fragment, 1 gram Me1065

HAWK SPRINGS, Hawk Springs, Goshen County, Wyoming, USA

*Found:* December 23, 1935

Stone, Black chondrite

*Description:* Fragment with crust, 53.8 grams Me2306

HAYDEN CREEK, Hayden Creek, Lemhi County, Idaho, USA

*Found:* 1895

Iron, Medium octahedrite

*Description:* Etched section with crust, 45 grams Me489

Etched section with crust, 23.5 grams Me1020

HEDESKOGA, Hedeskoga, Ystad, Sweden

*Fell:* April 20, 1922, 7:45 P.M.

Stone, Veined hypersthene-chondrite

*Description:* Fragment with crust and polished faces, 40.5 grams  
Me2445

HELT TOWNSHIP, Helt Township, Vermillion County, Indiana,  
USA

*Fell:* About 1883-84

Iron, Coarsest octahedrite

*Description:* Etched slice, 49.5 grams Me2389

HENBURY, Henbury, MacDonnell Ranges, Central Australia

*Found:* June, 1931

Iron, Medium octahedrite

*Description:* Two individuals, 40 grams, 34 grams Me2156

Individual, 13,669 grams Me2173

Individual, 2,684 grams Me2174

Individual, 261.5 grams Me2175

Individual, 279 grams Me2176

Slug, 249 grams Me2177

Shale fused by impact of meteorite, 247 grams  
Me2190

Slug, 359 grams Me2178

Slug, 76 grams Me2179

Slug, 910 grams Me2180

Shale ball from meteor crater, 93 grams Me2189

Etched half of slug, 429 grams Me2202

Etched slice, 351 grams Me2203

Lava from meteor crater, 40 grams Me2181

Lava from meteor crater, 117 grams Me2182

Lava from meteor crater, 29.3 grams Me2183

Lava from meteor crater, 39 grams Me2184

Lava from meteor crater, 51.5 grams Me2185

Fragments of silica glass from crater, 35 grams  
Me2186

Shale ball from oxidation of meteorite, 93 grams  
Me2187

Shale ball from oxidation of meteorite, 81 grams  
Me2188

HENDERSONVILLE, Hendersonville, Henderson County,  
North Carolina, USA

*Found:* 1901

Stone, Spherical hypersthene-chondrite

*Description:* Fragment with crust, 23 grams Me1773

HEREDIA, Heredia, San Jose, Costa Rica, Central America

*Fell:* April 1, 1857, night

Stone, Brecciated spherical chondrite

*Description:* Fragment from interior, 4.5 grams Me442

Fragment with crust, 5 grams Me1781

HERMITAGE PLAINS, Hermitage Plains, County Canbelego,  
New South Wales, Australia

*Found:* 1909

Stone, Gray hypersthene-chondrite

*Description:* Mass with crust, 216.3 grams Me784

HESSLE, Hessle, Upsala, Sweden

*Fell:* January 1, 1869, 12:30 P.M.

Stone, Spherical bronzite-chondrite

*Description:* Sawed fragment with crust, 9 grams Me297

Nearly complete individual, 6 grams Me298

Complete individual, 363 grams Me1750

Complete individual, 42.7 grams Me1751

Complete individual, 1.8 grams Me1752

HEX RIVER MOUNTAINS, Hex River Mountains, Cape Province,  
South Africa

*Found:* 1882

Iron, Hexahedrite

*Description:* Sawed slab, one surface etched, 446 grams Me115

Polished slab with crust, 248 grams Me986

HIGH POSSIL, Glasgow, Lanarkshire, Scotland

*Fell:* April 5, 1804, morning

Stone, White chondrite

*Description:* Fragments with crust, 3.5 grams Me1551

HILL CITY, Hill City, Graham County, Kansas, USA

*Found:* 1945

Iron, Finest octahedrite

*Description:* Small slab, etched and polished, 22 grams Me2413

Slice, etched and polished, 139 grams Me2417

HOBA, Hoba, Grootfontein, South-West Africa

*Found:* 1920

Iron, Nickel-rich ataxite

*Description:* Iron shale from meteorite, 197 grams Me2191

Meteorite iron shale, 26.5 grams Me2201

Meteorite iron shale, 1,326 grams Me2200

Rectangular block drilled out of fresh metal, with  
crust on one side, 503 grams Me2477

HOBBS, Hobbs, Lea County, New Mexico, USA

*Found:* 1931, recognized: 1933

Stone, Gray chondrite

*Description:* Polished slice, 145 grams Me2206

HÖKMARK, Hökmark, Västerbotten, Sweden

*Fell:* June 9, 1954, 8:31 P.M.

Stone, Chondrite

*Description:* Three fragments with crust, 9.5 grams Me2443

HOLBROOK, Holbrook, Navajo County, Arizona, USA

*Fell:* July 19, 1912, 7:15 P.M.

Stone, Crystalline spherical hypersthene-chondrite

*Description:* 170 small, complete individuals, 617 grams Me801

Eight complete individuals, 69.7 grams Me2014

Complete individual, 3.5 grams Me2016

Complete aerolite, 57 grams Me2017

Complete aerolite, 24 grams Me2018

Complete aerolite, 36 grams Me2019

Complete aerolite, 126 grams Me2020

Complete aerolite, 188 grams Me2021

Complete aerolite, 462 grams Me2022

Complete aerolite, 316 grams Me2023

Complete aerolite, 307 grams Me2024

Complete aerolite, 142 grams Me2025

Complete aerolite, 84 grams Me2026

Complete aerolite, 385 grams Me2027  
 Complete aerolite, 573 grams Me2028  
 Complete aerolite, 1,673 grams Me2030  
 Complete aerolite, 1,557 grams Me2031  
 Complete aerolite, 3,465 grams Me2032  
 Complete aerolite, 180 grams Me2033

HOLLAND'S STORE, Holland's Store, Chattooga County,  
 Georgia, USA

*Found:* 1887

Iron, Brecciated hexahedrite

*Description:* Thin fragment with crust, polished surface,  
 27.4 grams Me129

Full-sized slab, thin, with polished surface,  
 247 grams Me1007

HOLYOKE, Holyoke, Phillips County, Colorado, USA

*Found:* About 1933, recognized: 1935

Stone, Gray chondrite

*Description:* Polished slice with crust, 344.2 grams Me2307

HOMESTEAD, Homestead, Iowa County, Iowa, USA

*Fell:* February 12, 1875, 10:15 P.M.

Stone, Polymict brecciated gray bronzite-chondrite

*Description:* Complete individual, 3,162 grams Me312

Three-fourths of a complete individual, 7,512 grams  
 Me313

Complete individual, 5,085 grams Me1345

Full-sized, polished section, 16×20 cm., 1,744 grams  
 Me314

HONOLULU, Honolulu, Oahu, Hawaiian Islands, USA

*Fell:* September 27, 1825, 10:30 A.M.

Stone, Veined white hypersthene-chondrite

*Description:* Two fragments with crust, 18.2 grams Me1553

HOPEWELL MOUNDS, Hopewell Mounds, Ross County, Ohio, USA

*Prehistoric*

Iron, Medium octahedrite

*Description:* Fragment with etched surface, 103 grams Me480

Dust, 0.4 gram Me480

Beads made from meteorite, 23 grams Me481

HOPPER, Hopper, Henry County, Virginia, USA

*Found:* 1889

Iron, Medium octahedrite

*Description:* Cleavage pieces, much oxidized, 47 grams Me136

HORACE, Horace, Greeley County, Kansas, USA

*Found:* 1940

Stone, Gray chondrite

*Description:* End piece with polished surface, 1,563 grams  
 Me2362

HORSE CREEK, Horse Creek, Baca County, Colorado, USA

*Found:* 1937

Iron, Pseudo-octahedrite

*Description:* Etched slice with crust, 15.2 grams Me2309

Etched slice with crust, 33.5 grams Me2308

HOUCK, Houck, Apache County, Arizona, USA

*Found:* Summer, 1927

Iron, Coarse octahedrite

*Description:* Nearly complete individual, 65,000 grams Me2108

End piece with etched surface, 1,709 grams Me2108

Drillings, 10 grams Me2108

Fragment with crust and polished surface, 34.5 grams  
 Me2108

HOWE, Howe, Grayson County, Texas, USA

*Found:* 1938

Stone, Veined gray chondrite

*Description:* Polished slice, 402 grams Me2310

HRASCHINA, Hraschina, Zagreb, Croatia, Yugoslavia

*Fell:* May 26, 1751, 6:00 P.M.

Iron, Medium octahedrite

*Description:* Etched interior fragment, 9 grams Me1072

HRESSK, Pukovo Village, Hressk District, Minsk, USSR

*Found:* 1954

Iron, Hexahedrite

*Description:* Small slab with crust on one side, 538.5 grams  
 Me2423

- HUGOTON, Hugoton, Stevens County, Kansas, USA  
*Found:* 1927, recognized: 1936  
 Stone, Polymict brecciated black chondrite  
*Description:* Mass with crust and polished surface, 1,264 grams  
 Me2221
- HUIZOPA, Huizopa, Temosachic, Guerrero District,  
 Chihuahua, Mexico  
*Found:* 1907  
 Iron, Fine octahedrite  
*Description:* Etched slab, 303 grams Me2137
- HUNGEN, Hungen, Hesse, Germany  
*Fell:* May 17, 1877, 7:00 A.M.  
 Stone, Veined gray chondrite  
*Description:* Three fragments with crust, 8 grams Me1573
- HVITTIS, Hvittis, Abo, Finland  
*Fell:* October 21, 1901, noon  
 Stone, Crystalline enstatite-chondrite  
*Description:* Polished fragment with crust, 130 grams Me578  
 Mass with crust and polished surface, 566 grams  
 Me1470
- IBBENBUHREN, Ibbenbuhren, Westphalia, Germany  
*Fell:* June 17, 1870, 2:00 P.M.  
 Stone, Monomict brecciated diogenite  
*Description:* Fragments from interior, 4 grams Me1554
- ILIMAES (PALLASITE), Ilimaes, Taltal, Atacama, Chile  
*Found:* 1874-5  
 Stony-iron, Pallasite  
*Description:* Full-sized, polished section, 11,472 grams Me1267  
 Polished segment with crust, 391 grams Me742
- ILLINOIS GULCH, Illinois Gulch, Deer Lodge County,  
 Montana, USA  
*Found:* 1899  
 Iron, Nickel-rich ataxite  
*Description:* Full-sized thick section with polished surfaces,  
 457 grams Me838

- End piece with polished surface, 116 grams Me839  
 Shavings, 30 grams Me839
- IMILAC, Imilac, Desert of Atacama, Chile  
*Known:* 1822  
 Stony-iron, Pallasite  
*Description:* Etched section, 205 grams Me162  
 Complete individual, 118 grams Me1325  
 Fragment of iron matrix, 12.8 grams Me160  
 End piece, 206 grams Me1326  
 Fragment of iron matrix, 21.8 grams Me161  
 Polished slab, 62 grams Me1328  
 Fragment of iron matrix, 4.3 grams Me463
- INDARCH, Indarch, Shusha, Elisavetpol, Transcaucasia, USSR  
*Fell:* April 7, 1891, 8-10 P.M.  
 Stone, Enstatite-chondrite  
*Description:* Mass with crust, 64.5 grams Me1402  
 Full-sized polished section, 892 grams Me1403  
 Nearly complete individual, one surface polished,  
 18,139 grams Me104  
 Small slab, 132 grams Me1403
- INDIANOLA, Indianola, Red Willow County, Nebraska, USA  
*Found:* 1939  
 Stone, Gray chondrite  
*Description:* Polished slice with crust, 200 grams Me2311
- INDIAN VALLEY, Indian Valley Township, Floyd County,  
 Virginia, USA  
*Found:* 1887  
 Iron, Brecciated nickel-poor ataxite to hexahedrite  
*Description:* One-half the original mass, 7,426 grams Me154  
 Full-sized section, polished, 531 grams Me1950
- INDIO RICO, Indio Rico, Buenos Aires, Argentina  
*Found:* 1887  
 Stone, Crystalline chondrite  
*Description:* Fragment with crust, 11 grams Me1520

- IQUIQUE, Iquique, Pampa del Tamarugal, Tarapaca, Chile  
*Found:* 1871  
 Iron, Nickel-rich ataxite  
*Description:* Etched slab with crust, 16 grams Me1067
- IREDELL, Iredell, Bosque County, Texas, USA  
*Found:* 1898  
 Iron, Hexahedrite  
*Description:* Fragment from surface, etched, 11 grams Me1079
- IRON CREEK, Iron Creek, Battle River, North Alberta,  
 Canada  
*Known:* Before 1869  
 Iron, Medium octahedrite  
*Description:* Full-sized, etched section, 251 grams Me1897
- ITAPICURU-MIRIM, Itapicuru-Mirim, Maranhao, Brazil  
*Fell:* March, 1879  
 Stone, Spherical chondrite  
*Description:* Mass with crust and sawed surface, 220 grams  
 Me1747
- IVANPAH, Ivanpah, San Bernardino County, California, USA  
*Found:* 1880  
 Iron, Medium octahedrite  
*Description:* Etched slab with crust, 220 grams Me1118
- JACKSON COUNTY, Jackson County, Tennessee, USA  
*Found:* 1846  
 Iron, Medium octahedrite  
*Description:* Cleaved mass with nearly plane surfaces, one end  
 etched, 116 grams Me1116
- JAMESTOWN, Jamestown, Stutsman County, North Dakota, USA  
*Found:* 1885  
 Iron, Fine octahedrite  
*Description:* End piece etched, 581 grams Me1021
- JAMKHEIR, Jamkheir, Ahmadnagar district, Bombay, India  
*Fell:* October 5, 1866, noon  
 Stone, Brecciated spherical chondrite  
*Description:* Fragment with crust and polished surface, 1 gram  
 Me1572

- JELICA, Jelica, near Jezevica, Serbia, Yugoslavia  
*Fell:* December 1, 1889, 2:30 P.M.  
 Stone, Monomict brecciated amphoterite  
*Description:* Fragment with crust. Crust black, rather smooth, the  
 surface showing typical pittings. Interior gray,  
 with angular pieces of bronzite projecting from a  
 fine grained ground mass. Texture friable. Me-  
 tallic grains small and scarce. 67.5 grams Me511  
 Mass with crust, 44 grams Me1353  
 Mass with crust, 68 grams Me1354  
 Mass with crust, 71.5 grams Me1355
- JENNY'S CREEK, Jenny's Creek, Wayne County, West Virginia,  
 USA  
*Found:* 1883  
 Iron, Coarse octahedrite  
*Description:* Two masses showing cleavage octahedrons, separated  
 by bright plates of taenite, 114 grams Me954  
 Chiseled fragments, 21 grams Me114
- JEROME, Jerome, Gove County, Kansas, USA  
*Found:* 1894  
 Stone, Crystalline spherical bronzite-chondrite  
*Description:* Mass with crust, all oxidized to uniform rust-brown  
 color, 64 grams Me1518
- JHUNG, Jhung, West Punjab, Pakistan  
*Fell:* June, 1873, 3:00 P.M.  
 Stone, Spherical chondrite  
*Description:* Fragments from interior, 1 gram Me305  
 Fragment from interior, 4.5 grams Me306  
 Two fragments with crust, 12.7 grams Me1798  
 Polished interior fragment, 5.4 grams Me1799
- JODZIE, Jodzies, Panevezys, Kovno, Lithuania  
*Fell:* June 17, 1877, 4:30 A.M.  
 Stone, Brecciated howardite  
*Description:* Mass with crust. The black glassy crust and brecciated  
 interior are striking characters, 38 grams  
 Me1371

- JOEL'S IRON, Desert of Atacama, Chile  
*Found:* 1858  
 Iron, Medium octahedrite  
*Description:* Full-sized etched section, 43.5 grams Me940
- JOE WRIGHT MOUNTAIN, Joe Wright Mountain, Independence  
 County, Arkansas, USA  
*Found:* 1884  
 Iron, Medium octahedrite  
*Description:* Etched slice, 265 grams Me982  
 Complete individual, 8,750 grams Me2265
- JOHNSTOWN, Johnstown, Weld County, Colorado, USA  
*Fell:* July 6, 1924, 4:30 P.M.  
 Stone, Monomict brecciated diogenite (hypersthene-achondrite)  
*Description:* Complete individual, 67 grams Me2058  
 Nearly complete individual, 145 grams Me2059  
 Complete individual, 1,520 grams Me2060
- JONZAC, Jonzac, Charente-Inferieure, France  
*Fell:* June 13, 1819, 6:00 A.M.  
 Stone, Monomict brecciated eucrite  
*Description:* Fragment with crust, 4.5 grams Me1482  
 Fragment from interior, 3.3 grams Me1483
- JUDESEGIRI, Judesegiri, Tumkur district, Mysore, India  
*Fell:* February 16, 1876, evening  
 Stone, Spherical chondrite  
*Description:* Fragment from interior, 4 grams Me1529
- JUNCAL, Jurcal, Desert of Atacama, Chile  
*Found:* 1866  
 Iron, Medium octahedrite  
*Description:* Etched slab with crust, 60 grams Me140  
 Etched slab with crust, 50 grams Me1201
- JUVINAS, Juvinas, Libonnes, Entraigues, Ardeche, France  
*Fell:* June 15, 1821, 3:00 P.M.  
 Stone, Monomict brecciated eucrite  
*Description:* Mass with crust, 107 grams Me1365  
 Mass from interior, 67 grams Me1366

- KABA, Kaba, Debreczen, Hungary  
*Fell:* April 15, 1857, 10:00 P.M.  
 Stone, Carbonaceous hypersthene-chondrite  
*Description:* Fragment from interior, 1.5 grams Me1745
- KADONAH, Kadonah, Agra district, United Provinces, India  
*Fell:* August 7, 1822, night  
 Stone, Veined gray chondrite  
*Description:* Fragment with crust, 19 grams Me1508  
 Fragment with crust, 0.6 gram Me584
- KAKOWA, Kakowa, Oravicza, Krasno-Szoreny, Romania  
*Fell:* May 19, 1858, 8:00 A.M.  
 Stone, Veined gray hypersthene-chondrite  
*Description:* Fragments, 0.2 gram Me1493
- KARAKOL, Karakol, Ayagus, Semipalatinsk, Siberia, USSR  
*Fell:* May 9, 1840, noon  
 Stone, White chondrite  
*Description:* Mass with crust and polished surface, 30 grams  
 Me1498
- KARKH, Karkh, Jhalawan, Baluchistan, Pakistan  
*Fell:* April 27, 1905, 1:00 P.M.  
 Stone, Gray chondrite  
*Description:* Five fragments, one with crust, 30 grams Me2246
- KARVAL, Karval, Lincoln County, Colorado, USA  
*Found:* 1936  
 Stone, Gray chondrite  
*Description:* Slice, 194.3 grams Me2385
- KELLY, Kelly, Logan County, Colorado, USA  
*Recognized:* 1937  
 Stone, White to gray brecciated chondrite  
*Description:* One polished slice, 2,138 grams Me2235  
 Three fragments, 77 grams Me2235
- KENDALL COUNTY, Kendall County, Texas, USA  
*Found:* 1887  
 Iron, Brecciated hexahedrite

*Description:* Full-sized slab with polished surface, 286 grams  
Me1022  
Full-sized slab with polished surface, 408 grams  
Me1023

KENTON COUNTY,                      Keaton County, Kentucky, USA

*Found:* 1889  
Iron, Medium octahedrite  
*Description:* Mass with crust and polished surface, 22×42 cm.,  
39,454 grams Me133  
Full-sized slab, both sides polished, 7,515 grams  
Me1053  
Scalings, 1,000 grams Me1053  
Full-sized slab, etched, 14×19 cm., 6,845 grams  
Me134  
Full-sized slab, both sides polished, 23×44 cm.,  
9,565 grams Me135

KERILIS,                      Kerilis, Mael Pestivien, Callac, Cotes-du-Nord,  
France

*Fell:* November 26, 1874, 10:30 A.M.  
Stone, Veined gray chondrite  
*Description:* Fragment with crust, 3 grams Me758  
Slab with crust, one surface polished, 35 grams  
Me1524  
Fragment with crust, 4 grams Me1525

KERMICHE,                      Kermiche, Vannes, Morbihan, France

*Fell:* June 30, 1903? *Found:* 1911  
Stone, Crystalline chondrite  
*Description:* Mass much oxidized, 62.8 grams Me796

KERNOUVE,                      Kernouve, Morbihan, France

*Fell:* May 22, 1869, 10:00 P.M.  
Stone, Veined crystalline bronzite-chondrite  
*Description:* Interior fragment, 0.4 gram Me299  
Interior fragment, 0.4 gram Me300  
Mass with polished surface, 24.2 grams Me301  
Mass from interior, 104.3 grams Me1484

KESEN,                                      Kesen, Iwate, Honshu, Japan

*Fell:* June 12, 1850, 5:00 A.M.  
Stone, Brecciated spherical hypersthene-chondrite  
*Description:* Mass showing crust and interior, 1,273 grams  
Me257  
Similar to specimen Me 257, 1,189 grams  
Me258  
Mass from interior, with polished surface,  
601.2 grams Me1828

KEYES,                                      Keyes, Cimarron County, Oklahoma, USA

*Found:* 1939  
Stone, Veined howarditic chondrite  
*Description:* Fragment, one side polished, 312 grams Me2415  
Fragment, 355 grams Me2375

KHAIRPUR,                                  Khairpur, Bahawalpur State, Pakistan

*Fell:* September 23, 1873, 5:00 A.M.  
Stone, Crystalline enstatite-chondrite  
*Description:* Slab with polished surface, 63 grams Me1538

KHARKOV,                                  Kharkov, Ukraine, USSR

*Fell:* October 12, 1787, 3:00 P.M.  
Stone, Veined white chondrite  
*Description:* Fragment with crust, 10.3 grams Me1535  
Fragment from interior with polished surface,  
6.5 grams Me1536

KHETRI,                                  Khetri, Shekhawati, Jaipur State, Rajputana, India

*Fell:* January 19, 1867, 9:00 A.M.  
Stone, Brecciated gray bronzite-chondrite  
*Description:* Fragment from interior, 5.2 grams Me1485

KIKINO,                                      Kikino, Vyazma, Smolensk, USSR

*Found:* 1809  
Stone, Gray to white chondrite  
*Description:* Mass with crust, 61 grams Me1496

KILBOURN,                                  Kilbourn, Columbia County, Wisconsin, USA

*Fell:* June 16, 1911, 5:00 P.M.  
Stone, Gray chondrite

*Description:* Full-sized sawed section with crust, 68 grams  
Me797  
Fragment, 7.5 grams Me1991

KILLETER, Killeter, County Tyrone, Ireland  
*Fell:* April 29, 1844, 3:30 P.M.  
Stone, Veined white chondrite  
*Description:* Fragment with crust, 3 grams Me1477

KINGSTON, Kingston, Sierra County, New Mexico, USA  
*Found:* 1891  
Iron, Medium octahedrite  
*Description:* End piece, etched, 1,128 grams Me800

KISSIJ, Kissij, Christopol, Kazan, USSR  
*Found:* 1899  
Stone, Black chondrite  
*Description:* Mass with crust and polished surfaces, 420 grams  
Me1471

KLEIN-WENDEN, Klein-Wenden, Nordhausen, Erfurt, Germany  
*Fell:* September 16, 1843, 4:45 P.M.  
*Description:* Fragment with crust and polished surface, 2 grams  
Me1534

KLONDIKE, Klondike, Yukon, Canada  
*Found:* 1901  
Iron, Nickel-rich ataxite  
*Description:* Etched section, 715 grams Me1963

KNYAHINYA, Knyahinya (Nagy-Bereszna, Ungvar) Velke  
Berežno, Uzhorod, Czechoslovakia  
*Fell:* June 9, 1866, 5:00 P.M.  
Stone, Polymict brecciated gray hypersthene-chondrite  
*Description:* Complete individual, 239 grams Me286  
Complete individual, 8.6 grams Me285  
Complete individual, 1,525 grams Me1821  
Complete individual, 1,526 grams Me1822  
Mass with crust and polished surface, 1,963 grams  
Me1823

KODAIKANAL, Kodaikanal, Palni Hills, Madura District,  
Madras, India

*Found:* 1898, perhaps fell in 1890  
Iron, Brecciated fine octahedrite  
*Description:* Slab with crust, 168.5 grams Me574  
Broad, etched slice with crust, 128 grams Me943

KOFA, Kofa, Yuma County, Arizona, USA  
*Found:* 1917  
Iron, Ataxite  
*Description:* Portion of meteorite, 492 grams Me1993

KOKOMO, Kokomo, Howard County, Indiana, USA  
*Found:* 1862  
Iron, Nickel-rich ataxite  
*Description:* Thin, etched slab with crust, 22 grams Me1060  
Etched slab with crust, 40 grams Me1061

KOKSTAD, Kokstad, Griqualand East, Cape Province,  
South Africa  
*Found:* 1884  
Iron, Medium octahedrite  
*Description:* Broad, thin etched slab with crust, 268 grams  
Me1015

KRÄHENBERG, Krähenberg, Zweibrücken, Rhenish Prussia,  
Germany  
*Fell:* May 5, 1869, 6:30 P.M.  
Stone, Polymict brecciated intermediate hypersthene-chondrite  
*Description:* Fragments with crust, 0.2 grams Me1488

KRASNOI-UGOL, Krasnoi-Ugol, Ryazan, USSR  
*Fell:* September 9, 1829, 2:00 P.M.  
Stone, Spherical chondrite  
*Description:* Fragment from interior, 0.2 grams Me1564

KRASNOJARSK, Krasnojarsk, Yeniseisk, Siberia, USSR  
*Found:* 1749  
Stony-iron, Pallasite  
*Description:* Fragments of iron and chrysolite, 77.5 grams  
Me159  
Torn mass, 186 grams Me1254



Torn mass, 300 grams Me1255

Torn mass, 298 grams Me1256

KULESCHOVKA, Kuleschovka, Poltava, Ukraine, USSR

*Fell:* March 12, 1811, 11:00 A.M.

Stone, Veined white chondrite

*Description:* Mass with crust, 10 grams Me1349

Mass from interior, 14 grams Me1350

KUTTIPPURAM, Kuttippuram, Ponnani taluq, Malabar district,  
Madras, India

*Fell:* April 6, 1914, 7:00 A.M.

Stone, Veined white chondrite

*Description:* Mass showing crust, 67 grams Me1999

KYANCUTTA, Kyancutta, Le Hunte County, Eyre Peninsula,  
South Australia

*Found:* June, 1932

Iron, Medium octahedrite

*Description:* Block with three polished faces, 1410 grams

Me2204

KYUSHU, Kyushu, Japan

*Fell:* October 26, 1886, 3:00 P.M.

Stone, Veined white chondrite

*Description:* Mass with primary and secondary crust, 158 grams

Me1783

Mass with crust and sawed surface, 54 grams

Me1785

Complete individual, 85 grams Me1784

LA BECASSE, La Becasse, Dun le Poelier, Indre, France

*Fell:* January 31, 1879, noon

Stone, White chondrite

*Description:* Slab with crust and sawed surfaces, 27 grams

Me1364

Fragment with crust, 0.7 gram Me1364

Sawed mass with crust, 61 grams Me741

LABOREL, Laborel, Drome, France

*Fell:* June 14, 1871, 8:00 P.M.

Stone, Brecciated intermediate chondrite

*Description:* Two fragments with crust, 16 grams Me1670

LA CAILLE, La Caille, Grasse, Alpes Maritimes, France

*Recognized:* 1828

Iron, Medium octahedrite

*Description:* Poorly etched slab with crust, 65 grams Me900

Etched mass with crust, 34 grams Me901

Etched slab with crust, 8 grams Me902

LADDER CREEK, Ladder Creek, Greeley County, Kansas, USA

*Found:* July, 1937

Stone, Crystalline spherical chondrite

*Description:* One polished end slice with crust, 440 grams

Me2233

LAFAYETTE, Lafayette, Tippecanoe County, Indiana, USA

*Known:* Before 1931

Stone, Achondrite?, nakhlite (diopside-olivine achondrite)

*Description:* End piece with polished surface, 111.3 grams

Me2116

Fragments, 0.5 gram Me2116

LA GRANGE, La Grange, Oldham County, Kentucky, USA

*Found:* 1860

Iron, Fine to finest octahedrite

*Description:* Etched section with crust, 172 grams Me1194

Polished section with crust, 46.5 grams Me84

L'AIGLE, L'Aigle, Orne, France

*Fell:* April 26, 1803, 1:00 P.M.

Stone, Brecciated, intermediate hypersthene-chondrite

*Description:* Gray powder, 0.25 grams Me218

Mass with crust, 110 grams Me219

Portions of two individuals with crust, 402 grams  
Me1407

Interior fragment with polished surface, 15 grams  
Me1405

Portions of three individuals with crust, 228 grams  
Me1406

LAKE LABYRINTH, Lake Labyrinth, South Australia  
*Found:* February 5, 1924, night. Found: October, 1934  
 Stone, Brecciated and slickensided chondrite (Intermediate enstatite chondrite)  
*Description:* Mass with crust and polished face, 124.5 grams  
 Me2236

LALITPUR, Lalitpur district, United Provinces, India  
*Found:* April 7, 1887, 10:30 A.M.  
 Stone, Polymict brecciated veined intermediate chondrite  
*Description:* Sawed fragment with crust, 9.5 grams Me1516

LAMPA, Lampa, Sierra de Chicauma Atacama, Chile  
*Found:* 1905  
 Stone, Crystalline bronzite-chondrite  
*Description:* Mass with crust and polished surface, 554 grams  
 Me769  
 Mass with crust and polished surface, 884 grams  
 Me1408

LANCE, Lance, Vendome, Loir-et-Cher, France  
*Found:* July 23, 1872, 5:20 P.M.  
 Stone, Spherical carbonaceous chondrite  
*Description:* Mass with crust and sawed surface, 84 grams  
 Me589  
 Mass with crust and sawed surface, 91 grams  
 Me1351

LANCON, Lancon, Bouches-du-Rhone, France  
*Found:* June 20, 1897, 8:30 P.M.  
 Stone, Veined intermediate chondrite  
*Description:* Mass with crust, 78 grams Me526  
 Mass with crust and sawed surfaces, 101 grams  
 Me1803

LANGHALSEN, Langhalsen, Vrena, Södermanland, Sweden  
*Found:* February 6, 1947, 3:15 P.M.  
 Stone, Chondrite  
*Description:* Fragment with crust and polished surface,  
 67.5 grams Me2445

LA PORTE, La Porte, La Porte County, Indiana, USA  
*Found:* 1900  
 Iron, Medium octahedrite  
*Description:* Bottle of drillings, 5 grams Me2271  
 Etched slice, 775 grams Me2271  
 Full-sized etched slice, 805 grams Me2343  
 Part of individual with etched surface, 10,030 grams  
 Me2269

LA PRIMITIVA, La Primitiva, Santa Catalina,  
 Desert of Tarapaca, Chile  
*Found:* 1888  
 Iron, Nickel-poor ataxite  
*Description:* Thin slab, polished, 30 grams Me1071

LAURENS COUNTY, Laurens County, South Carolina, USA  
*Found:* 1857  
 Iron, Fine octahedrite  
*Description:* Thin, broad, full-sized section, 40 grams Me959  
 Thin, broad, full-sized section, 41 grams Me960

LEEDS, Leeds, Quebec, Canada  
*Found:* 1931  
 Iron, Medium octahedrite  
*Description:* Slice, etched, 80 grams Me2197

LEIGHTON, Leighton, Colbert County, Alabama, USA  
*Found:* January 12, 1907, 8:00 P.M.  
 Stone, Polymict brecciated gray chondrite  
*Description:* Nearly complete individual with polished surface,  
 640 grams Me768  
 Three fragments, 3.4 grams Me768

LENARTO, Lenarto, Saros, Czechoslovakia  
*Found:* 1814  
 Iron, Medium octahedrite  
*Description:* Etched slab with crust, 336 grams Me1177  
 Etched slab with crust and well-marked figures,  
 273 grams Me1178  
 Small slab with torn edges, etched, 68 grams  
 Me1179

- LEONOVKA, Leonovka, Novgorod-Syeveresk district,  
Chernigov Government, Ukraine, USSR  
*Fell:* August 23, 1900, 9:00 P.M.  
Stone, White enstatite-chondrite  
*Description:* Fragment with crust, 1 gram Me1413
- LE PRESSEUR, Le Pressoir, Indre-et-Loire, France  
*Fell:* January 25, 1845, 3:00 P.M.  
Stone, Spherical chondrite  
*Description:* Fragment with crust. Crust black, smooth, 17 grams  
Me439  
Mass with crust and polished surface, 48.4 grams  
Me1664
- LES ORMES, Les Ormes, Yonne, France  
*Fell:* October 1, 1857, 5:00 P.M.  
Stone, White chondrite  
*Description:* Fragments with crust, 1.5 grams Me1417
- LESVES, Lesves, Namur, Belgium  
*Fell:* April 13, 1896, 7:30 A.M.  
Stone, Gray hypersthene-chondrite  
*Description:* Fragment with crust, 10 grams Me542  
Mass with crust, 32 grams Me1661
- LE TEILLEUL, Le Teilleul, Manche, France  
*Fell:* July 14, 1845, 3:00 P.M.  
Stone, Howardite  
*Description:* Three fragments with crust, 14 grams Me1418
- LEXINGTON COUNTY, Lexington County, South Carolina, USA  
*Found:* 1880  
Iron, Coarse octahedrite  
*Description:* Etched slab with crust, 23.5 grams Me111  
Etched slab with crust, 87 grams Me1113  
End piece, etched, 969 grams Me1114
- LICK CREEK, Lick Creek, Davidson County, North Carolina, USA  
*Found:* 1879  
Iron, Hexahedrite  
*Description:* Etched slab, 15 grams Me1074

- LILLAVERKE, Lillaverke, Kalmar, Smaland, Sweden  
*Fell:* May 11, 1930, 4:00 P.M.  
Stone, Veined chondrite  
*Description:* Mass with crust, 111 grams Me2447
- LIME CREEK, Claiborne, Monroe County, Alabama, USA  
*Found:* 1834  
Iron, Nickel-rich ataxite  
*Description:* Full-sized etched section, 84.5 grams Me937
- LIMERICK, Limerick County, Ireland  
*Fell:* September 10, 1813, 9:00 A.M.  
Stone, Veined gray bronzite-chondrite  
*Description:* Polished chip, 1.5 grams Me233  
Nearly complete individual, 51 grams Me1795
- LINCOLN COUNTY, Lincoln County, Colorado, USA  
*Found:* 1937  
Stone, Chondrite  
*Description:* End piece with polished face, 64.7 grams Me2319
- LINUM, Linum, Fehrbellin, Brandenburg, Germany  
*Fell:* September 5, 1854, 8:00 P.M.  
Stone, White chondrite  
*Description:* Fragment with crust, 0.5 gram Me1414
- LINVILLE, Linville Mountain, Burke County,  
North Carolina, USA  
*Found:* 1882  
Iron, Nickel-rich ataxite  
*Description:* Thin slab, etched, 27 grams Me1110
- LINWOOD, Linwood, Butler County, Nebraska, USA  
*Found:* About 1940-41  
Iron, Coarsest octahedrite with silicate inclusions  
*Description:* Polished and etched slice, 8×5 inches, 760 grams  
Me2395
- LISSA, Lissa, Bunzlau, Bohemia, Czechoslovakia  
*Fell:* September 3, 1808, 3:30 P.M.  
Stone, Veined white hypersthene-chondrite

*Description:* Interior fragment, 30 grams Me510  
 Mass with crust, 150 grams Me1410  
 Mass with crust, 26 grams Me1411

LITTLE PINEY, Little Piney, Pulaski County, Missouri, USA

*Fell:* February 13, 1839, 3:30 P.M.

Stone, Spherical chondrite

*Description:* Two fragments from interior, 3 grams Me1423

LIVINGSTON, Livingston, Overton County, Tennessee, USA

*Found:* 1937

Iron, Irregular medium octahedrite

*Description:* Fragment, 57.5 grams Me2404

LIXNA, Lixna, Dvinsk, Latvia

*Fell:* July 12, 1820, 5:30 P.M.

Stone, Veined gray bronzite-chondrite

*Description:* Mass with crust, 61 grams Me1764

Interior fragment, 2 grams Me550

Slice from interior, with polished surface, 10 grams  
 Me1765

LOCUST GROVE, Locust Grove, Henry County, Georgia, USA

*Found:* 1857

Iron, Nickel-poor ataxite

*Description:* Thick, etched slab with crust, 370 grams Me558

LODRAN, Lodran, Multan district, West Punjab, Pakistan

*Fell:* October 1, 1868, 2:00 P.M.

Stony-iron, Lodranite

*Description:* Three fragments, 2 grams Me1260

LONACONING, Lonaconing, Allegany County, Maryland, USA

*Found:* 1888

Iron, Coarse octahedrite

*Description:* Full-sized etched section, 39 grams Me941

LONG ISLAND, Long Island, Phillips County, Kansas, USA

*Found:* 1891

Stone, Veined intermediate hypersthene-chondrite

*Description:* Four large masses with crust, about 3,000 smaller

pieces belonging to the same individual,  
 536.353 kgs. Me350

Mass with crust, 8,059 grams Me1889

Small mass cut from Me1889, 709 grams Me1889a

Polished mass from interior, 1,902 grams Me1891

Polished mass from interior, 1,015 grams Me1892

Mass with crust, 270 grams Me1894

Mass with polished surface, 794 grams Me2061

Mass with polished surface, 1,464 grams Me2062

LOS REYES, Los Reyes, Mexico State, Mexico

*Found:* 1897

Iron, Medium octahedrite

*Description:* Nearly complete individual, 14,593 grams Me454

Etched section, 984 grams Me1986

End piece, etched, 2,148 grams Me1987

Etched section, 638 grams Me2223

LOSTTOWN, Losttown, Cherokee County, Georgia, USA

*Found:* 1868

Iron, Medium octahedrite

*Description:* Polished mass with crust, 75 grams Me1058

LUBBOCK, Lubbock, Lubbock County, Texas, USA

*Found:* November 28, 1938

Stone, Veined gray chondrite

*Description:* Polished slice with crust, 150.1 grams Me2312

LUCÉ, Lucé, Sarthe, France

*Fell:* September 13, 1768, 4:30 P.M.

Stone, Veined white chondrite

*Description:* Two fragments from interior, 4.3 grams Me1421

LUCKY HILL, Lucky Hill, Bellevue, St. Elizabeth, Jamaica

*Found:* 1885

Iron, Medium octahedrite

*Description:* Six oxidized fragments, 51 grams Me1151

LUIS LOPEZ, Luis Lopez, Socorro County, New Mexico, USA

*Found:* 1896

Iron, Medium octahedrite

*Description:* About one-half the original mass with etched surface,  
11×19 cm., 3,107 grams Me913

LUJAN, Lujan, Buenos Aires, Argentina  
*Prehistoric:* Found before 1892  
Stony-iron, Mesosiderite(?)  
*Description:* Three crust fragments, 2.7 grams Me1400

LUMPKIN, Lumpkin, Stewart County, Georgia, USA  
*Fell:* October 6, 1869, 11:45 P.M.  
Stone, Crystalline spherical hypersthene-chondrite  
*Description:* Slice with crust and polished surface, 3 grams  
Me1412

LUNDSGARD, Lundsgard, Ljungby, Gottland, Sweden  
*Fell:* April 3, 1889, 8:30 P.M.  
Stone, White hypersthene-chondrite (somewhat brecciated)  
*Description:* Mass with crust, 34 grams Me1398  
Mass with crust, 21 grams Me1399

LUOTOLAX, Luotolax, Viborg, Finland  
*Fell:* December 13, 1813, day  
Stone, Howardite  
*Description:* Fragments from interior, 3 grams Me1613

LUPONNAS, Luponnas, Ain, France  
*Fell:* September 7, 1753, 1:00 P.M.  
Stone, Brecciated intermediate hypersthene-chondrite  
*Description:* Mass with crust, 14.7 grams Me1419

MACAU, Macau, Rio Grande do Norte, Brazil  
*Fell:* November 11, 1836, 5:00 A.M.  
Stone, Veined intermediate chondrite  
*Description:* Fragment with crust, 4 grams Me787  
Three fragments with crust, 68 grams Me1640  
Slab with crust and polished surface, 12 grams  
Me1641

MADOC, Madoc, Hastings County, Ontario, Canada  
*Found:* 1854  
Iron, Fine octahedrite

*Description:* Spheroidal fragment, 9 grams Me65  
Thin sawed slab, 5 grams Me66  
Slab with crust and etched surface, 24 grams  
Me1189

MADRID, Madrid, Spain  
*Fell:* February 10, 1896, 9:30 A.M.  
Stone, Veined white hypersthene-chondrite  
*Description:* Fragments from interior, 1 gram Me1422

MAGURA, Magura, Arva, Czechoslovakia  
*Found:* 1840  
Iron, Coarse octahedrite  
*Description:* Rough mass, 134.5 grams Me46  
Etched mass, 166 grams Me47  
Rough mass, 847 grams Me887  
Etched mass, 520 grams Me888  
Taenite from meteorite, 1 gram Me1904

MAINZ, Mainz, Hesse, Germany  
*Found:* 1852  
Stone, Veined intermediate hypersthene-chondrite  
*Description:* Polished fragment, 2 grams Me441  
Two fragments from interior with polished surfaces,  
27.5 grams Me1649  
Fragment from interior with polished surfaces,  
11.5 grams Me1650

MAKAREWA, Makarewa, Invercargill, County Southland,  
New Zealand  
*Found:* 1879  
Stone, Brecciated gray hypersthene-chondrite  
*Description:* Polished slice with crust, 3 grams Me1590

MANBHOOM, Manbhoom, Manbhoom district, Bihar, Bengal, India  
*Fell:* December 22, 1863, 9:00 A.M.  
Stone, Monomict brecciated amphoterite  
*Description:* Mass with crust, 11.8 grams Me1620  
Fragments from interior, 11 grams Me583  
Mass from interior, 19 grams Me1621

- MANEGAON, Manegaon, Bhusawal taluq,  
East Khandesh district, Bombay, India  
*Fell:* June 29, 1843, 3:30 P.M.  
Stone, Monomict brecciated diogenite (hypersthene-achondrite)  
*Description:* Fragment from interior, 1 gram Me1632
- MANTOS BLANCOS, Mantos Blancos, Atacama Desert, Chile  
*Found:* 1876  
Iron, Fine octahedrite  
*Description:* Thin slab, etched, 72 grams Me1062
- MAPLETON, Mapleton, Monona County, Iowa, USA  
*Found:* June 17, 1939  
Iron, Medium octahedrite  
*Description:* End piece with etched surface, 21,291 grams  
Me2286A  
End piece with polished surface, 15,120 grams  
Me2286B  
Etched slab, 3,375 grams Me2286D  
Four fragments with crust, 73 grams Me2286F
- MARION, Marion, Linn County, Iowa, USA  
*Fell:* February 25, 1847, 2:45 P.M.  
Stone, Veined white hypersthene-chondrite  
*Description:* Mass with crust, 121 grams Me255  
Mass with crust and polished surfaces, 60 grams  
Me1749
- MARJALAHTI, Marjalahti, Viipuri, Finland  
*Fell:* June 1, 1902, 10:00 P.M.  
Stony-iron, Pallasite  
*Description:* Mass with crust, 537 grams Me1323  
Mass with crust, 738 grams Me1324
- MARMANDE, Marmande, Lot-et-Garonne, France  
*Fell:* July 4, 1848  
Stone, Spherical chondrite  
*Description:* Fragment from interior, friable, 2 grams Me1595
- MARSHALL COUNTY, Marshall County, Kentucky, USA  
*Described:* 1860

- Iron, Medium octahedrite  
*Description:* Etched fragment with crust, 17 grams Me945
- MART, Mart, McLennan County, Texas, USA  
*Found:* 1898  
Iron, Finest octahedrite  
*Description:* End piece, etched, 1,127 grams Me1040
- MASCOMBES, Mascombès, Correze, France  
*Fell:* January 31, 1836, 1:00 P.M.  
Stone, White chondrite  
*Description:* Fragment with crust, 7 grams Me1591  
Fragment from interior with polished surface,  
8 grams Me1592
- MÄSSING, Mässing, Eggenfelden, Lower Bavaria, Germany  
*Fell:* December 13, 1803, 10:30 A.M.  
Stone, Howardite  
*Description:* Two fragments from interior, 1.7 grams Me1648
- MATATIELE, Matatiele, Drakensberg, Cape Province, South Africa  
*Known:* 1878  
Iron, Medium octahedrite  
*Description:* Fragment with crust and etched surface, 24 grams  
Me936
- MAUERKIRCHEN, Mauerkirchen, Upper Austria  
*Fell:* November 20, 1768, 4:00 P.M.  
Stone, White hypersthene-chondrite  
*Description:* Mass with crust, 105 grams Me211  
Mass from interior with polished surface, 11  
grams Me1610  
Fragment with crust, 16 grams Me1611  
Fragment with crust, 14 grams Me1612
- MAURITIUS, Mauritius, Indian Ocean  
*Fell:* December 22, 1801  
Stone, Polymict brecciated (howarditic) chondrite  
*Description:* Fragment with crust, 6 grams Me1606

- MAZAPIL, Mazapil, Zacatecas, Mexico  
*Fell:* November 27, 1885, 9:00 P.M.  
 Iron, Medium octahedrite  
*Description:* Section, etched, 19 grams Me1977
- McKINNEY, McKinney, Collin County, Texas, USA  
*Found:* 1870  
 Stone, Black hypersthene-chondrite  
*Description:* Mass with crust and polished surface, 54 grams Me355  
 Mass with crust and polished surface, 1024 grams Me1436  
 Full-sized, polished section, 2,565 grams Me1437  
 Complete individual with one polished face, 33 x 35 cm., thickness of stone 25 cm., 52,613 grams Me1438
- MEJILLONES (1875), Mejillones, Atacama, Chile  
*Found:* Before 1875  
 Iron, Brecciated hexahedrite  
*Description:* Etched fragment, 2 grams Me1063
- MEJILLONES (1905), Mejillones, Atacama, Chile  
*Found:* 1905  
 Stony-iron, Mesosiderite (Grahamite)  
*Description:* Polished section with crust. Large inclusions of chrysolite are visible, 183.4 grams Me1266
- MELROSE, Melrose, Curry County, New Mexico, USA  
*Found:* Before 1933  
 Stone, Hypersthene-chondrite  
*Description:* Slice with polished faces, 1,385 grams Me2172  
 Six fragments, 119 grams Me2172
- MENOW, Menow, Alt-Strelitz, Mecklenberg, Germany  
*Fell:* October 7, 1862, 12:30 P.M.  
 Stone, Crystalline spherical chondrite  
*Description:* Mass with crust and two polished surfaces, 701 grams Me1388  
 Fragment from interior, 2 grams Me278  
 Mass from interior, 80 grams Me1389

- MERCEDITAS, Merceditas, Chanarel, Atacama, Chile  
*Known:* 1884  
 Iron, Medium octahedrite  
*Description:* Etched slab with crust, 124 grams Me586  
 Etched slab with crust, 727 grams Me922  
 Etched slab with crust, 172.5 grams Me821
- MERN, Mern, Praesto, Denmark  
*Fell:* August 29, 1878, 2:30 P.M.  
 Stone, Veined crystalline spherical chondrite  
*Description:* Mass with crust, 28 grams Me1589
- MERTZON, Mertzon, Irion County, Texas, USA  
*Found:* 1943-44  
 Iron, Fine octahedrite  
*Description:* Polished slice, 202 grams Me2408
- MEUSELBACH, Meuselbach, Thuringia, Germany  
*Fell:* May 19, 1897, 7:45 P.M.  
 Stone, Veined crystalline spherical hypersthene-chondrite  
*Description:* Fragment with crust, 2.2 grams Me1855
- MEZO-MADARAS, Mezo-Madaras, Transylvania, Romania  
*Fell:* September 4, 1852, 4:30 P.M.  
 Stone, Polymict brecciated gray hypersthene-chondrite  
*Description:* Fragment with crust and polished surface, 4 grams Me261  
 Mass with crust and polished surface, 165 grams Me1607  
 Mass with crust and armored surfaces, 331 grams Me1608
- MHOW, Mhow, Mau tahsil, Azambgarh district, United Provinces, India  
*Fell:* February 16, 1827, 3:00 P.M.  
 Stone, Intermediate chondrite  
*Description:* Fragment from interior, polished surface, 2 grams Me1633
- MIDDLESBROUGH, Middlesbrough, Yorkshire, England  
*Fell:* March 14, 1881, 3:35 P.M.

Stone, White hypersthene-chondrite

*Description:* Fragments with crust, 0.1 grams Me1634

MIGHEI, Mighei, Olviopol, Kherson, Ukraine, USSR

*Fell:* June 18, 1889, 8:30 A.M.

Stone, Carbonaceous chondrite

*Description:* Fragment with crust, 7 grams Me339

Fragment with crust, 0.3 grams Me338

Two large masses with crust, 2,281 grams Me1456

MILENA, Milena, Varazdin, Croatia, Yugoslavia

*Fell:* April 26, 1842, 3:00 P.M.

Stone, White chondrite

*Description:* Fragment from interior, 4 grams Me250

Polished slab with crust, 10 grams Me1849

Fragment from interior with polished surface,  
3 grams Me1850

MILLER, Miller, Cleburne County, Arkansas, USA

*Fell:* July 13, 1930

Stone, Enstatite-chondrite

*Description:* Fragment with portion of fusion crust, 32.8 grams  
Me2559

MINAS GERAES, Minas Geraes, Brazil

*Found:* 1888

Stone, Veined white chondrite

*Description:* Mass with crust and polished surface, 422 grams  
Me1622

MINCY, Mincy, Taney County, Missouri, USA

*Found:* 1857

Stony-iron, Mesosiderite

*Description:* Thin slab 17×33 cm., with polished surface,  
2,147 grams Me1253

MISSHOF, Misshof, Baldohn, Kurland, Latvia

*Fell:* April 10, 1890, 3:30 P.M.

Stone, Spherical bronzite-chondrite

*Description:* Mass with crust and polished surfaces, 85.5 grams  
Me1630

Fragments, 1.5 grams Me1630

Mass with crust and polished surface, 175 grams  
Me1631

MISTECA, Misteca, Oaxaca, Mexico

*Known:* 1804

Iron, Medium octahedrite

*Description:* Full-sized etched section, 82 grams Me32

Rhabdite, 2 grams Me1912

Etched section, 69 grams Me956

MOCs, Mocs, Cluj, Transylvania, Romania

*Fell:* February 3, 1882, 4:00 P.M.

Stone, Veined white hypersthene-chondrite

*Description:* Three fragments with crust, 26 grams Me323

Nearly complete individual, mended from five frag-  
ments, 542 grams Me324

One complete individual, 39 grams Me330

One complete individual, 7 grams Me331

Complete individual, 2,224 grams Me1444

Complete individual, 840 grams Me1445

Complete individual, 564 grams Me1446

Fifteen complete individuals, 540 grams Me1447

Eight small individuals, 11.5 grams Me1448

Complete individual, 291 grams Me1449

Oriented fragment, 188 grams Me1450

Nearly complete individual, 338 grams Me1451

Wedge-shaped individual with primary and secondary  
crust, 564 grams Me1452

Mass with crust, 530 grams Me1453

Mass with crust and polished surface, 481 grams  
Me1454

MOCTEZUMA, Moctezuma, Sonora, Mexico

*Found:* 1899

Iron, Medium octahedrite

*Description:* Etched slab with fractured edges, 357 grams  
Me926

MODOC (1905), Modoc, Scott County, Kansas, USA

*Fell:* September 2, 1905, 9:30 P.M.

Stone, Veined white hypersthene-chondrite



*Description:* Complete individual, 3,184 grams Me743  
 Complete individual, 153.3 grams Me744  
 Nearly complete individual, 269.5 grams Me745  
 Mass with oriented crust, 875 grams Me747  
 Mass with crust, 170 grams Me1971  
 Troilite from Modoc, 0.2 gram Me2348

MOKOIA, Mokoia, Taranaki, North Island, New Zealand  
*Fell:* November 26, 1908, 12:30 P.M.  
 Stone, Carbonaceous chondrite  
*Description:* Two fragments from interior, 3.4 grams Me2460

MOLINA, Molina, Murcia, Spain  
*Fell:* December 24, 1858  
 Stone, Brecciated gray bronzite-chondrite  
*Description:* Mass with crust, 33 grams Me1635

MOLONG, Molong, County Ashburnham,  
 New South Wales, Australia  
*Found:* 1912  
 Stony-iron, Pallasite  
*Description:* Fragments, 543.3 grams Me1970

MONAHANS, Monahans, Ward County, Texas, USA  
*Found:* 1938  
 Iron, Nickel-rich ataxite  
*Description:* Polished slab, 844 grams Me2247

MONROE, Monroe, Cabarrus County, North Carolina, USA  
*Fell:* October 31, 1849, 3:00 P.M.  
 Stone, Polymict brecciated veined bronzite-chondrite  
*Description:* Fragment from interior with polished surface,  
 10 grams Me2448  
 Fragment from interior, 4 grams Me256  
 Mass from interior, 79.5 grams Me1761  
 Mass with crust and polished surface, 19.8 grams  
 Me1762

MONTE MILONE, Monte Milone, Macerata, Italy  
*Fell:* May 8, 1846, 9:15 A.M.  
 Stone, Brecciated white chondrite

*Description:* Fragments from interior and with crust, 11 grams  
 Me1623

MONTLIVAUT, Montlivault, Loir-et-Cher, France  
*Fell:* July 22, 1838, day  
 Stone, White chondrite  
*Description:* Two fragments with crust and polished surface,  
 4 grams Me1619

MONZE, Monze, Northern Rhodesia  
*Fell:* October 5, 1950, 4:10 A.M.  
 Stone, Hypersthene-chondrite  
*Description:* Mass with crust, 153 grams Me2441

MOORANOPPIN, Mooranoppin, Avon, County Lansdowne,  
 West Australia  
*Recognized:* 1893  
 Iron, Coarsest octahedrite  
*Description:* Polished and etched section with crust, 98 grams  
 Me540  
 Full-sized section, etched, 73 grams Me975

MOORESFORT, Mooresfort, County Tipperary, Ireland  
*Fell:* August, 1810, noon  
 Stone, Veined gray chondrite  
*Description:* Fragment with crust, 7 grams Me228  
 Two fragments from interior, 16 grams Me1681  
 Two fragments from interior, 14 grams Me1682

MORADABAD, Moradabad district, United Provinces, India  
*Fell:* 1808  
 Stone, White chondrite  
*Description:* Fragments from interior, 1 gram Me1596

MORITO, Morito, San Gregoria, Chihuahua, Mexico  
*Known:* 1600  
 Iron, Medium octahedrite  
*Description:* Etched fragment with crust, 13 grams Me942

MORLAND, Morland, Graham County, Kansas, USA  
*Found:* About 1890—main mass found in 1935

Stone, Veined gray crystalline chondrite

*Description:* Mass with polished surface, 988 grams Me2213

MORNANS, Mornans, Bordeaux, Drome, France

*Fell:* September, 1875

Stone, Veined gray chondrite

*Description:* Sawed fragment with crust, 2 grams Me1599

MORRADAL, Morradal, Grjotli, between Skiaker and Stryn,  
Norway

*Found:* 1892

Iron, Nickel-rich ataxite

*Description:* Thin, etched slab, 17.5 grams Me824

Thin, etched slab, 5 grams Me961

MORRISTOWN, Morristown, Hamblen County,  
Tennessee, USA

*Found:* 1887

Stony-iron, Mesosiderite

*Description:* Thick, full-sized polished section, 646 grams  
Me1280

End piece with polished surface, 1,084 grams  
Me1281

Wedge-shaped section with crust and polished sur-  
face, 2,207 grams Me1282

MOTI-KA-NAGLA, Goordha, Biana district, Bharatpur State,  
Rajputana, India

*Fell:* December 22, 1868, 5:00 P.M.

Stone, Crystalline chondrite

*Description:* Fragment with crust and two polished surfaces,  
7.5 grams Me1683

Fragment from interior, 4.5 grams Me1684

MOTTA DI CONTI, Motta di Conti, Casale, Piedmont, Italy

*Fell:* February 29, 1868, 11:00 A.M.

Stone, Spherical chondrite

*Description:* Mass with crust, friable, 35.6 grams Me1685

MOUNT BROWNE, Mount Browne, County Evelyn,  
New South Wales, Australia

*Fell:* July 17, 1902, 9:30 A.M.

Stone, Spherical bronzite-chondrite

*Description:* Mass with crust, 149 grams Me576

Mass with crust, 226 grams Me1329

Fragment from interior, 5.3 grams Me1329a

MOUNT DYRRING, Mount Dyrring, Singleton district,  
County Durham, New South Wales, Australia

*Found:* 1903

Stony-iron, Pallasite

*Description:* Mass with crust, 271 grams Me575

Mass with crust, 131 grams Me1320

MOUNT EDITH, Mount Edith, Ashburton district,  
Western Australia

*Found:* 1913

Iron, Medium octahedrite

*Description:* Full-sized, etched section, 9,823 grams Me1959

Small slab, 62 grams Me1959a

MOUNT JOY, Mount Joy, Adams County, Pennsylvania, USA

*Found:* 1887

Iron, Coarsest octahedrite

*Description:* Etched section, 10×13 cm., 670 grams Me482

Full-sized, etched section, 61×83 cm., 20,000 grams  
Me1051

Etched section, 51 grams Me1899

MOUNT STIRLING, Mount Stirling, York, Southwest Division,  
Western Australia

*Found:* 1892

Iron, Coarse octahedrite

*Description:* Etched fragment, 56 grams Me829

Full-sized etched section, 944 grams Me1004

MOUNT TABBY, Mount Tabby, Hannah, Duchesne County,  
Utah, USA

*Found:* 1921

Iron, Octahedrite

*Description:* Etched section, 888 grams Me2111

MOUNT VERNON, Mount Vernon, Christian County,  
Kentucky, USA

*Found:* 1868  
Stony-iron, Pallasite  
*Description:* Small polished slab and fragments, 248 grams  
Me567  
Fragments, 44 grams Me567

MUDDOOR, Muddoor taluq, Mysore, India

*Fell:* September 21, 1865, 7:00 A.M.  
Stone, Spherical hypersthene-chondrite  
*Description:* Fragment with crust, 6 grams Me1593  
Fragment from interior, 4 grams Me1594

MUNGINDI, Mungindi, County Benarba,  
New South Wales, Australia

*Found:* 1897  
Iron, Finest octahedrite  
*Description:* Full-sized etched section 21 × 9 cm., 627 grams  
Me461  
End piece with etched surface, 1,383 grams  
Me1003

MUONIONALUSTA I, Muonionalusta, Norrbötten, Sweden

*Found:* 1906  
Iron, Fine octahedrite  
*Description:* Fragment with crust, 43.5 grams Me2452

MUONIONALUSTA II, Muonionalusta, Norrbötten, Sweden

*Found:* August 15, 1946  
Iron, Fine octahedrite  
*Description:* Fragment with crust, 41.6 grams Me2453

MURFREESBORO, Murfreesboro, Rutherford County,  
Tennessee, USA

*Found:* 1847  
Iron, Medium octahedrite  
*Description:* Etched slab, 20 grams Me58  
Etched slab from surface, 20 grams Me827  
Thin, etched slab with crust, 18 grams Me909  
Polished mass with oxidized edges, 25 grams  
Me910

MURPHY, Murphy, Cherokee County, North Carolina, USA

*Found:* 1899  
Iron, Hexahedrite  
*Description:* Polished and etched section, 98.5 grams Me503  
Full-sized slab, etched, 257 grams Me966  
Full-sized slab, etched, 305 grams Me967

NAGARIA, Nagaria, Fatehabad pargana, Agra district,  
United Provinces, India

*Fell:* April 24, 1875, 7:30 A.M.  
Stone, Eucrite  
*Description:* Fragment with crust, 1.4 grams Me1674

NAGY-BOROVE, Nagy-Borove, Lipto, Czechoslovakia

*Fell:* May 9, 1895  
Stone, Gray chondrite  
*Description:* Complete individual, 183.5 grams Me1604  
Mass with crust and sawed surfaces, 26 grams  
Me1605

NAGY-VAZSONY, Nagy-Vazsony, Veszprem, Hungary

*Found:* 1890  
Iron, Medium octahedrite  
*Description:* Thin slab, etched, 36 grams Me974

NAKHLA, Nakhla, Abu Hommos, Alexandria, Egypt

*Fell:* June 28, 1911, 9:00 A.M.  
Stone, Nakhlite (Diopside-olivine achondrite)  
*Description:* Fragment with crust, 14 grams Me804

NAMMIANTHAL, Nammianthal, North Arcot district,  
Madras, India

*Fell:* January 27, 1886  
Stone, Veined spherical chondrite  
*Description:* Mass with crust, 64 grams Me1627  
Mass with crust and polished surface, 20.5 grams  
Me1628  
Mass from interior, 35 grams Me1629

NANJEMOY, Nanjemoy, Charles County, Maryland, USA

*Fell:* February 10, 1825, noon  
Stone, Spherical chondrite

*Description:* Mass with crust and polished surface, 23.5 grams  
Me1625  
Fragment from interior, 0.5 grams Me238  
Mass with crust and sawed surfaces, 82 grams  
Me1626

NARRABURRA, Narraburra Creek, Temora, County Bland,  
New South Wales, Australia

*Found:* 1855  
Iron, Finest octahedrite  
*Description:* Full-sized section, deeply etched, 133.5 grams  
Me1142

NÄS, Näs, Värvik, Dalsland, Sweden

*Found:* 1907  
Stone, Chondrite  
*Description:* Fragment with crust, 10.5 grams Me2450

NAVAJO, Navajo, Apache County, Arizona, USA

*Found:* July 10, 1921  
Iron, Nickel-poor ataxite  
*Description:* Complete individual, 1,497.618 kilograms Me2038  
Borings, 2 grams Me2038  
Individual, 683.124 kilograms Me2099  
Scalings, 420 grams Me2099  
Small end piece, etched, 48 grams Me2099a  
Polished slice, 1,676 grams Me2099b

NAWAPALI, Nawapali, Bargarh tahsil, Sambalpur district,  
Orissa, Central Provinces, India

*Fell:* June 6, 1890, 6:00 P.M.  
Stone, Carbonaceous chondrite  
*Description:* Fragment from interior, 1.5 grams Me1655

NEDAGOLLA, Nedagolla, Vizagapatam district, Madras, India

*Fell:* January 23, 1870, 7:00 P.M.  
Iron, Nickel-poor ataxite  
*Description:* Two fragments, etched, 9 grams Me1090

NEJED, Nejed, Wadee Eanee Khaled, Central Arabia

*Found:* 1863  
Iron, Medium octahedrite

*Description:* Etched slab with crust, 179 grams Me523  
Nearly complete individual with one etched surface,  
48,080 grams Me1100

NELSON COUNTY, Nelson County, Kentucky, USA

*Found:* 1856  
Iron, Coarsest octahedrite  
*Description:* Oxidized scaling, 23 grams Me73  
Large, polished slab, 455 grams Me488  
Polished slab, 151 grams Me1183  
Etched section with crust, 281 grams Me1184

NENNTMANNSDORF, Nenntmannsdorf, Pirna, Saxony, Germany

*Found:* 1872  
Iron, Hexahedrite  
*Description:* Cleavage pieces, 4 grams Me447  
Thin slab with polished surface, 22 grams Me1123

NERFT, Nerft, Kurland, Latvia

*Fell:* April 12, 1864, 4:45 A.M.  
Stone, Veined intermediate hypersthene-chondrite  
*Description:* Mass from interior, 44 grams Me585  
Mass with crust, 61 grams Me1637

NESS COUNTY (1894), Ness County, Kansas, USA

*Found:* 1894  
Stone, Crystalline bronzite-chondrite  
*Description:* Complete individual, 1,362 grams Me754  
Ten complete individuals, 309 grams Me806  
Complete individual, 572 grams Me807  
Complete individual, crust black, 2,926 grams  
Me808  
Complete individual, rounded, wedge-shaped, shows  
primary and secondary crust, 3,410 grams Me809  
Complete individual, form rectangular prismatic,  
1,190 grams Me811  
Complete individual, 972 grams Me812  
Two complete individuals, 1,595 grams Me813  
Two complete individuals, 575 grams Me814  
Mass with polished surface, 953 grams Me815  
Complete individual, crust black, 34 grams Me816

Complete individual, 22 grams Me817  
 Mass with crust and polished surface, 2,523 grams  
 Me818  
 Complete individual, 148 grams Me2042  
 Complete individual, 520 grams Me2043  
 Complete individual, 607 grams Me2044  
 Complete individual, 693 grams Me2046  
 Complete individual, 1,335 grams Me2050  
 Complete individual, form triangular pyramid,  
 1,190 grams Me810  
 Fragments (from Me818), 3 grams Me818a

NETSCHAEVO, Netschaevo, Tula, USSR  
*Found:* 1846  
 Iron, Brecciated octahedrite with silicate inclusions  
*Description:* Mass with crust and etched surfaces, 135 grams  
 Me1152  
 Thin slab, etched, 30 grams Me1153  
 Thin slab from siliceous portion, 15 grams Me1154

NEW ALMELO, New Almelo, Norton County, Kansas, USA  
*Found:* about 1917, recognized: 1932  
 Stone, Polymict brecciated veined chondrite  
*Description:* Polished slice, 240 grams Me2195

NEW BALTIMORE, New Baltimore, Somerset County,  
 Pennsylvania, USA  
*Found:* 1922  
 Iron, Coarsest octahedrite  
*Description:* Etched slice, 1,613 grams Me2054

NEW CONCORD, New Concord, Muskingum County, Ohio, USA  
*Fell:* May 1, 1860, 12:45 P.M.  
 Stone, Veined intermediate hypersthene-chondrite  
*Description:* Nearly complete individual, 341 grams Me273  
 Mass with crust and polished surfaces, 752 grams  
 Me274  
 Individual cut in two parts, 3,718 grams Me1824  
 Mass with crust and polished surfaces, 650 grams  
 Me1825

NEWPORT, Newport, Jackson County, Arkansas, USA  
*Found:* 1923  
 Stony-iron, Pallasite  
*Description:* End piece, polished and etched, 137 grams Me2144

NEW WESTVILLE, New Westville, Preble County, Ohio, USA  
*Found:* 1941  
 Iron, Medium to fine octahedrite  
*Description:* Etched slice, 206.3 grams Me2400

NGAWI, Ngawi, Gentoeng, Madioen, Java  
*Fell:* October 3, 1883, 5:15 P.M.  
 Stone, Spherical hypersthene-chondrite  
*Description:* Sawed section with crust, 8.5 grams Me1675

N'GOUREYMA, N'Goureyma, Jenne, Massina, French West Africa  
*Fell:* June 15, 1900  
 Iron, Brecciated octahedrite  
*Description:* Full-sized polished section, 145 grams Me597  
 Full-sized etched section, 882 grams Me978

NIAGARA, Niagara, Grand Forks County,  
 North Dakota, USA  
*Found:* 1879  
 Iron, Coarse octahedrite  
*Description:* Fragment with crust and etched surface, 25 grams  
 Me946

NOBLEBORO, Nobleboro, Lincoln County, Maine, USA  
*Fell:* August 7, 1823, 4:30 P.M.  
 Stone, Howardite  
*Description:* Mass with crust, 19 grams Me1370

NOCHTUISK, Nochtuisk, Yakutsk, Siberia, USSR  
*Found:* 1876  
 Iron, Coarse octahedrite  
*Description:* Apparently a small individual with one end etched,  
 2 grams Me1175

NOCOLECHE, Nocoleche, Wanaaring, County Ularara,  
New South Wales, Australia

*Found:* 1895

Iron, Medium octahedrite

*Description:* Full-sized etched section, 1,120 grams Me1039

NOGOYA, Nogoya, Entre Rios, Argentina

*Fell:* June 30, 1879, evening

Stone, Carbonaceous hypersthene-chondrite

*Description:* Mass with crust, 10 grams Me1680

NORCATEUR, Norcateur, Decatur County, Kansas, USA

*Found:* 1940, recognized: July, 1948

Stone, Polymict brecciated veined intermediate chondrite

*Description:* Small slice, 31.5 grams Me2411

NORFOLK, Norfolk, Montgomery County, Virginia, USA

*Fell:* September 23, 1907

Iron, Medium octahedrite

*Description:* Etched slab, 145.5 grams Me2252

NOVO-UREI, Novo-Urei, Karamzinka, Nizhni-Novgorod, USSR

*Fell:* September 4, 1886, 7:15 A.M.

Stone, Ureilite

*Description:* Fragment with crust, 4.3 grams Me582

Mass with crust and polished surface, 48.3 grams

Me1678

NULLES, Nulles, Catalonia, Spain

*Fell:* November 5, 1851, 5:30 P.M.

Stone, Brecciated gray bronzite-chondrite

*Description:* Fragments with crust, 8 grams Me1676

OAKLEY (STONE), Oakley, Logan County, Kansas, USA

*Found:* 1895

Stone, Crystalline bronzite-chondrite

*Description:* Full-sized section, 25×30 cm., polished on one surface,  
2,300 grams Me1457

End piece with polished surface, 25×30 cm.,

6,535 grams Me1458

OBERNKIRCHEN, Obernkirchen, Bukerberg, Rinteln,  
Hesse-Nassau, Germany

*Found:* Before 1863

Iron, Fine octahedrite

*Description:* Mass with crust and polished surfaces, 124 grams

Me1081

Mass with crust and polished surfaces, 60 grams

Me1082

OCHANSK, Ochansk, Perm, USSR

*Fell:* August 30, 1887, 1:00 P.M.

Stone, Polymict brecciated spherical bronzite-chondrite

*Description:* Fragment with crust, 24 grams Me335

Fragment from interior, 48.5 grams Me1440

Mass with crust, 2,292 grams Me1442

Mass from interior, 1,742 grams Me1441

Mass with crust, 8,890 grams Me1443

OCZERETNA, Oczeretna, Lipovets, Kiev, Ukraine, USSR

*Found:* 1871

Stone, Veined gray chondrite

*Description:* Fragment with crust and sawed surface, 3 grams

Me1677

ODESSA, Odessa, Ector County, Texas, USA

*Found:* Before 1922

Iron, Coarse octahedrite

*Description:* Complete individual, 10,219 grams Me2397

Complete individual, 76 grams Me2393

Fragment, 6.2 grams Me2157

Etched slice, 1,162 grams Me2398

Iron shale, 11 grams Me2158

Complete individual, 832 grams Me2258

OESEL, Oesel Island, Esthonia

*Fell:* May 11, 1855, 3:30 P.M.

Stone, White hypersthene-chondrite

*Description:* Mass from interior, 46.5 grams Me1688

Crusted fragments, 1.5 grams Me264

OGALLALA, Ogallala, Keith County, Nebraska, USA

*Found:* 1918

Iron, Medium octahedrite

*Description:* Etched slice, 48 grams Me2145

OGI, Ogi, Hizen (Saga), Kyushu, Japan

*Fell:* June 8, 1741, 11:00 A.M.

Stone, White bronzite-chondrite

*Description:* Mass with crust and sawed surface, 23 grams  
Me1690

OHABA, Ohaba, Alba Iulia, Transylvania, Romania

*Fell:* October 11, 1857, 12:15 A.M.

Stone, Veined gray bronzite-chondrite

*Description:* Slab with crust and polished surface, 7 grams  
Me1652

OKECHOBEE, Lake Okechobee, Florida, USA

*Found:* Before 1916, fell: 1903?

Stone, Spherical chondrite

*Description:* Fragment, 71 grams Me1975

OKNINY, Okniny, Krzemieniec, Wolyn, Poland  
(now Volhynia, West Ukraine)

*Fell:* January 8, 1934, 9:30 A.M.

Stone, Brecciated gray chondrite

*Description:* Polished slab with crust and armored surface,  
10 grams Me1653

OKTIBBEHA COUNTY, Oktibbeha County, Mississippi, USA

*Found:* About 1854

Iron, Nickel-rich ataxite

*Description:* Small slice, 1 gram Me1174

OLIVENZA, Olivenza, Badajoz, Spain

*Fell:* June 19, 1924, 8:00 A.M.

Stone, Gray spherical hypersthene-chondrite

*Description:* Fragment with crust, 39.4 grams Me2094  
Interior mass, 204 grams Me2095

OLMEDILLA DE ALARCON, Olmedilla de Alarcon, Cuenca, Spain

*Fell:* February 26, 1929, about midday

Stone, Veined brecciated hypersthene-chondrite, approaching eu-  
crite

*Description:* Mass with crust, 398.5 grams Me2141

ORANGE RIVER (IRON), Orange River, Garib, South Africa

*Known:* 1855

Iron, Medium octahedrite

*Description:* Sawed section with natural crust, 114 grams  
Me71

Etched slab, 95.5 grams Me72

Etched slab with crust, 74 grams Me1896

ORGUEIL, Orgueil, Montauban, Tarn-et-Garonne, France

*Fell:* May 14, 1864, 8:00 P.M.

Stone, Carbonaceous chondrite

*Description:* Fragments with crust, 20 grams Me509

Mass with crust, 29 grams Me1743

Fragments with crust, 26 grams Me1744

ORNANS, Ornans, Doubs, France

*Fell:* July 11, 1868, 7:15 P.M.

Stone, Spherical hypersthene-chondrite (Ornansite)

*Description:* Fragment sawed from interior, 19.5 grams Me294

Two fragments with crust, 62 grams Me1766

OROVILLE, Oroville, Butte County, California, USA

*Found:* 1893

Iron, Medium octahedrite

*Description:* Full-sized etched section, 315 grams Me859

ORVINIO, Orvinio, Rome, Italy

*Fell:* August 31, 1872, 5:15 A.M.

Stone, Polymict brecciated black bronzite-chondrite (Orvinite)

*Description:* Three fragments with crust, 38 grams Me1651

Two fragments with crust, 0.5 grams Me759

OSCURO MOUNTAINS, Oscuro Mountains, Socorro County,  
New Mexico, USA

*Found:* 1895

Iron, Coarse octahedrite

*Description:* Etched section with crust, 113 grams Me457

End piece, etched, 638 grams Me855

- OSSEO, Osseo, Timiskaming District, Ontario, Canada  
*Fell:* June, 1931  
 Iron, Coarsest kamacitic octahedrite  
*Description:* Etched section, 166.2 grams Me2242
- OTEROY, Oteroy Island, Kragero, Norway  
*Fell:* October 15, 1928, 3:00 P.M.  
 Stone, Chondrite  
*Description:* Fragments from interior, 0.7 grams Me2458
- OTTAWA, Ottawa, Franklin County, Kansas, USA  
*Fell:* April 9, 1896, 6:15 P.M.  
 Stone, Polymict brecciated gray chondrite (howarditic chondrite)  
*Description:* Fragment with crust, 3.5 grams Me757  
 Mass with crust, 35 grams Me1691  
 Mass with crust, 36 grams Me1692
- OTUMPA, Gran Chaco Gualamba, Argentina  
*Found:* 1576  
 Iron, Nickel-poor ataxite  
*Description:* Section, 16×6 cm., with crust on border, 530 grams Me1016
- OVID, Ovid, Sedgwick County, Colorado, USA  
*Found:* February, 1939  
 Stone, Gray chondrite  
*Description:* End piece with polished surface, 612 grams Me2364
- OZONA, Ozona, Crockett County, Texas, USA  
*Found:* 1929, recognized: 1939  
 Stone, Gray chondrite  
*Description:* Mass with one cut face, 40,544 grams Me2333  
 Slice, 2,085 grams Me2334  
 Slice, 1,915 grams Me2335  
 Slice, 1,705 grams Me2336  
 Mass with one cut face, 964 grams Me2337  
 Mass with one cut face, 2,340 grams Me2338  
 Twenty-two fragments, 518.5 grams Me2339  
 Four fragments, 128.2 grams Me2340

- PACULA, Pacula, Jacala, Hidalgo, Mexico  
*Fell:* June 18, 1881, morning  
 Stone, Brecciated white chondrite  
*Description:* Mass with crust, 91.5 grams Me1615  
 Mass with crust, 88 grams Me1616
- PAMPA DE AGUA BLANCA, Pampa de Agua Blanca, Chile  
*Known:* 1916  
 Stone  
*Description:* Much oxidized fragment with crust, 9.6 grams Me1901  
 Fragment, 0.4 grams Me1901
- PAMPANGA, Pampanga, Luzon, Philippine Islands  
*Fell:* April 4, 1859  
 Stone, Brecciated grey chondrite  
*Description:* Fragment with polished surface, 2 grams Me1598
- PAN DE AZUCAR, Pan de Azucar, Tarapaca, Desert of Atacama, Chile  
*Found:* 1887  
 Iron, Coarse octahedrite  
*Description:* Full-sized slab, etched, 210 grams Me1133
- PANTAR, Pantar, Lanao, Philippine Islands  
*Fell:* June 16, 1938, 8:45 P.M.  
 Stone, Veined chondrite  
*Description:* Individual, 521.4 grams Me2401
- PARAGOULD, Paragould, Greene County, Arkansas, USA  
*Fell:* February 17, 1930, 4:08 A.M.  
 Stone, Monomict brecciated gray chondrite  
*Description:* Complete individual, 337,485 grams Me2135
- PARNALLEE, Parnallee, Ramnad district, Madras, India  
*Fell:* February 28, 1875, noon  
 Stone, Polymict brecciated veined gray hypersthene-chondrite  
*Description:* Mass with crust and polished surface, abundant troilite, 162 grams Me437  
 Thin slab with crust, 160 grams Me1847  
 Mass with crust and polished surface, 486 grams Me1848



PASAMONTE, Pasamonte Ranch, Union County,  
New Mexico, USA

*Fell*: March 24, 1933, 5:05 A.M.

Stone, Howardite

*Description*: Nearly complete individual, 21 grams Me2208

PAULDING COUNTY, Paulding County, Georgia, USA

*Found*: About 1901

Iron, Coarse octahedrite

*Description*: Oxidized fragments, 161 grams Me1978

PAVLODAR, Pavlodar, Semipalatinsk, Siberia, USSR

*Found*: 1885

Stony-iron, Pallasite

*Description*: End piece with polished surface, 1,406 grams  
Me1313

PAVLOGRAD, Pavlogard, Ekaterinoslav, Ukraine, USSR

*Fell*: May 19, 1826

Stone, White chondrite

*Description*: Fragment from interior, 15 grams Me448

Fragment from interior, 11.8 grams Me1687

Fragment with crust, 9.7 grams Me1645

Mass with crust and polished surface, 22 grams  
Me1686

Sawed mass from interior, oxidized, 87 grams  
Me1644

PAVLOVKA, Pavlovka, Balashev, Saratov, USSR

*Fell*: August 2, 1882, 5:00 P.M.

Stone, Howardite

*Description*: Mass from interior, 69 grams Me1377

Mass with crust, 93.5 grams Me1378

PEACE RIVER, Peace River, Alberta, Canada

*Fell*: March 31, 1963, 4:35 A.M.

Stone, Hypersthene-chondrite

*Description*: Irregular fragment with small patch of fusion crust,  
609 grams Me2556

PEETZ, Peetz, Logan County, Colorado, USA

*Found*: 1937

Stone, Black chondrite

*Description*: Polished slice with crust, 751 grams Me2295

PERPETI, Perpeti, Tippera district, East Bengal, Pakistan

*Fell*: May 14, 1935, 11:00 P.M.

Stone, White enstatite-chondrite

*Description*: Fragment with crust, 49 grams Me2245

PERRYVILLE, Perryville, Perry County, Missouri, USA

*Found*: 1906

Iron, Finest octahedrite

*Description*: Full-sized section, etched, 181 grams Me802

PERSIMMON CREEK, Persimmon Creek, Cherokee County,  
North Carolina, USA

*Found*: 1903 (?)

Iron, Granular, finest octahedrite

*Description*: Four fragments with crust, 146 grams Me614

Shavings, 9 grams Me614

Full-sized etched section, 108 grams Me970

PETERSBURG, Petersburg, Lincoln County, Tennessee, USA

*Fell*: August 5, 1855, 3:30 P.M.

Stone, Howardite

*Description*: Mass with crust, 205 grams Me1356

Fragment with crust, 3.3 grams Me1357

PETROPAVLOVSK, Petropavlovsk, Mrasa River,  
Tomsk, Siberia, USSR

*Fell*: 1841

Iron, Medium octahedrite

*Description*: Slab from surface, etched, 45 grams Me1115

PHILLIPS COUNTY, Phillips County, Colorado, USA

*Found*: 1935

Stony-iron, Pallasite

*Description*: End piece with polished surface, 332.6 grams  
Me2313

- PHU-HONG, Phu-Hong, Binh-Chanh, Cochin China  
*Fell:* September 22, 1887  
 Stone, Veined spherical bronzite-chondrite  
*Description:* Polished slab with crust, 11.8 grams Me1618
- PICKENS COUNTY, Pickens County, Georgia, USA  
*Found:* 1908  
 Stone, Crystalline chondrite  
*Description:* Mass with crust, 312 grams Me836  
 Mass with crust, 68 grams Me837
- PIERCEVILLE, Pierceville, Finney County, Kansas, USA  
*Found:* 1939  
 Stone, Gray chondrite  
*Description:* Polished slice, 96.6 grams Me2314
- PILLISTFER, Pillistfer, Livonia, Latvia  
*Fell:* August 8, 1863, 12:30 P.M.  
 Stone, Crystalline enstatite-chondrite  
*Description:* Mass with crust, 39 grams Me1646  
 Fragment from interior, 1 gram Me279  
 Mass with crust and polished surface, 29 grams  
 Me1647
- PINE RIVER, Pine River, Waushara County, Wisconsin, USA  
*Found:* 1931  
 Iron, Octahedrite with silicate inclusions  
*Description:* Fragment of crust, 2.6 grams Me2382  
 Etched slice, 99.5 grams Me2390
- PIÑON, Piñon, Otero County, New Mexico, USA  
*Found:* 1928 or 1930  
 Iron, Nickle-rich ataxite  
*Description:* Polished end with cubic streaks, 410 grams Me2196
- PIPE CREEK, Pipe Creek, Bandera County, Texas, USA  
*Found:* 1887  
 Stone, Veined crystalline bronzite-chondrite  
*Description:* Mass with crust and polished surfaces, 368 grams  
 Me1579  
 About one-third the original mass; one surface polished, 3,873 grams Me1580

- PIRGUNJE, Pirgunje, Thakurgaon Subdivision, Dinajpur district,  
 East Bengal, Pakistan  
*Fell:* August 29, 1882  
 Stone, Veined white chondrite  
*Description:* Mass with crust, contains vein of troilite, 28 grams  
 Me1639
- PIRTHALLA, Pirthalla, Barwala tahsil, Hissar district,  
 Punjab, India  
*Fell:* February 9, 1884, 2:30 P.M.  
 Stone, Brecciated spherical chondrite  
*Description:* Fragments with crust, 1 gram Me1643
- PITTS, Pitts, Wilcox County, Georgia, USA  
*Fell:* April 20, 1921, 9:00 A.M.  
 Iron, Octahedrite (with silicate inclusions)  
*Description:* Fragment, 0.42 gram Me2039
- PITTSBURG, Pittsburg, Allegheny County, Pennsylvania, USA  
*Found:* About 1850  
 Iron, Coarsest octahedrite  
*Description:* Etched fragment with crust, 4.7 grams Me433  
 Etched fragment with crust, 12.5 grams Me823  
 Etched fragment with crust, 22 grams Me1187
- PLAINVIEW (1917), Plainview, Hale County, Texas, USA  
*Found:* 1917  
 Stone, Polymict brecciated, veined intermediate chondrite  
*Description:* Complete individual in three parts, 1,921 grams  
 Me1968  
 Individual, 3,838 grams Me2323
- PLOSKHOVITZ, Ploschkovitz, Litomerice, Bohemia, Czechoslovakia  
*Fell:* June 22, 1723, 2:00 P.M.  
 Stone, Brecciated spherical chondrite  
*Description:* Fragments with crust, 2 grams Me493  
 Fragment from interior, 2 grams Me1617
- PLYMOUTH, Plymouth, Marshall County, Indiana, USA  
*Found:* 1893  
 Iron, Medium octahedrite

*Description:* Full-sized section, etched, 626 grams Me1130  
Full-sized section, etched, 460 grams Me1131

PNOMPENH, Pnompenh, Cambodia

*Fell:* June 30, 1868, 3:00 P.M.

Stone, White chondrite

*Description:* Fragments from interior, 0.2 grams Me1597

POHLITZ, Pohlitz, Gera, Reuss, Thuringia, Germany

*Fell:* October 13, 1819, 8:00 A.M.

Stone, Veined white chondrite

*Description:* Three fragments with crust, 11 grams Me1624

Interior fragment, 0.5 gram Me236

PONCA CREEK, Ponca Creek, Holt County, Nebraska, USA

*Found:* 1863

Iron, Coarsest octahedrite

*Description:* Full-sized slab, etched, 303 grams Me929

POTTER, Potter, Cheyenne County, Nebraska, USA

*Found:* 1941

Stone, Polymict brecciated grey chondrite

*Description:* Complete individual, 86,070 grams Me2381

Slice with polished surface, 410 grams Me2370

Fragments, 46 grams Me2381

PRAIRIE DOG CREEK, Prairie Dog Creek, Decatur County,  
Kansas, USA

*Found:* 1893

Stone, Spherical crystalline chondrite

*Description:* Fragment from interior, 18 grams Me563

Mass with crust, 94 grams Me1337

Mass with crust, 63 grams Me1338

PRAMBANAN, Prambanan, Surakarta, Java

*Known:* 1797

Iron, Fine octahedrite

*Description:* Etched fragment with crust, 16 grams Me1160

PRICETOWN, Pricetown, Highland County, Ohio, USA

*Fell:* February 13, 1893

Stone, White chondrite

*Description:* Fragment with crust, 4 grams Me1768

PUENTE DEL ZACATE, Puente del Zacate, Monclova district,  
Coahuila, Mexico

*Found:* About 1904

Iron, Medium to fine octahedrite

*Description:* Polished and etched slice, 495 grams Me2253

PULSORA, Pulsora, Ratlam State, Central India

*Fell:* March 16, 1863, afternoon

Stone, Polymict brecciated intermediate chondrite

*Description:* Fragment from interior, 5 grams Me1638

PULTUSK, Pultusk, Warsaw, Poland

*Fell:* January 30, 1868, 7:00 P.M.

Stone, Veined gray bronzite-chondrite

*Description:* Part of a large individual, 377 grams Me289

Forty-eight small individuals, 660 grams Me290

Two medium-sized individuals, 142 grams Me291

Four medium-sized individuals, 248 grams Me292

Complete individual, 7,885 grams Me1581

Medium-sized individual, 354 grams Me1582

One medium-sized individual, 275 grams Me1584

Ninety-five small individuals, 1,770 grams Me1585

Individual with armored and smoked surfaces,

151 grams Me1586

Individual cut in two and surfaces polished,

166 grams Me1587

Individual showing primary and secondary crust,

646 grams Me1588

One medium-sized individual, 370 grams Me1583

PUQUIOS, Puquios, Copiapo, Atacama, Chile

*Found:* 1885

Iron, Medium octahedrite

*Description:* Full-sized slab, etched, 154 grams Me377

Nearly full-sized section, etched, 171 grams

Me1106

PUTNAM COUNTY, Putnam County, Georgia, USA

*Found:* 1839

Iron, Fine octahedrite

*Description:* Polished slab with crust, 26 grams Me892  
Fragments, 27.2 grams Me893

QUEENS MERCY, Matatiele, East Griqualand, Cape Province,  
South Africa

*Fell:* April 30, 1925, 8:00 P.M.

Stone, Veined gray bronzite-chondrite

*Description:* Mass with crust, 2,810 grams Me2100

QUENGGOUK, Quenggouk, Bassein district, Lower Burma, Burma

*Fell:* December 27, 1857, 2:30 A.M.

Stone, Spherical chondrite

*Description:* Mass with crust, 300 grams Me1614

QUESA, Quesa, Enguera, Valencia, Spain

*Fell:* August 1, 1898, 9:00 P.M.

Iron, Fine octahedrite

*Description:* Etched fragment, 1 gram Me1169

QUINCAÿ, Quincay, Vienne, France (Very doubtful)

*Fell:* 1851, Summer

Stone, Brecciated gray chondrite

*Description:* Two fragments with crust and polished surfaces,  
11 grams Me1657

QUINN CANYON, Quinn Canyon, Nye County, Nevada, USA

*Found:* 1908

Iron, Coarse octahedrite

*Description:* Complete individual, 1,450,000 grams Me775  
Drillings, 2 grams Me775

RACO, Raco, Tafi, Tucuman, Argentina

*Fell:* November 17, 1957

Stone

*Description:* Fragment from interior, 4 grams Me2455

RAFRUTI, Rafruti, Emmenthal, Berne, Switzerland

*Found:* 1886

Iron, Ataxite

*Description:* Two slabs with crust, etched, 7 grams Me1136  
Fragment, 3 grams Me1136

RAKOVKA, Rakovka, Tula, USSR

*Fell:* November 20, 1878, 3:00 P.M.

Stone, Intermediate hypersthene-chondrite

*Description:* Mass with crust, 163 grams Me1654

RAMSDORF, Ramsdorf, Westfallen, Germany

*Fell:* July 26, 1958, 6:30 P.M.

Stone, Brecciated chondrite

*Description:* Three fragments, one with fusion crust, 40.3 grams  
Me2558

RANCHO DE LA PILA, Rancho de la Pila, Durango, Mexico

*Found:* 1882

Iron, Medium octahedrite

*Description:* Etched section with crust on three edges, 74 grams  
Me1172

RANCHO DE LA PRESA, Rancho de la Presa, Zenapécuaro,  
Michoacan, Mexico

*Found:* 1899

Stone, Brecciated veined gray chondrite

*Description:* Fragment with crust, 3 grams Me1671

RANSOM, Ransom, Ness County, Kansas, USA

*Recognized:* 1938

Stone, Gray chondrite, metal-rich

*Description:* Polished slab, 343 grams Me2249

RED RIVER, Red River, Cross Timbers, Johnson County,  
Texas, USA

*Found:* 1808

Iron, Medium octahedrite

*Description:* Chiseled fragment, one end etched, 55 grams Me34  
Etched fragment with crust, 33 grams Me917  
Small, etched slab, 20.5 grams Me918

REED CITY, Reed City, Osceola County, Michigan, USA

*Found:* 1895

Iron, Coarse octahedrite

*Description:* Full-sized individual, 882 grams Me1041  
End piece, etched, 2,086 grams Me1042

RENAZZO, Renazzo, Cento, Ferrara, Italy

*Fell:* January 15, 1824, 8:30 P.M.

Stone, Black chondrite

*Description:* Two fragments with crust, 7.5 grams Me1656

RHINE VILLA, Rhine Villa, Rhine Valley, Adelaide,  
South Australia

*Found:* 1900

Iron, Medium octahedrite

*Description:* Full-sized, etched section, 155 grams Me869

RICHARDTON, Richardton, Stark County, North Dakota, USA

*Fell:* June 30, 1918, 10:00 P.M.

Stone, Veined spherical bronzite-chondrite

*Description:* Complete individual, 3,180 grams Me1994

Two individuals, 431 grams Me1995

RICHMOND, Richmond, Chesterfield County, Virginia, USA

*Fell:* June 4, 1828, 8:30 A.M.

Stone, Crystalline spherical hypersthene-chondrite

*Description:* Section with crust and polished, 35 grams Me1735

Fragments from interior, 3.5 grams Me239

ROCHESTER, Rochester, Fulton County, Indiana, USA

*Fell:* December 21, 1876, 8:45 P.M.

Stone, Spherical chondrite

*Description:* Two fragments with crust, 1.5 grams Me1636

RODA, Roda, Huesca, Spain

*Fell:* 1871, Spring

Stone, Monomict brecciated amphoterite (rodite)

*Description:* Mass with crust, 26 grams Me1376

RODEO, Rodeo, Durango, Mexico

*Found:* 1852

Iron, Fine octahedrite

*Description:* About one-half of the original mass, etched surface,  
25,821 grams Me590

Full-sized etched section, 1,105 grams Me1128

Full-sized etched section, 1,797 grams Me1951

ROEBOURNE, Roebourne, Hammersley Range, North-West Division, Western Australia

*Found:* 1892

Iron, Medium octahedrite

*Description:* Full-sized section, etched, 6 cm. thick, 19,355 grams  
Me873

Full-sized etched section, 2,400 grams Me872

End piece with etched surface, 12,116 grams  
Me874

ROSARIO, Rosario, Opalaca Mountains, Honduras

*Found:* 1896

Iron, Coarse octahedrite

*Description:* Full-sized, etched section, 450 grams Me1132

ROSE CITY, Rose City, Ogemaw County, Michigan, USA

*Fell:* October 17, 1921, 11:00 P.M.

Stone, Brecciated black bronzite-chondrite

*Description:* Three pieces, 1,360 grams Me2396

ROWTON, Rowton, Wellington, Shropshire, England

*Fell:* April 20, 1876, 3:45 P.M.

Iron, Medium octahedrite

*Description:* Fragment with crust and etched surfaces, 13 grams  
Me1164

ROY (1933), Roy, Harding County, New Mexico, USA

*Found:* 1933, Spring

Stone, Crystalline spherical bronzite-chondrite

*Description:* Mass with polished surfaces, 493 grams Me2207

RUFF'S MOUNTAIN, Ruff's Mountain, Lexington County,  
South Carolina, USA

*Found:* 1844

Iron, Medium octahedrite

*Description:* Mass with crust and etched surfaces, 116 grams  
Me1171

Mass with crust and etched surface, 118 grams  
Me1170

RUSH CREEK, Rush Creek, Kiowa County, Colorado, USA  
*Found:* 1938  
 Stone, Polymict brecciated chondrite  
*Description:* End piece with crust, 464.5 grams Me2315

RUSHVILLE, Rushville, Franklin County, Indiana, USA  
*Found:* 1866  
 Stone, Brecciated gray chondrite  
*Description:* Two fragments with crust, 1 gram Me1673  
 Two fragments from interior, 18 grams Me1672

RUSSEL GULCH, Russel Gulch, Gilpin County, Colorado, USA  
*Found:* 1863  
 Iron, Fine octahedrite  
*Description:* Etched slab with crust, 273 grams Me1157

SACRAMENTO MOUNTAINS, Sacramento Mountains,  
 Eddy County, New Mexico, USA  
*Found:* 1896  
 Iron, Medium octahedrite  
*Description:* Full-sized, etched section, 2,335 grams Me465  
 Full-sized, etched section, 15 x 53 cm., 6,100 grams  
 Me875

SAINT CAPRAIS-DE-QUINSAC, Saint Caprais-de-Quinsac,  
 Gironde, France  
*Fell:* January 28, 1883, 2:45 P.M.  
 Stone, Intermediate chondrite  
*Description:* Fragment from interior, 4 grams Me1668

SAINT CHRISTOPHE-LA-CHARTREUSE, Saint Christophe-la-  
 Chartreuse, Roche-Serviere, Vendée, France  
*Fell:* November 5, 1841  
 Stone, White hypersthene-chondrite  
*Description:* Slice with crust, 7.5 grams Me1693

SAINT DENIS-WESTREM, Saint Denis-Westrem, Ghent, Belgium  
*Fell:* June 7, 1855, 4:45 P.M.  
 Stone, Veined spherical hypersthene-chondrite  
*Description:* Two fragments with crust, 13 grams Me1642

SAINT FRANCOIS COUNTY, Saint Francois County, Missouri, USA  
*Known:* Before 1863  
 Iron, Coarse octahedrite  
*Description:* Full-sized, etched section, 749 grams Me866

SAINT GENEVIEVE COUNTY, Saint Genevieve County,  
 Missouri, USA  
*Found:* 1888  
 Iron, Fine octahedrite  
*Description:* Etched slab, 9 x 12 cm., 790 grams Me512  
 Full-sized etched section, 7,610 grams Me1048  
 About one-half the original mass, two etched surfaces  
 98,428 grams Me1049

SAINT GERMAIN-DU-PINEL, Saint Germain-du-Pinel, Vitre,  
 Ille-et-Vilaine, France  
*Fell:* July 4, 1890, 3:30 P.M.  
 Stone, Spherical chondrite  
*Description:* Mass with crust, 106 grams Me805

SAINT MESMIN, Saint Mesmin, Aube, France  
*Fell:* May 30, 1866, 3:45 P.M.  
 Stone, Polymict brecciated intermediate hypersthene-chondrite  
*Description:* Mass with crust, 32 grams Me612  
 Three fragments, one with crust, 13 grams Me1722

SAINT MICHEL, Saint Michel, Finland  
*Fell:* July 12, 1910, 7:25 P.M.  
 Stone, White hypersthene-chondrite  
*Description:* Mass with crust, 232 grams Me1947

SALINE, Saline Township, Sheridan County, Kansas, USA  
*Fell:* November 15, 1898? 9:30 P.M.; found, 1901  
 Stone, Crystalline spherical hypersthene-chondrite  
*Description:* About two-thirds of the original individual,  
 19,480 grams Me527  
 Polished section, 658 grams Me565  
 Mass with crust and polished surface, 1,432 grams  
 Me1333  
 One large and one small fragment, 55 grams  
 Me1334  
 Mass with crust, 1,037 grams Me1334

- SALLES, Salles, Villefranche, Rhone, France  
*Found:* March 12, 1798, 6:00 P.M.  
 Stone, Veined intermediate chondrite  
*Description:* Mass with crust, 107 grams Me1723
- SALT LAKE CITY, Salt Lake City, Utah, USA  
*Found:* 1869  
 Stone, Brecciated gray bronzite-chondrite  
*Description:* Mass with crust and polished surface, 123 grams  
 Me1859
- SALT RIVER, Salt River, Bullitt County, Kentucky, USA  
*Found:* 1850  
 Iron, Finest octahedrite  
*Description:* Etched mass with crust, 79 grams Me1141
- SAMS VALLEY, Sams Valley, Jackson County, Oregon, USA  
*Found:* 1894  
 Iron, Medium octahedrite  
*Description:* Etched section, 531 grams Me1976
- SAN ANGELO, San Angelo, Tom Green County, Texas, USA  
*Found:* 1897  
 Iron, Medium octahedrite  
*Description:* Full-sized, etched section, 1,454 grams Me478  
 Fragment, 5 grams Me478  
 Full-sized, etched section, 1,875 grams Me964  
 Full-sized section, etched, 2,551 grams Me965
- SAN CRISTOBAL, San Cristobal, Antofagasta, Chile  
*Found:* About 1882  
 Iron, Nickel-rich ataxite  
*Description:* End piece, etched, 114 grams Me1146
- SANDERSON, Sanderson, Terrel County, Texas, USA  
*Found:* March, 1936  
 Iron, Medium (or fine) octahedrite  
*Description:* Etched slice with crust, 335.5 grams Me2316

- SANDIA MOUNTAINS, Sandia Mountains, Albuquerque,  
 New Mexico, USA  
*Found:* 1925  
 Iron, Brecciated hexahedrite  
*Description:* Polished slice, 460 grams Me2199
- SAN EMIGDIO, San Emigdio Mountains, Kern County,  
 California, USA  
*Known:* 1887  
 Stone, Spherical hypersthene-chondrite  
*Description:* Fragments from interior, one bearing crust,  
 2.5 grams Me446  
 Fragments from interior, one bearing crust,  
 10 grams Me451  
 Interior fragments, 3 grams Me1712  
 Mass with crust and polished surface, 23 grams  
 Me1713
- SAN FRANCISCO DEL MEZQUITAL, San Francisco del Mezquital,  
 Durango, Mexico  
*Known:* Before 1868  
 Iron, Nickel-poor ataxite  
*Description:* Etched slab with crust, 12 grams Me1135
- SAN FRANCISCO MOUNTAINS, San Francisco Mountains,  
 near Flagstaff, Arizona, USA  
*Found:* About 1920  
 Iron, Finest octahedrite  
*Description:* Etched slice, 36 grams Me2391
- SANTA APOLONIA, Santa Apolonia, Nativitas, Tlaxcala, Mexico  
*Found:* 1872  
 Iron, Medium octahedrite  
*Description:* Etched slab with crust, 211 grams Me1010  
 Several small fragments, 8.5 grams Me1010
- SANTA BARBARA, Santa Barbara, Porto Alegre,  
 Rio Grande do Sul, Brazil  
*Fell:* September 26, 1873  
 Stone, Howarditic chondrite  
*Description:* Mass with crust, 41 grams Me1851

## SANTA CATHARINA, Santa Catharina, Brazil

*Found:* 1875

Iron, Nickel-rich ataxite

- Description:* Complete individual, 2,575 grams Me100  
 Complete individual, 11,525 grams Me106  
 Polished slice, 1,002 grams Me1919  
 Individual, 217 grams Me97  
 Individual, 255 grams Me98  
 Eighteen fragments, 1,732 grams Me101  
 Individual, 556.5 grams Me102  
 Individual, 3,307 grams Me104  
 Individual (two pieces), 10,453 grams Me105  
 Individual, 3,061 grams Me107  
 Individual, 1,570 grams Me108  
 Individual, 2,152 grams Me1920  
 Individual, 311 grams Me1921  
 Individual, 4,177 grams Me103

## SANTA LUZIA, Santa Luzia, Goyaz, Brazil

*Found:* 1921 (supposed to have fallen June 1, 1919, 6:00 P.M.)

Iron, Coarsest octahedrite

- Description:* Individual, 2,480 grams Me2047  
 Etched section of Me2047, 427 grams Me2063  
 Fragment, 6.6 grams Me2047  
 Etched section, 87.6 grams Me2068  
 End piece with polished surface, 30 grams Me2069  
 Schreibersite, 1 gram Me2047

## SANTA ROSA, Santa Rosa, Tunja, Boyaca, Colombia

*Found:* 1810

Iron, Nickel-poor ataxite to obscure brecciated octahedrite

- Description:* Polished slab, 1,811 grams Me762  
 Fragment with crust and etched surfaces, 15 grams Me1155  
 End piece with etched surface, 98,200 grams Me1945  
 Thin slice, 2 grams Me435  
 Polished section, 97 grams Me571  
 Mass with crust and polished surface, 55 grams Me1156

SÃO JULIÃO DE MOREIRA, São Julião de Moreira,  
Ponte de Lima, Minho, Portugal*Known:* Before 1883

Iron, Coarsest octahedrite

- Description:* Full-sized, polished section, 1,764 grams Me556  
 Etched fragment with crust, 29.8 grams Me536  
 Full-sized, etched section, 783 grams Me1104  
 Schreibersite powder, 188 grams Me1908  
 Schreibersite, 2 grams Me2345  
 Schreibersite, 18 grams Me2346

## SAREPTA, Sarepta, Saratov, USSR

*Found:* 1854

Iron, Coarse octahedrite

- Description:* Etched section with crust, 286 grams Me1145

## SAUGUIS, Sauguis, St. Etienne, Basses-Pyrénées, France

*Fell:* September 7, 1868, 2:30 A.M.

Stone, Veined white enstatite-chondrite

- Description:* Fragment with crust and polished surface, 4 grams Me295  
 Fragments from interior, 11 grams Me1711

SAVTSCHENSKOJE, Savtschenskoje, Tiraspol, Kherson,  
Ukraine, USSR*Fell:* July 27, 1894, 8:00 P.M.

Stone, Intermediate crystalline spherical chondrite

- Description:* Mass with crust, 25 grams Me1852

SCHELLIN, Schellin, Stargard, Pomerania,  
Prussia, Germany (now in Poland)*Fell:* April 11, 1715, 4:00 P.M.

Stone, Veined intermediate chondrite

- Description:* Fragment from interior, 0.5 gram Me1600

SCHÖNENBERG, Schönenberg, Pfaffenhausen, Swabia,  
Bavaria, Germany*Fell:* December 25, 1846, 2:00 P.M.

Stone, Veined white hypersthene-chondrite

- Description:* Fragment with crust, 8.2 grams Me254  
 Thin slab with crust, 24 grams Me1853



- SCHWETZ, Schwetz, Kwidzyn, Poland  
*Found:* 1850  
 Iron, Medium octahedrite  
*Description:* Etched slab with crust, 91 grams Me1163
- SCOTT CITY, Scott City, Scott County, Kansas, USA  
*Found:* 1905  
 Stone, Spherical chondrite  
*Description:* Complete individual, 135 grams Me1958  
 A polished slice and nearly complete individual with  
 one polished surface, 800 grams Me1957
- SCOTTSVILLE, Scottsville, Allen County, Kentucky, USA  
*Found:* 1867  
 Iron, Hexahedrite  
*Description:* Full-sized slab, etched, 361 grams Me91  
 End piece, etched, 1,120 grams Me1043
- SEARSMONT, Searsmont, Waldo County, Maine, USA  
*Fell:* May 21, 1871, 8:15 A.M.  
 Stone, Spherical bronzite-chondrite  
*Description:* Fragments from interior, 1.25 grams Me302  
 Fragments from interior, 5.5 grams Me303  
 Fragment with crust, 5 grams Me1710
- SEELÄSGEN, Seeläsgen, Schwiebus, Brandenburg,  
 Prussia, Germany (now in Poland)  
*Known:* Before 1847  
 Iron, Coarsest octahedrite  
*Description:* Chiseled fragment, 41.5 grams Me57  
 Mass with crust and etched surfaces, 374 grams  
 Me1054  
 Etched slab, 12.5 grams Me375  
 Etched slab, 623 grams Me1055
- SEGOWLIE, Segowlie, Bettiah, Champaran district, Bihar, India  
*Fell:* March 4, 1853, noon  
 Stone, Crystalline chondrite  
*Description:* Slice from interior with polished surfaces, much oxi-  
 dized, 11 grams Me1863  
 Fragments from interior, 7 grams Me1864

- Broad mass with crust and polished surface,  
 166 grams Me1865
- SEIBERT, Seibert, Kit Carson County, Colorado, USA  
*Found:* 1941  
 Stone, Chondrite  
*Description:* Slice with polished surface, 151 grams Me2386
- SELMA, Selma, Dallas County, Alabama, USA  
*Found:* 1906 (possibly fell July 20, 1898, 9:00 P.M.)  
 Stone, Spherical chondrite  
*Description:* Mass from interior with polished surface, 24 grams  
 Me1868
- SENA, Sena, Sarinena, Huesca, Spain  
*Fell:* November 17, 1773, midnight  
 Stone, Brecciated gray chondrite  
*Description:* Fragment from interior, 5 grams Me445  
 Two fragments, one with crust, 4 grams Me1854
- SENECA FALLS, Seneca Falls, Cayuga County, New York, USA  
*Found:* 1850  
 Iron, Medium octahedrite  
*Description:* Sawed section showing natural surface and fracture  
 261 grams Me60  
 Full-sized section, etched, 104 grams Me1200
- SENECA TOWNSHIP, Seneca Township, Lenawee County,  
 Michigan, USA  
*Found:* July, 1923, possibly fell 1914  
 Iron, Medium octahedrite  
*Description:* Etched slice, 181 grams Me2256
- SERES, Seres, Macedonia, Greece  
*Fell:* June, 1818  
 Stone, Gray hypersthene-chondrite  
*Description:* Mass from interior, 38.5 grams Me1866  
 Mass with polished surfaces, 5.5 grams Me1867
- SERRANIA DE VARAS, Serrania de Varas, Atacama, Chile  
*Found:* 1875  
 Iron, Fine octahedrite

*Description:* Mass with crust and etched surface, 31 grams  
Me950  
Rough fragment, 10 grams Me951

SEVILLA, Sevilla, Andalusia, Spain  
*Fell:* November 1, 1862  
Stone, Polymict brecciated chondrite  
*Description:* Fragments with crust, 0.2 grams Me1601

SEVRUKOVO, Sevrukovo, Belgorod, Kursk, USSR  
*Fell:* May 11, 1874, 11:45 P.M.  
Stone, Black bronzite-chondrite  
*Description:* Mass from interior with polished surface, 140 grams  
Me1602  
Mass from interior with polished surface, 51 grams  
Me1603

SHALKA, Shalka, Bishnupur, Bankura district, West Bengal, India  
*Fell:* November 30, 1850, 4:30 P.M.  
Stone, Monomict brecciated diogenite or chladnite  
*Description:* Fragments with crust, 11 grams Me572  
Fragment with crust, 9 grams Me1367

SHALLOWATER, Shallowater, Lubbock County, Texas, USA  
*Found:* July, 1936  
Stone, Aubrite  
*Description:* One polished slice, 289 grams Me2234

SHELBURNE, Shelburne, Gray County, Ontario, Canada  
*Fell:* August 13, 1904, 8:00 P.M.  
Stone, Polymict brecciated veined gray hypersthene-chondrite  
*Description:* One-half of small individual, 2,905 grams Me606  
Mass with crust and two polished surfaces,  
1,756 grams Me1336  
End piece, 176.5 grams Me1952  
Full-sized section, 338 grams Me1953  
Full-sized section, 476 grams Me2142  
Fragment with crust, 28.5 grams Me2142A

SHERGOTTY, Shergotty, Gya district, Bihar, India  
*Fell:* August 25, 1865, 9:00 A.M.  
Stone, Shergottite  
*Description:* Mass with crust, 40 grams Me1372

SHINGLE SPRINGS, Shingle Springs, El Dorado County,  
California, USA

*Found:* 1869-70  
Iron, Nickel-rich ataxite  
*Description:* Etched section with crust, 117 grams Me1137

SHREWSBURY, Shrewsbury, York County, Pennsylvania, USA  
*Found:* 1907  
Iron, Medium octahedrite  
*Description:* Etched section, 85 grams Me776  
Fragment, 18.5 grams Me777

SHYTAL, Shytal, Madhupur jungle, Mymensingh district,  
East Bengal, Pakistan  
*Fell:* August 11, 1863, noon  
Stone, Polymict brecciated intermediate hypersthene-chondrite  
*Description:* Fragment from interior, 8 grams Me1696  
Two fragments with polished surfaces, 13.5 grams  
Me1697

SIENA, Siena, Tuscany, Italy  
*Fell:* June 16, 1794, 7:00 P.M.  
Stone, Polymict brecciated intermediate chondrite (howarditic  
chondrite)  
*Description:* Mass with crust, 52 grams Me1698  
Mass with polished surface, 13 grams Me1699

SIERRA BLANCA, Sierra Blanca, Jiminez, Chihuahua, Mexico  
*Found:* 1784  
Iron, Coarse octahedrite  
*Description:* Two fragments, 2 grams Me1144

SIERRA GORDA, Santa Catalina, Desert of Tarapaca, Chile  
*Found:* 1898  
Iron, Hexahedrite  
*Description:* Polished slice, 550 grams Me2420

SIKHOTE-ALIN, Sikhote-Alin, Eastern Siberia, USSR  
*Fell:* February 12, 1947, 10:38 A.M.  
*Description:* Mass from interior, 86 grams Me2456

SILVER BELL, Silver Bell, Pima County, Arizona, USA

*Known:* Before 1947

Iron, Coarsest octahedrite

*Description:* Etched slice, 89 grams Me2403

SILVER CROWN, Silver Crown, Laramie County, Wyoming, USA

*Found:* 1887

Iron, Coarse octahedrite

*Description:* Etched slab with crust, 105 grams Me995

Etched slab with crust, 71 grams Me130

SINDHRI, Sindhri, Khipro taluq, Thar and Parkar district,  
Sind, Pakistan

*Fell:* June 10, 1901, 11:00 P.M.

Stone, Spherical chondrite

*Description:* Mass with crust, 351 grams Me573

Mass with crust, 322 grams Me1339

Fragment from interior, 15 grams Me1340

SITATHALI, Sitathali, Mahasamund tahsil, Raipur district,  
Central Provinces, India

*Fell:* March 4, 1875, 11:00 A.M.

Stone, Gray bronzite-chondrite, or howarditic chondrite

*Description:* Two fragments with crust and sawed surfaces,

14 grams Me1695

SKI, Ski, Akershuus, Christiania, Oslo, Norway

*Fell:* December 27, 1848, evening

Stone, Veined white hypersthene-chondrite

*Description:* Fragment from interior, 1 gram Me1667

SLAVETIC, Slavetic, Zagreb, Croatia, Yugoslavia

*Fell:* May 22, 1868, 10:30 A.M.

Stone, Brecciated gray chondrite

*Description:* Mass with crust and polished surface, 11 grams

Me1665

SLOBODKA, Slobodka, Yukhnov, Smolensk, USSR

*Fell:* August 10, 1818

Stone, Spherical chondrite

*Description:* Fragment from interior, 11 grams Me1694

SMITHLAND, Smithland, Livingston County, Kentucky, USA

*Found:* 1839-40

Iron, Nickel-rich ataxite

*Description:* Torn fragment, etched, 21.5 grams Me1161

Mass worked into form of a wedge, 49 grams

Me1162

Etched slice, 21.5 grams Me1181

SMITHONIA, Smithonia, Oglethorpe County, Georgia, USA

*Found:* 1940

Iron, Hexahedrite

*Description:* Complete individual, 69,000 grams Me2383

Fragment with crust, 31 grams Me2383a

End piece with polished surface, 67.5 grams

Me2383b

Polished slice, 1,109 grams Me2383c

SMITH'S MOUNTAIN, Smith's Mountain, Rockingham County,  
North Carolina, USA

*Found:* 1863

Iron, Fine octahedrite

*Description:* Large etched section, 228.5 grams Me452

Etched section, 17.5 grams Me85

Full-sized etched section, 213 grams Me1107

SMITHVILLE, Smithville, De Kalb County, Tennessee, USA

*Found:* 1840

Iron, Coarse octahedrite

*Description:* Thin slab, etched, 55 grams Me50

Etched end piece, 1,804 grams Me1027

Full-sized, etched section, 1,867 grams Me1026

SOKO-BANJA, Soko-Banja, Aleksinac, Serbia, Yugoslavia

*Fell:* October 13, 1877, 2:00 P.M.

Stone, Polymict brecciated spherical hypersthene-chondrite

*Description:* Irregular fragment, 33 grams Me319

Mass from interior, 243 grams Me1373

Mass from interior, 75 grams Me1374

SOPER, Soper, Choctaw County, Oklahoma, USA

*Found:* March 14, 1938

Iron, Nickel-poor ataxite

*Description:* Etched slice, 165 grams Me2264

SOUTH BEND, South Bend, St. Joseph County, Indiana, USA

*Found:* 1893

Stony-iron, Pallasite

*Description:* Nearly complete individual, 1,652 grams Me607

SOUTH BYRON, South Byron, Genesee County, New York, USA

*Found:* 1915

Iron, Nickel-rich ataxite

*Description:* Slab with crust and polished surface, 161.5 grams  
Me2553

Polished fragment with crust, 8.2 grams Me2555

Slab with crust and polished surface, 16.4 grams

Me2554

End piece with polished surface, 2,685 grams

Me1980

SOUTHERN ARIZONA, Southern Arizona, USA (doubtful)

*Known:* 1947

Iron, Coarse octahedrite

*Description:* Etched slab, 266 grams Me2406

SOUTHERN MICHIGAN, Southern Michigan, USA

*Found:* ?

Iron, Medium octahedrite

*Description:* Polished and etched slice, 49 grams Me2407

SPEARMAN, Spearman, Hansford County, Texas, USA

*Found:* 1934

Iron, Medium octahedrite

*Description:* Etched slice, 766 grams Me2218

SPRINGFIELD, Springfield, Baca County, Colorado, USA

*Found:* 1937

Stone, Crystalline spherical chondrite

*Description:* End piece with crust, 45.2 grams Me2317

SPRINGWATER, Springwater, Battleford County,  
Saskatchewan, Canada

*Found:* August, 1931

Stony-iron, Pallasite

*Description:* Polished slice, 857 grams Me2220

Polished slice, 366 grams Me2220

SSYROMOLOTOVO, Ssyromolotovo, Keshma, Yeniseisk,  
Siberia, USSR

*Found:* 1873

Iron, Medium octahedrite

*Description:* Torn fragment, etched, 22 grams Me1147

Thin slab, etched, 4 grams Me1148

STÄLLDALEN, Ställdalen, Nya Kopparberg, Örebro, Sweden

*Fell:* June 28, 1876, 11:30 P.M.

Stone, Brecciated gray bronzite-chondrite

*Description:* Fragment with crust, 2 grams Me315

Irregular mass, with crust and polished surface,  
34 grams Me316

Mass with crust and armored surfaces, 341 grams  
Me1658

STANNERN, Stannern, Iglau, Moravia, Czechoslovakia

*Fell:* May 22, 1808, 6:00 A.M.

Stone, Monomict brecciated eucrite

*Description:* Crust and interior fragments, 1.5 grams Me227

Mass with crust, 269 grams Me1362

Mass with crust, 386 grams Me1363

STAUNTON, Staunton, Augusta County, Virginia, USA

*Found:* 1858-9

Iron, Medium octahedrite

*Description:* Full-sized etched section, 1,582 grams Me80

Full-sized etched section, 1,260 grams Me1095

STAVROPOL, Stavropol, northside of the Caucasus, USSR

*Fell:* March 24, 1857, 5:00 P.M.

Stone, Crystalline bronzite-chondrite

*Description:* Three fragments from interior, with polished surfaces,  
21.5 grams Me1883

STEINBACH, Steinbach, Erzgebirge, Saxony, Germany

*Found:* 1724

Stony-iron, Siderophyre

*Description:* Thin, polished slab; the stony portion exceeds the metallic, 34 grams Me164

Thin, polished fragment, 1 gram Me169

Slab with crust, polished and etched, 148 grams

Me1321

Fragment with polished surfaces, 45 grams Me1322

SUMMIT, Summit, Blount County, Alabama, USA

*Found:* 1890

Iron, Granular hexahedrite

*Description:* Etched section with crust, 38 grams Me1149

SUPUHEE, Supuhee, Padrauna tahsil, Gorakhpur district,  
United Provinces, India

*Fell:* January 19, 1865, noon

Stone, Brecciated gray chondrite

*Description:* Polished fragment with crust, 14 grams Me1880

Fragment with crust, 5 grams Me1881

SURPRISE SPRINGS, Surprise Springs, Bagdad,  
San Bernardino County, California, USA

*Found:* 1899

Iron, Medium octahedrite

*Description:* End piece, etched, 1,008 grams Me854

TABOR, Tabor, Bohemia, Czechoslovakia

*Fell:* July 3, 1753, 8:00 P.M.

Stone, Brecciated spherical bronzite-chondrite

*Description:* Mass with crust, 58.5 grams Me1856

Interior fragment, 0.3 gram Me209

Full-sized section, polished, 54 grams Me1857

TACUBAYA, Tacubaya, Mexico

*Found:* 1931

Iron, Medium octahedrite

*Description:* Etched section, 275 grams Me2149

TAMARUGAL, Tamarugal, Iquique, Tarapaca, Chile

*Found:* 1903

Iron, Medium octahedrite

*Description:* Square slab with crust, polished and etched surfaces,  
830 grams Me819

TAMENTIT, Tamentit, Tuat, Morocco, Africa

*Known:* 1864, fell in the late 14th century

Iron, Coarse octahedrite

*Description:* Etched slice, 534 grams Me2272

TANOKAMI MOUNTAIN, Tanokami Mountain, Kurimuto,  
Shiga, Honshu, Japan

*Found:* 1885

Iron, Medium octahedrite

*Description:* Etched slab with crust, 162 grams Me1150

TAZEWELL, Tazewell, Claiborne County, Tennessee, USA

*Found:* 1853

Iron, Finest octahedrite

*Description:* Torn mass, 197 grams Me867

Slab with polished surfaces, 82 grams Me868

TEMPLE, Temple, Bell County, Texas, USA

*Found:* 1959

Stone, Hypersthene-chondrite

*Description:* Fragment with polished surface, 33.2 grams

Me2560

TENHAM, Tenham, South Gregory, Queensland, Australia

*Fell:* Spring of 1879, night

Stone, Veined white hypersthene-olivine-chondrite

*Description:* Fragment with crust, 57 grams Me2000

TENNANT'S IRON, USSR

*Found:* 1784

Iron, Coarse octahedrite

*Description:* Etched slab with crust, 29 grams Me1166

TENNASILM, Tennasilm, Estonia

*Fell:* June 28, 1872, noon

Stone, Veined spherical hypersthene-chondrite

*Description:* Mass from interior, 62 grams Me1874

- TEPLÁ, Teplá, Finsterhölzel-Ries, Marienbad,  
Bohemia, Czechoslovakia  
*Found:* September 18, 1909  
Iron, Medium octahedrite  
*Description:* Etched section with crust, 42 grams Me803
- TERNERA, Ternera, Atacama, Chile  
*Found:* Before 1891  
Iron, Nickel-rich ataxite  
*Description:* Fragment, 1 gram Me1176
- TEXLINE, Texline, Dallam County, Texas, USA  
*Found:* July, 1937  
Stone, Gray chondrite  
*Description:* Complete individual, 672.9 grams Me2318
- THUNDA, Thunda, Windorah, County Grey,  
Queensland, Australia  
*Known:* Since 1881  
Iron, Medium octahedrite  
*Description:* Etched section, 71.5 grams Me861  
Thick slab with crust, etched, 1,145 grams Me994  
Sawed slab, one surface etched, 154 grams Me128
- THURLOW, Thurlow, Hastings County, Ontario, Canada  
*Found:* 1888  
Iron, Fine octahedrite  
*Description:* End piece, etched, 209 grams Me870
- TIERACO CREEK, Tieraco Creek, North Murchison Goldfield,  
Western Australia  
*Found:* Before 1922  
Iron, Fine (to medium) octahedrite  
*Description:* Fragments, 15 grams Me2102
- TIESCHITZ, Tieschitz, Prerov, Moravia, Czechoslovakia  
*Fell:* July 15, 1878, 1:45 P.M.  
Stone, Spherical hypersthene-chondrite  
*Description:* Mass with crust, 27 grams Me1726  
Mass with crust, 17 grams Me1725

- TILDEN, Tilden, Randolph County, Illinois, USA  
*Fell:* July 13, 1927, 1:00 P.M.  
Stone, White hypersthene-chondrite  
*Description:* Mass with crust, 1,282 grams Me2112  
Fragment, 1.7 grams Me2112
- TIMOCHIN, Timochin, Yukhnov, Smolensk, USSR  
*Fell:* March 25, 1807, 3:00 P.M.  
Stone, Spherical chondrite  
*Description:* Mass with crust and polished surface, 37 grams Me1727  
Mass from interior with sawed surfaces, 18 grams Me1728
- TJABE, Tjabe, Padang, Rembang, Java  
*Fell:* September 19, 1869, 9:00 P.M.  
Stone, Crystalline hypersthene-chondrite  
*Description:* Mass with crust, 47.2 grams Me1704  
Mass with crust and sawed surface, 22.5 grams Me1705
- TLACOTEPEC, Tlacotepec, Tecamachalco, Puebla, Mexico  
*Found:* 1903  
Iron, Nickel-rich ataxite  
*Description:* Full-sized slab, polished and etched, 2,008 grams Me2159  
Full-sized polished section, 138 grams Me1165
- TOLUCA, Toluca, Mexico State, Mexico  
*Known:* Before 1776  
Iron, Medium octahedrite  
*Description:* End piece with etched surface, 6,130 grams Me16  
Complete individual, 4,800 grams Me18  
Complete individual of crescentic form, 18,960 grams Me27  
Full-sized etched section, 4,520 grams Me370  
Complete individual, 2,585 grams Me372  
Complete individual, 8,190 grams Me1204  
Etched section, 4,600 grams Me1205  
Complete individual, 4,410 grams Me1206  
Complete individual, 5,777 grams Me1207  
End piece, etched, 900 grams Me1210

Complete individual, 23,814 grams Me22  
 Scalings from Me22, 23, 27, 3,330 grams  
 Etched slice, 49 grams Me1083  
 Complete individual, of spheroidal form, 456 grams Me7  
 Complete individual, of spheroidal form, 251 grams Me9  
 Complete individual, 251 grams Me10  
 Complete individual, of spheroidal form, 225 grams Me11  
 Complete individual, of spheroidal form, 808 grams Me12  
 Complete individual, 111 grams Me13  
 Complete individual, 227 grams Me14  
 Nearly complete individual, with etched surface, 16,157 grams Me15  
 Mass showing cleavage, 1,968 grams Me17  
 Complete individual, 1,879 grams Me20  
 Complete individual, of spheroidal form, 1,106 grams Me21  
 Complete individual, of hemi-spheroidal form, 43,318 grams Me23  
 Complete individual, 17,750 grams Me24  
 Etched section, 1,890 grams Me25  
 Etched section, 2,400 grams Me26  
 Complete individual, 19,251 grams Me1202  
 Broad thin etched section, 255.8 grams Me1222  
 Nearly complete individual with etched surface, 16,130 grams Me1203  
 Etched section, 91.8 grams Me1223  
 Cube, 6 cm. on a side, etched, 1,489 grams Me1209  
 End piece, etched, 617 grams Me1211  
 Ten hammer stones (complete individual): 947 grams Me1212; 669 grams Me1213; 439 grams Me1214; 562 grams Me1215; 495 grams Me1216; 416 grams Me1217; 540 grams Me1218; 245 grams Me1219; 808 grams Me1220; 223 grams Me1221  
 Etched section, 313 grams Me1224  
 Etched section, 485 grams Me1225  
 Etched section, 478 grams Me1226

Etched section, 382 grams Me1227  
 Torn fragment, 110 grams Me1228  
 Chisel forged from meteorite, 110 grams Me1229  
 Chisel forged from meteorite, 116 grams Me1230  
 Etched section, 60 grams Me1231  
 Etched section, 58 grams Me1232  
 Taenite, 1 gram Me2350

TOMATLAN, Tomatlan, Jalisco, Mexico  
*Found:* September 17, 1879, 4:30 P.M.  
 Stone, Spherical chondrite  
*Description:* Fragments with crust, 8 grams Me1703

TOMBIGBEE RIVER, Tombigbee River, Choctaw and Sumter County, Alabama, USA  
*Found:* 1859  
 Iron, Nickel-poor ataxite  
*Description:* Etched section, 1,705 grams Me504  
 Full-sized etched section, 506 grams Me1180

TOMHANNOCK CREEK, Tomhannock Creek, Rensselaer County, New York, USA  
*Found:* About 1863  
 Stone, Brecciated gray chondrite  
*Description:* Slice showing crust, 7.5 grams Me281  
 Polished section, 18.5 grams Me1760

TONGANOXIE, Tonganoxie, Leavenworth County, Kansas, USA  
*Found:* 1886  
 Iron, Medium octahedrite  
*Description:* Full-sized etched section, 247 grams Me477  
 End piece, etched, 351.5 grams Me988  
 Full-sized section, etched, 347 grams Me989

TOUBIL RIVER, Achinsk, Yeniseisk, Siberia, USSR  
*Found:* 1891  
 Iron, Medium octahedrite  
*Description:* Etched mass, 164 grams Me505  
 Mass with crust, with etched surface, 327 grams Me1143  
 Etched fragment with crust, 46 grams Me1167  
 Thin slab, etched, 16 grams Me1168

- TOULOUSE, Toulouse, Haute Garonne, France  
*Fell:* April 10, 1812, 8:00 P.M.  
 Stone, Veined intermediate chondrite  
*Description:* Complete individual, interior brownish from oxidation, 14 grams Me1869  
 Fragment from interior, 12 grams Me1870
- TOURINNES-LA-GROSSE, Tourinnes-la-Grosse, Tirlemont, Belgium  
*Fell:* December 7, 1863, 11:30 A.M.  
 Stone, White hypersthene-chondrite  
*Description:* Interior fragment, 3 grams Me486  
 Fragment with crust, 11 grams Me1796  
 Interior fragment, 9 grams Me1797
- TRENTON, Trenton, Washington County, Wisconsin, USA  
*Found:* 1858  
 Iron, Medium octahedrite  
*Description:* Full-sized section, etched, 138 grams Me1037  
 End piece, etched, 3,300 grams Me1038  
 Thin slice, etched, 135.8 grams Me81
- TRENZANO, Trezano, Brescia, Italy  
*Fell:* November 12, 1856, 4:00 P.M.  
 Stone, Veined spherical bronzite-chondrite  
*Description:* Cubical fragment with crust on two surfaces, 57 grams Me268  
 Fragment with crust, 31 grams Me1871
- TREYSA, Treysa, Hesse, Germany  
*Fell:* April 3, 1916, 3:30 P.M.  
 Iron, Medium octahedrite  
*Description:* Small slab with etched surface, 89.3 grams Me2561
- TUCSON, Tucson, Pima County, Arizona, USA  
*Known:* Before 1850  
 Iron, Nickel-rich ataxite  
*Description:* Full-sized polished section, 416 grams Me858  
 Full-sized polished section, 1,066 grams Me2087  
 Polished section, 11.7 grams Me59

- TULE, Tule, Balleza, Chihuahua, Mexico  
*Found:* 1889  
 Iron, Medium octahedrite  
*Description:* Etched fragment, 8.4 grams Me955
- TULIA, Tulia, Swisher County, Texas, USA  
*Found:* 1917  
 Stone, Polymict brecciated veined crystalline hypersthene-chondrite  
*Description:* Complete individual, 1,736 grams Me2322  
 Complete individual, 609 grams Me2251
- TYSNES ISLAND, Tysnes Island, Hardanger Fiord, Norway  
*Fell:* May 20, 1884, 8:30 P.M.  
 Stone, Polymict brecciated gray bronzite-chondrite  
*Description:* Fragment from interior, 26 grams Me543  
 Mass with crust and armored surface, 427 grams Me1719
- UBERABA, Uberaba, Minas Geraes, Brazil  
*Fell:* June 29, 1903, 10:00 A.M.  
 Stone, Veined spherical chondrite  
*Description:* Mass with crust on three sides, 147 grams Me1528
- UDEN, Uden, North Brabant, Netherlands  
*Fell:* June, 12, 1840, 10:30 A.M.  
 Stone, White hypersthene-chondrite  
*Description:* Fragment with crust, 3 grams Me1715
- UDIPI, Udipi taluq, South Kanara district, Madras, India  
*Fell:* April, 1866, 10:00 A.M.  
 Stone, Veined gray chondrite  
*Description:* Fragment with crust and polished surface, 15 grams Me1701  
 Fragment from interior with polished surfaces, 9 grams Me1702
- ULTUNA, Ultuna, Upsala, Sweden  
*Found:* 1944  
 Stone, Chondrite  
*Description:* Fragment with crust, 15 grams Me2449



UMBALA, Umbala, Patiala State, Punjab States, India

*Fell:* 1822-23

Stone, Veined gray chondrite

*Description:* Polished fragments with crust, 5.5 grams Me1717

Fragment from interior, 4 grams Me1718

UNION COUNTY, Union County, Georgia, USA

*Found:* 1853

Iron, Coarsest octahedrite

*Description:* Cuboidal mass with crust and etched surfaces.

No lamellae are visible, 67 grams Me1188

Cleavage pieces, 1.5 grams Me63

UTE CREEK, Ute Creek, Union County, New Mexico, USA

*Found:* 1936

Stone, Crystalline spherical chondrite

*Description:* Polished slice with crust, 73.4 grams Me2320

UTE PASS, Ute Pass, Summit County, Colorado, USA

*Found:* 1894

Iron, Coarsest octahedrite

*Description:* Slab with thick oxidized crust on one side and etched surface on the other, 120 grams Me1112

UTRECHT, Utrecht, Netherlands

*Fell:* June 2, 1843, 8:00 P.M.

Stone, Veined spherical hypersthene-chondrite

*Description:* Mass with crust, 50 grams Me581

Fragments, 1.2 grams Me581

Mass with crust, 106 grams Me1700

UWET, Uwet, Calabar, Southern Nigeria, Africa

*Known:* Before 1903

Iron, Hexahedrite

*Description:* Etched slab, 348 grams Me778

VACA MUERTA, Vaca Muerta, Taltal, Atacama, Chile

*Recognized:* 1861

Stony-iron, Mesosiderite

*Description:* Polished fragment, 54 grams Me188

Complete individual, 136 grams Me189

Thick, polished slab, showing no metal, 38 grams Me190

Complete individual, 740 grams Me193

Individual with polished surface, 245 grams Me194

Full-sized section, polished, metal abundant, 170 grams Me1284

Individual with polished surface, 70 grams Me1286

Polished slab, 21.5 grams Me1295

Complete individual, 43.2 grams Me1293

Individual with polished surface, 78.8 grams Me1297

Fragment with crust and polished surface, 16 grams Me1879

Individual with polished surface, 26.8 grams Me1299

Fragment from interior, 15 grams Me171

Complete individual, 20 grams Me1301

Fragment from interior, 13.2 grams Me1294

Fragment with crust and two polished surfaces, 16 grams Me1300

Complete individual, 38 grams Me1292

Complete individual, 247 grams Me1291

Fragment with crust, 17.5 grams Me170

Polished section, 23.8 grams Me1296

VAVILOVKA, Vavilovka, Kherson, Ukraine, USSR

*Fell:* June 19, 1876, 2:00 P.M.

Stone, Monomict brecciated amphoterite (rodite)

*Description:* Mass with crust, 125 grams Me1659

VERA, Vera, Santa Fe, Argentina

*Found:* Before 1953

Stone

*Description:* Fragment with crust, 6 grams Me2454

VERAMIN, Veramin, Karand, Teheran, Iran

*Fell:* May, 1880, three hours before sunset

Stony-iron, Mesosiderite

*Description:* Fragments with polished surfaces, 18.2 grams  
Me1268  
Mass with crust and polished surface, 912 grams  
Me1269

VERKHNE DNEPROVSK, Ekaterinoslav, Ukraine, USSR  
*Found:* 1876  
Iron, Finest octahedrite  
*Description:* Etched slab with crust, 97 grams Me862

VERKHNE TSCHIRSKAIA, Region of the Don Cossacks, USSR  
*Fell:* November 12, 1843, midday  
Stone, Veined spherical chondrite  
*Description:* Two fragments of about equal size with a crust,  
14 grams Me1873

VERKHNE UDINSK, Transbaikal, Siberia, USSR  
*Found:* 1854  
Iron, Medium octahedrite  
*Description:* Cuboidal, etched mass with crust, 220 grams  
Me1138  
Etched slab with crust, 75 grams Me1139  
Etched section, 432 grams Me1140

VERNON COUNTY, Vernon County, Wisconsin, USA  
*Fell:* March 26, 1865, 9:00 A.M.  
Stone, Veined crystalline bronzite-chondrite  
*Description:* Mass from interior with polished surface, 22.5 grams  
Me1706

VICTORIA WEST, Victoria West, Cape Province, South Africa  
*Fell:* 1860; found: 1862  
Iron, Fine octahedrite  
*Description:* Etched slab with crust, 17 grams Me871

VIGARANO, Vigarano, Ferrara, Italy  
*Fell:* January 22, 1910, 9:30 P.M.  
Stone, Black spherical chondrite  
*Description:* Mass with crust and polished surface, 110 grams  
Me782

VIRBA, Virba, Vidin, Bulgaria  
*Fell:* June 1, 1873  
Stone, Veined white chondrite  
*Description:* Fragment with crust, 1.7 grams Me1716

VOUILLE, Vouille, Poitiers, Vienne, France  
*Fell:* May 13, 1831, 11:00 P.M.  
Stone, Veined intermediate chondrite  
*Description:* Mass from interior, 211 grams Me1662  
Mass with crust and polished surface, 453 grams  
Me1663

WABAR, Wabar, Rub'al Khali, Arabia  
*Fell:* February, 1932  
Iron, Medium octahedrite  
*Description:* Individual, 33 grams Me2266  
Individual, 29 grams Me2267

WACONDA, Waconda, Mitchell County, Kansas, USA  
*Found:* 1874  
Stone, Polymict brecciated spherical hypersthene-chondrite  
*Description:* Mass from interior, 2,542 grams Me309  
Mass with crust, veined, 121 grams Me310  
Fragments, 12.5 grams Me310  
Sawed mass with crust, 228 grams Me1730  
Mass with crust, 870 grams Me1731

WAIRARAPA VALLEY, Wairarapa Valley, Wellington, New Zealand  
*Fell:* December 4, 1864  
Stone, Crystalline chondrite  
*Description:* Mass with crust and polished surface; color reddish-  
brown from oxidation, 196 grams Me1882

WALDRON RIDGE, Waldron Ridge, Claiborne County,  
Tennessee, USA  
*Known:* March, 1887  
Iron, Coarse octahedrite  
*Description:* End piece, etched, 427 grams Me1134

WALKER COUNTY, Walker County, Alabama, USA  
*Found:* 1832  
Iron, Hexahedrite

*Description:* Section with crust, 25 grams Me434  
Etched section with crust, 38 grams Me914  
Two polished sections, 48 grams Me938

WALTERS, Walters, Cotton County, Oklahoma, USA  
*Fell:* July 28, 1941, 3:45 P.M.  
Stone, Monomict brecciated hypersthene-chondrite  
*Description:* Polished slice, 535 grams Me2422

WARIALDA, Warialda, County Burnett, New South Wales, Australia  
*Found:* 1919  
Iron, Nickel-poor ataxite (or hexahedrite)  
*Description:* Fragment, 3.5 grams Me2040

WARRENTON, Warrenton, Warren County, Missouri, USA  
*Fell:* January 3, 1877, 7:15 A.M.  
Stone, Spherical hypersthene-chondrite  
*Description:* Mass with crust, 113.1 grams Me1720

WEAVER MOUNTAINS, Weaver Mountains, Wickenburg,  
Maricopa County, Arizona, USA  
*Found:* 1898  
Iron, Nickel-rich ataxite  
*Description:* Etched segment with crust, 370 grams Me615  
Full-sized section, etched, 176 grams Me1158  
Thin polished slice, 493 grams Me2414

WEEKEROO STATION, Weekeroo Station, Mannahill,  
South Australia  
*Found:* 1924  
Iron, Brecciated coarse octahedrite, with troilite and silicate in-  
clusions  
*Description:* Etched section, 6,445 grams Me2118

WELDONA, Weldona, Morgan County, Colorado, USA  
*Found:* 1934  
Stone, Crystalline spherical chondrite  
*Description:* Polished slice with crust, 1,086 grams Me2321

WELLAND, Welland, Welland County, Ontario, Canada  
*Found:* 1888  
Iron, Medium octahedrite

*Description:* Full-sized etched section, 200 grams Me991  
Segment, showing etched and natural surfaces,  
713 grams Me132  
Thin slab, etched, 13 grams Me990  
Taenite, 0.5 grams Me1905

WELLMAN, Wellman, Terry County, Texas, USA  
*Found:* 1940  
Stone, Chondrite  
*Description:* Complete individual, 497.5 grams Me2380

WESSELY, Wessely, Hradisch, Moravia, Czechoslovakia  
*Fell:* September 9, 1831, 3:30 P.M.  
Stone, Veined gray chondrite  
*Description:* Fragment with crust and polished surface, 4 grams  
Me1875

WESTON, Weston, Fairfield County, Connecticut, USA  
*Fell:* December 14, 1807, 6:30 A.M.  
Stone, Polymict brecciated spherical chondrite  
*Description:* Mass with crust and sawed surfaces, 65 grams  
Me1835  
Fragment from interior, 3.5 grams Me223  
Slab with crust and polished surface, 79 grams  
Me1836

WICHITA COUNTY, Wichita County, Texas, USA  
*Known:* Before 1836  
Iron, Coarse octahedrite  
*Description:* Full-sized, etched section, 1,392 grams Me41  
Full-sized, etched section, 2,487 grams Me885

WICKENBURG (STONE), Wickenburg, Maricopa County,  
Arizona, USA  
*Recognized:* 1940  
Stone, Black chondrite  
*Description:* End piece with polished surface, 1,446 grams  
Me2361

WILEY, Wiley, Prowers County, Colorado, USA  
*Found:* 1938  
Iron, Finest octahedrite (or nickel-rich ataxite)  
*Description:* Polished slice, 285 grams Me2368

WILLAMETTE, Willamette, Clackamas County, Oregon, USA  
*Found:* 1902  
 Iron, Medium octahedrite  
*Description:* Full-sized, etched section, 1,487 grams Me592  
 Mass with crust and broken surface, 923 grams Me1195

WILLIAMSTOWN, Williamstown, Grant County, Kentucky, USA  
*Found:* 1892  
 Iron, Medium octahedrite  
*Description:* Full-sized etched section, 910 grams Me766  
 Long narrow end piece, etched, 954 grams Me1185

WILLOW CREEK, Willow Creek, Natrona County, Wyoming, USA  
*Found:* About 1914; recognized: 1934  
 Iron, Medium octahedrite  
*Description:* Etched slice, 1,820 grams Me2205

WINONA, Winona, Coconino County, Arizona, USA  
*Found:* 1928 (probably prehistoric)  
 Stony-iron, Mesosiderite  
*Description:* Fragment, 12.8 grams Me2139

WOLD COTTAGE, Wold Cottage, Thwing, Scarborough, Yorkshire, England  
*Fell:* December 13, 1795, 3:30 P.M.  
 Stone, Veined white chondrite  
*Description:* Polished chips, 2.5 grams Me215  
 Fragment from interior with three polished surfaces, 10 grams Me1833  
 Fragment from interior, 2.5 grams Me1834

WOOD'S MOUNTAIN, Wood's Mountain, McDowell County, North Carolina, USA  
*Found:* 1918  
 Iron, Finest octahedrite  
*Description:* Etched end piece, 146.5 grams Me2255

WOOSTER, Wooster, Wayne County, Ohio, USA  
*Recognized:* 1858  
 Iron, Medium octahedrite

*Description:* One etched fragment, 2 grams Me494  
 Two etched fragments, 9 grams Me1193

WRAY, Wray, Yuma County, Colorado, USA  
*Found:* 1936  
 Stone, Chondrite  
*Description:* End piece with polished surface, 24.3 grams Me2387

YANHUITLAN, Yanhuitlan, Oaxaca, Mexico  
*Known:* Before 1825  
 Iron, Fine octahedrite  
*Description:* Full-sized etched section, 7,340 grams Me962  
 End piece, etched, 9,665 grams Me963

YARDEA, Yardea Station, Gawler Range, South Australia  
*Found:* 1875  
 Iron, Medium octahedrite  
*Description:* End piece, etched, 73 grams Me935

YATOOR, Yatoor, Rapur taluq, Nellore district, Madras, India  
*Fell:* January 23, 1852, 4:30 P.M.  
 Stone, Spherical chondrite  
*Description:* Mass with crust and polished surfaces; structure coarse, metal abundant, 27 grams Me1877  
 Interior fragments, 1 gram Me259

YENBERRIE, Yenberrie, Northern Territory, Australia  
*Found:* 1918  
 Iron, Coarse octahedrite  
*Description:* Section with polished surface, 4,500 grams Me2004

YORKTOWN, Yorktown, Westchester County, New York, USA  
*Found:* 1896  
 Stone, Chondrite  
*Description:* Three polished fragments with crust, 7.3 grams Me1763

YOUNDEGIN, Youndegin, South-West Division, Western Australia  
*Found:* 1884  
 Iron, Coarse (to coarsest) octahedrite

*Description:* Full-sized, elongated section, etched, 1,083 grams  
Me118  
Nearly complete individual, 141,069 grams Me878  
Full-sized etched section, 4,330 grams Me877

ZABORZIKA, Zaborzika, Zhitomir, Volhynia, Ukraine, USSR  
*Fell:* April 11, 1818  
Stone, Veined intermediate chondrite  
*Description:* Mass with crust, 50 grams Me1709

ZABRODJE, Zabrodje, Vilna, Lithuania  
*Fell:* September 22, 1893  
Stone, Veined intermediate hypersthene-chondrite  
*Description:* Fragment from interior, one polished surface,  
4 grams Me1707

ZACATECAS, Zacatecas, Mexico  
*Known:* Before 1792  
Iron, Brecciated octahedrite  
*Description:* Etched fragment, 5.6 grams Me28  
Mass with three etched surfaces, 1,247 grams  
Me894  
Etched mass with crust, 93 grams Me895

ZAVID, Zavid, Zvornik, Bosnia, Yugoslavia  
*Fell:* August 1, 1897, 11:30 A.M.  
Stone, Brecciated gray hypersthene-chondrite  
*Description:* Mass with crust, 384 grams Me1860  
Mass with crust, 293 grams Me1861  
Mass from interior, 142 grams Me1862

ZEBRAK, Zebrak, Horovice, Beraun, Bohemia, Czechoslovakia  
*Fell:* October 14, 1824, 8:00 A.M.  
Stone, Spherical hypersthene-chondrite  
*Description:* Mass with crust, 14 grams Me1708

ZOMBA, Zomba, Nyasaland, British Central Africa  
*Fell:* January 25, 1899, 7:45 A.M.  
Stone, White hypersthene-chondrite  
*Description:* Fragment with crust, 18 grams Me1360

ZSADANY, Zsadany, Temes district, Romania  
*Fell:* March 31, 1875, 3-4:00 P.M.  
Stone, Spherical chondrite  
*Description:* Nearly complete individual, one surface polished,  
14.5 grams Me1878

## REFERENCES

FARRINGTON, O. C.

1895. Handbook and Catalogue of the Meteorite Collection. Field Columbian Museum Geological Series, Vol. I, no. 1, pp. 1-66.

1903. Catalogue of the Collection of Meteorites, May 1, 1903. Field Columbian Museum Geological Series, Vol. II, no. 2, pp. 79-124.

1916. Catalogue of the Collection of Meteorites, Field Museum of Natural History Geological Series, Vol. III, no. 10, pp. 231-312.

MASON, BRIAN

1962. Meteorites. John Wiley and Sons, Inc., New York, 274 pp.

PRIOR, G. T. and MAX H. HEY

1953. Catalogue of Meteorites. British Museum (Natural History), London, 432 pp.











