


Meteorites at the Field Museum

Prepared by Clarita Nuñez, Collection Manager
Irving L. Diamond, Volunteer

Brief History
Meteorites Catalog
Format of the Meteorite Catalog



Meenakshi Wadhwa, Curator of Meteorites at the Field Museum with a polished section of the iron meteorite Mount Joy (Catalog No. ME 1051)

Meteorites at the Field Museum

Brief History

How it began

The meteorite collection at the Field Museum began in 1893 at the World's Columbian Exposition with one hundred seventy meteorites that formed a part of the natural history exhibit put up by Ward's Natural Science Establishment. The entire display was bought by Marshall Field, founder and one of the members of the board of trustees of the Field Museum.

Growth of Collection

A significant addition was made to the meteorite collection when the Ward-Coonley collection was purchased in 1912 for \$80,000. Prof. Henry Ward accumulated this collection world-wide by travel and purchase. He cut up and polished some of his original meteorites and used them to trade for rare and extremely valuable pieces.

The Ward-Coonley collection contains some rare pieces from the James Gregory collection in London (like the 141 kg Younegin, the 61.7 kg Wabar and 1/3 of the original mass of Pipe Creek) and choice pieces from Count Julian Siemaschko collection of St. Petersburg (noteworthy of mention are Indarch, Mighei, Pavlodar and Ochansk). In addition Ward also collected and purchased some large specimens from all over North and South America by sending flyers to geologists and dealers announcing that he desired to purchase meteorites. It was through this method that he bought St. Genevieve County (244.6 kg) and Bath Furnace (80.8 kg.).

The Ward-Coonley collection had been promised for deposit at the American Museum of Natural History with right of first refusal. The American Museum of Natural History failed to follow options in the agreement. When Ward died, his widow Mrs. Lydia Avery Coonley acted immediately to dispose of Prof. Ward's collection. Her first contact was the Smithsonian Institution. The Smithsonian Institution failed to raise the necessary funds for its purchase and the American Museum of Natural History declined to sell it for Mrs. Coonley. The collection was then purchased by the Field Museum.

Subsequent growth of the collection came through other purchases and exchanges from institutions and meteorite dealers and also by gifts and field finds.

Description of the Collection

The Field Museum collection has approximately **1,284** distinct meteorites: **409** iron meteorites, **45** stony-iron meteorites and **830** stony meteorites. Out of the 830 stony meteorites, there are **52** achondrites, **38** carbonaceous chondrites and **15** enstatite chondrites. Six of the **52** achondrites are SNC's (acronym for meteorites believed to have originated from Mars: S = Shergotty, N = Nakhla and C = Chassigny). The collection contains a large number of iron meteorites. It also has large amounts of well known carbonaceous chondrites, Murchison and Allende, and the enstatite chondrite, Indarch. Our meteorite collection includes a valuable reference collection of polished and thin sections. It ranks as one of the six largest meteorite collections in the world in a museum setting.

Meteorites are a unique source of information for a wide variety of events associated with the formation and early history of the solar system. They are pieces of planetary and asteroidal bodies that humans may never be able to visit. For this reason our meteorite collections are of immense scientific value. The study of meteorites has been closely associated with significant advances in the disciplines of physics, chemistry, mineralogy, planetary science and astronomy. Field Museum specimens have been central to several important discoveries, such as, extraction of extra-terrestrial amino-acids from the Murchison carbonaceous chondrite and separation of "stardust" (or presolar grains thought to have been formed around stars other than our Sun) from Murchison and Allende specimens.

The Field Museum collection continues to serve as supplier of rare as well as important meteorites to the scientific community.

Curators of the Meteorite Collection

The first curator of the collection was Dr. Oliver C. Farrington who maintained and curated it well. In fact, the size and extent of the original collection was due to the efforts of Dr. Farrington (1864-1933) and the late Mr. Stanley Field, chairman of the Board of Trustees of the Museum, who together added the major portions of the collection through a combination of purchases, exchanges and field finds. Henry Nichols took his place as curator succeeded by Sharat Roy.

When Roy died in 1966, Dr. Edward Olsen took over the care of meteorites. It was under his 25 years of curatorship that the collection underwent enormous growth and increased usage in the scientific community.

A survey made by Lawrence Grossman (Professor at the University of Chicago and Research Associate Curator at the Field Museum) for a ten-year period (1978-1987) during the tenure of Dr. Olsen showed that the Field Museum supplied specimens used in 65 out of 239 specimen-based scientific papers published in the journal *Geochimica et Cosmochimica Acta*. Additional papers were also published in *Meteoritics*, *Earth and Planetary Science Letters*, *Nature* and *Science* based upon research on Field Museum meteorite specimens.

The present curator for our Meteorite Collection is Dr. Meenakshi Wadhwa. Her major research interests are in the processes and time scales involved in the formation histories of meteorites from trace element and isotopic studies. Under her leadership and as a support to her current research and studies, the Field Museum has acquired numerous new meteorites including rare specimens like the carbonaceous chondrites **Ningqiang, Bells, and Crescent**; the basaltic achondrite **Ibitira**; the enstatite achondrite **Peña Blanca**; the stony-iron **Lamont**, the iron meteorites **Anoka and Tishomingo**; the Martian meteorite **Governador Valadares**.

Curation of Meteorites

Currently the collection manager for the meteorite collection is Clarita Nuñez, who assists with the maintenance and upkeep of the specimens and their database. The meteorite collection computer database, a project started by our former interim meteorite curator, Ignacio Casanova, was completed in 1995 with the help of one of our volunteers, Joan Slotnick. The original innovative relational database was designed by the late volunteer, Walter Laffer, on Fox-base. It was later on transferred to a Filemaker format by our volunteer, Irving Diamond, who finally realized our goal for the computerization of the database — to publish a catalog of meteorite collection that can be made available through the Internet to widen its circulation and usage in the scientific community and as an educational resource for the general public. The database has become a major asset in curating the collection. The database facilitates retrieval of data and keeps track of the location of the stored and loaned materials.

With the aid of the database the fifth catalog for the meteorite collection of the Field Museum is presented in this webpage. The preceding catalogs were published in 1895, 1909, 1916 and 1965.

Format of the Meteorite Catalog

The alphabetical listing of meteorite names is the basic format commonly used for already published meteorite catalogs. This is the format followed in this catalog.

This format is basically the same as the Field Museum's catalog of meteorites published in 1965. The format consists of the following:

Line 1	Name of Meteorite		Classification Acronym or Abbreviation
Line 2	Location		
Line 3	Fall or found date		
Line 4	Catalog number	Description of meteorite	Current weight

Name of Meteorite

The name of the meteorite listed here is the currently accepted name. A meteorite is named usually after the place where it was a witnessed fall or where it was found. The name is that of the town, village or any geographical landmark closest to where it had fallen or where it was discovered. Meteorites very rarely carry the name of the individuals who found them. In the Antarctic, where there have been numerous finds recently, meteorites are identified by a combination of letters and numbers; the first letter(s) in the name denotes the abbreviation for the locality in the Antarctic where it was found; the next two numbers represent the year of the find and the last digits are the sample number.

Classification Acronym or Abbreviations

The classification acronyms used in this catalog are subject to be revised or updated as better classification schemes are established. Some acronyms have arabic numbers at the end; the number signifies their particular petrologic type.

Meteorite Class Abbreviations:

ACANOM	Achondrite, anomalous
ADIO	Achondrite, diogenite
AEUC	Achondrite, eucrite
AHOW	Achondrite, howardite
ANOM	Anomalous; it refers to meteorites that have most of the properties of its designated meteorite group but differ from its member meteorites in some significant way.
AUB	Achondrite, aubrite
AURE	Achondrite, ureilite
C	Carbonaceous chondrite, not yet grouped
CHANOM	Carbonaceous chondrite, anomalous
CI	Carbonaceous chondrite, CI group
CK	Carbonaceous chondrite, CK group
CM	Carbonaceous chondrite, CM group
CO	Carbonaceous chondrite, CO group
CV	Carbonaceous chondrite, CV group
E	Enstatite chondrite, not yet grouped
EH	Enstatite chondrite, EH group
EL	Enstatite chondrite, EL group
H	Ordinary chondrite, H group
IA,IAB, IB, IC	Iron meteorite, I group
IIA, IIB, IIAB, IIC, IID, IIE	Iron meteorite, II group
IIIA, IIIB, IIIB, IIICD, IIIE, IIIF	Iron meteorite, III group
IVA, IVB,	Iron meteorite, IV group
IRANOM	Iron meteorite, anomalous
L	Ordinary chondrite, L group
LL	Ordinary chondrite, LL group
LOD	Stony-iron meteorite, lodranite
MES	Stony-iron meteorite, mesosiderite
MESANOM	Stony-iron meteorite, mesosiderite anomalous
PAL	Stony-iron meteorite, pallasite
SNC	Achondrites, Martian meteorites. S = Shergottite; type specimen Shergotty; N = Nakhilite; type specimen Nakhla; and C = Chassignite; type specimen Chassigny
UNGR	Iron meteorite, not yet grouped

Other abbreviations sometimes added in the class abbreviation in the newer meteorites added to the collection include:

S	Shock category
W	Weathering category

Location

The location is the name of the place where the meteorite fell or was found.

Fall or Found Date

This includes the date (and sometimes the time) when the meteorite fell, or was found, or was recognized, as the case may be.

Catalog number

The Field Museum meteorite samples are numbered with the prefix ME (which is an abbreviation for “meteorite collection”) + the sample number.

Description

This is the physical description of the sample.

Weight

The weight of the sample in grams is the current total weight of the meteorite (piece or pieces) present in our collection. Current weight has been omitted for polished thin sections.

For more details, please contact:

Dr. Meenakshi Wadhwa (Assistant Curator) or Clarita M. Nuñez (Collection Manager)

Department of Geology

Field Museum

Roosevelt Road at Lake Shore Drive

Chicago, IL 60605

Catalog of Field Museum Meteorites

ABBOTT

H6

Colfax County, New Mexico, U.S.A.

Found in 1951, between 1951 and 1960.

ME 3106	Irregularly shaped mass w/ saw-cut face polished.	97.40 g
---------	---	---------

ABEE

E4

Near Abee, N of Edmonton, Alberta, Canada

Fell on 6/10/1952 at 1105 hrs.

ME 2474	Mass from interior with polished surface.	118.72 g
---------	---	----------

ME 2475	Slice with crust	1,214.70 g
---------	------------------	------------

ABERNATHY

L6

2 mi N of Abernathy, Lubbock County, Texas, U.S.A.

Found in 1941.

ME 2374	Polished slice; edge broken.	482.90 g
---------	------------------------------	----------

ACAPULCO

CHANOM

El Quemado Colony, Acapulco, Guerrero, Mexico

Fell on 8/11/1976 at 1100 hrs.

ME 2790	Small slice.	21.00 g
---------	--------------	---------

ME 3175	Five polished thin sections and one tiny fragment.	
---------	--	--

ACHILLES

H5

Rawlins County, Kansas, U.S.A.

Found in 1924.

ME 2720	Slice, with crust on one side.	65.60 g
---------	--------------------------------	---------

ACME

H5

Chaves County, New Mexico, U.S.A.

Found in 1947.

ME 2881	Very large saw-cut slice with crust.	4,463.00 g
---------	--------------------------------------	------------

ADAMS COUNTY

H5

Sec 17, T1S, R57W, Adams County, Colorado, U.S.A.

Found in 1928.

ME 2151	Section with crust and polished	251.00 g
---------	---------------------------------	----------

Catalog of Field Museum Meteorites

ADELAIDE

CM2

South Australia, Australia. Coordinates not known.

Found in 1972.

ME 2923	Two small saw-cut slices.	15.80 g
ME 3176	Three polished thin sections	

ADMIRE

PAL

Lyon County, Kansas, U.S.A.

Found in 1881.

ME 557	Two pieces of polished sections.	1,164.00 g
ME 748	Fragment	18.50 g
ME 750	Fragments	9.20 g
ME 761	Mass and many fragments	4,788.43 g
ME 834	End piece with polished surface; sawn into two.	6,748.50 g
ME 1270	Thick, full sized section, polished	2,399.20 g

ADRIAN

H4

Deaf Smith County, Texas, U.S.A.

Found in 1936.

ME 2212	Polished section with crust.	126.16 g
ME 3162	Polished thin section from Me 2212.	

AGEN

H5

Lot-et-Garonne, France

Fell on 9/5/1814 at 1200 hrs.

ME 525	Mass with crust.	36.10 g
ME 656	Microscopic slide; thin section	
ME 712	Microscopic slide; thin section	
ME 1381	Nearly complete individual w/ sawed surface.	225.20 g

AGGIE CREEK

IIIA

Seward Peninsula, Alaska, U.S.A.

Found in 1942.

Catalog of Field Museum Meteorites

ME 2409	Polished and etched piece	82.00 g
AHUMADA		
PAL		
60 mi E of Ahumada, Chihuahua, Mexico		
Found in 1909.		
ME 780	Nearly complete, individual with sawed surface.	38,709.90 g
AINSWORTH		
IIB		
Brown County, Nebraska, U.S.A.		
Found in 1907.		
ME 767	Full sized slab; polished surface	547.10 g
ME 929	Full sized slab, etched. Shows hieroglyphic and	303.70 g
ME 977	Full sized etched slab showing irregular	161.40 g
ME 1059	End piece with polished surface	2,533.00 g
AIOUN EL ATROUSS		
ADIO		
Gounquel, Mauritania		
Fell on 4/17/1974.		
ME 2778	Slice with crust on two edges.	93.50 g
ME 3177	Two polished thin sections.	
AIR		
L6		
15 km SE of Zoarika & 70 km WSW of Iferouane, Agadez, Niger		
Found in 1925.		
ME 2957	Small saw-cut slice with crust on one edge and a	7.50 g
AKBARPUR		
H4		
Saharanpur District, Uttar Pradesh, India		
Fell on 4/18/1838 at 0800 hrs.		
ME 1507	Fragment with crust and polished surface.	6.40 g
AKRON (1961)		
H		
Washington County, Colorado, U.S.A.		
Found in 1961.		
ME 2880	Small saw-cut end piece; all crust except	125.80 g

Catalog of Field Museum Meteorites

AL-GHANIM (STONE)	L6	
Rub'al Khali, Saudi Arabia		
Found in May 1960.		
ME 2982	Weathered saw cut slice broken into two pieces	23.60 g
ALAIS	CI	
Gard, France		
Fell on 3/15/1806 at 1700 hrs.		
AL 1486	Crumbling small fragments	6.60 g
ME 3178	Three polished thin sections.	
ALAMOGORDO	H5	
Otero County, New Mexico, U.S.A.		
Found in 1938.		
ME 2302	End piece with crust.	574.40 g
ALBARETO	L4	
Modena, Romagna, Italy		
Fell in July 1766, middle of the month, at 1700 hrs.		
ME 1755	Sawed fragment with crust.	6.15 g
ALBIN (pallasite)	PAL	
5 mi N of Albin, Laramie County, Wyoming, U.S.A.		
Found in 1915.		
ME 2593	Slab	272.70 g
ALDSWORTH	LL5	
Cirencester, Gloucestershire, England		
Fell in 8/4/1835 at 1630 hrs.		
ME 1776	Fragment with crust	4.10 g
ALEPPO	L6	
Syria		
Fell in 1873, approximately.		
ME 544	Fragment with crust	1.40 g
ME 1778	Fragment with crust	10.00 g
ME 1779	Fragment from interior	8.00 g

Catalog of Field Museum Meteorites

ALESSANDRIA

H5

Piemonte, Italy

Fell on 2/2/1860, at 1145 hrs.

ME 1513	Mass w/ crust and polished surface. Metal abundant	60.50 g
---------	--	---------

ALFIANELLO

L6

Brescia, Lombardy, Italy

Fell on 2/16/1883 at 1500 hrs.

ME 334	Mass with crust	283.70 g
--------	-----------------	----------

ME 650	Microscopic slide; thin section with cover	
--------	--	--

ME 713	Microscopic slide; thin section with cover	
--------	--	--

ME 1383	Mass with crust	111.80 g
---------	-----------------	----------

ME 1384	Mass with crust, pitted	236.30 g
---------	-------------------------	----------

ME 1385	Mass with crust	475.00 g
---------	-----------------	----------

ME 1386	Mass from interior	767.50 g
---------	--------------------	----------

ME 1387	Mass with crust	3,741.90 g
---------	-----------------	------------

ALGOMA

IIICD

Kewaunee County, Wisconsin, U.S.A.

Found in 1887.

ME 1057	Etched fragment with crust	10.40 g
---------	----------------------------	---------

ALLAN HILLS A76001

L6

Allan Hills area, Antarctica

Found in January, 1977.

ME 3163	Three polished thin sections	
---------	------------------------------	--

ALLAN HILLS A76002

IA

Allan Hills area, Antarctica

Found in 1976-1977 field season in Antarctica.

ME 3164	Two polished sections	
---------	-----------------------	--

ALLAN HILLS A76003

L6

Allan Hills area, Antarctica

Found in 1976-1977 field season in Antarctica.

Catalog of Field Museum Meteorites

ME 3165 Two PS + 1 PGM + 2 vials of Cristobalite + 1 PTS

ALLAN HILLS A76004 LL3

Allan Hills area, Antarctica

Found in 1976-1977 field season in Antarctica.

ME 3166 Two PS and one PGM

ALLAN HILLS A76005 AEUC

Allan Hills area, Antarctica

Found in 1976-1977 field season in Antarctica.

ME 3167 Polished thin section

ALLAN HILLS A76006 H6

Allan Hills area, Antarctica

Found in 1976-1977 field season in Antarctica.

ME 3168 Polished thin section

ALLAN HILLS A76007 L6

Allan Hills area, Antarctica

Found in 1976-1977 field season in Antarctica.

ME 3169 One polished thin section

ALLAN HILLS A76008 H6

Allan Hills area, Antarctica

Found in 1976-1977 field season in Antarctica.

ME 3170 One polished thin section

ALLAN HILLS A76009 L6

Allan Hills area, Antarctica

Found in 1976-1977 field season in Antarctica.

ME 3171 One polished thin section

ALLEGAN H5

Allegan County, Michigan, U.S.A.

Fell on 7/10/1899 at 0800 hrs.

ME 498 Mass with crust. Micro section. 3.80 g

ME 500 Fragments in vial 31.94 g

ME 680 Microscopic slides; two thin sections with cover

Catalog of Field Museum Meteorites

ME 714	Microscopic slide; thin section with cover.	
ME 1430	Mass with crust	125.00 g
ME 1431	Mass from interior	138.00 g
ME 1432	Mass with crust	226.70 g
ME 1433	Mass with crust. Chondrite readily separable	285.92 g
ME 1915	Chondrules from meteorite	0.50 g

ALLENDE

CV3

Chihuahua, Mexico

Fell on 2/8/1969 at 0105 hrs.

ME 2629	Single individual w/ fusion crust; chipped	2,004.20 g
ME 2632	Two portions of individuals; w/ fusion crust	517.30 g
ME 2636	Single individual with fusion crust	328.50 g
ME 2637	Portion of individual w/ fusion crust	1,024.00 g
ME 2639	Close to 100 single individuals from 6 in to 0.75	16,762.20 g
ME 2681	Single individual w/ fusion crust.	11,998.00 g
ME 2992	Small polished saw-cut slice, w/ large inclusion	18.30 g

ALMELO TOWNSHIP

L5

New Almelo, Norton County, Kansas, U.S.A.

Found in 1949.

ME 3107	Weathered end piece w/ two saw-cut faces	64.70 g
---------	--	---------

ALT BELA

IID

Ostrava, Moravia, Czechoslovakia

Found in 1898.

ME 1070	Etched section with crust	18.20 g
---------	---------------------------	---------

ALTA'AMEEM

LL5

Humira, Iraq

Fell on 8/20/1977 at 1030-1100 hrs.

ME 2791	Fragments	47.60 g
---------	-----------	---------

Catalog of Field Museum Meteorites

ME 3172 Microscopic slide; polished thin section

AMBAPUR NAGLA

H5

Aligarh District, Uttar Pradesh, India

Fell on 5/27/1895 at 0100 hrs.

ME 1575 Fragment from interior 12.70 g

ME 1576 Fragment with crust 3.70 g

ME 1577 Fragment from interior 10.50 g

AMECA-AMECA

Mexico State, Mexico

Found in 1889.

ME 2359 Two small chips 1.30 g

ANDOVER

L6

Oxford County, Maine, U.S.A.

Fell on 8/5/1898 at 0730 hrs.

ME 1466 Mass with crust 90.10 g

ANGELICA

IIIA

Shawano County, Wisconsin, U.S.A.

Found in 1916.

ME 2457 Mass with crust and polished faces 84.60 g

ME 2729 Saw cut fragment w/ crust on one side 42.80 g

ANGERS

L6

Maine et Loire, France

Fell on 6/3/1822 at 2015 hrs.

ME 1468 Fragment from interior 27.60 g

ME 1469 Fragments with crust 3.00 g

ANGRA DOS REIS

ACANOM

Rio de Janeiro, Brazil

Found in January 1869, later half of the month at

ME 1368 Fragments 5.00 g

ME 3179 Polished thin section

Catalog of Field Museum Meteorites

ANOKA

IIICD

Anoka County, Minnesota, USA

Original 1.108 kg found in 1961. Another piece, 54

ME 3241	Thick slice; one face polished and etched.	6,559.00
ME 3242	Cut piece; one face polished and etched.	650.00
ME 3243	Cut piece.	911.00

ANSON

L6

Sumner County, Kansas, U.S.A.

Found in 1972.

ME 2886	Small saw-cut slice w/ crust on one edge	49.20 g
---------	--	---------

ANTHONY

H5

Harper County, Kansas, U.S.A.

Found in 1919.

ME 2210	Polished slab and fragment	21.80 g
---------	----------------------------	---------

APOALA

IIIB

Oaxaca, Mexico

Found in 1889.

ME 1009	Full sized etched section.	1,368.40 g
---------	----------------------------	------------

APPLEY BRIDGE

LL6

Wigan, Lancashire, England

Fell on 10/13/1914 at 2045 hrs.

ME 2806	Interior fragments, some crust on one	12.80 g
---------	---------------------------------------	---------

APT

L6

Vaucluse, France

Fell on 10/8/1803 at 1030 hrs.

ME 675	Microscopic slides; two thin sections with cover.	
ME 1472	Mass with crust. Extensive veining	34.60 g

ARAPAHOE

L5

Cheyenne County, Colorado, U.S.A.

Found in 1940.

ME 2363	End piece, with polished surface	1,531.40 g
---------	----------------------------------	------------

Catalog of Field Museum Meteorites

ARCADIA	LL6	
Valley County, Nebraska, U.S.A.		
Found in 1937.		
ME 2301	Polished slice, 7x3 in; sawn	381.80 g
ARCH (A)	CV3	
Roosevelt County, New Mexico, U.S.A.		
Found in Spring, 1972.		
ME 3108	Fragment	2.70 g
ME 3180	Three polished thin sections	
ARCHIE	H6	
Cass County, Missouri, U.S.A.		
Fell on 8/10/1932 at 1630 hrs.		
ME 2171	Complete individual	97.20 g
ARISPE	IC	
15 mi NW of Arispe, Sonora, Mexico		
Found in 1896.		
ME 781	Nearly complete individual & full sized etched sec	8,047.00 g
ME 1011	Thick slab w/ polished surfaces	1,120.50 g
ME 1099	End piece with etched face 30x44 cm	32,659.00 g
ME 1983	Cohenite from Siderite	0.20 g
ARLINGTON	IIE	
Sibley County, Minnesota, U.S.A.		
Found in 1894.		
ME 459	Etched fragment with crust.	154.92 g
ARLTUNGA	IID-ANOM	
Northern Territory, Australia		
Found in September, 1908.		
ME 2715	Small slice	19.60 g
ARRIBA	L5	
Lincoln County, Colorado, U.S.A.		
Found in 1936.		

Catalog of Field Museum Meteorites

ME 2232	One end-piece with polished face	2,039.80 g
ASCO L		
Corsica, France		
Fell in November, 1905.		
ME 1522	Fragment w/ crust and large mass of Troilite	4.20 g
ME 1523	Fragment from interior	5.00 g
ASH-SHALFAH L4		
Rub'al Khali, Saudi Arabia		
Found in Summer, 1961.		
ME 2983	Small weathered saw-cut slice w/ crust	16.70 g
ASHEVILLE IIIB		
Buncombe County, North Carolina, U.S.A.		
Found in 1839.		
ME 1086	Etched fragment with crust	5.40 g
ASHMORE H5		
Gaines County, Texas, U.S.A.		
Found in 1969.		
ME 2958	Small saw-cut slice with crust on one edge	9.20 g
ASSAM L5		
Assam, India		
Found in 1846.		
ME 1829	Coarse dark powder with one light-colored fragment	3.10 g
ASSISI H5		
Perugia, Umbria, Italy		
Fell on 5/24/1886 at 0700 hrs.		
ME 1502	Sawed fragment with crust. Interior dark gray.	70.30 g
ME 1503	Fragment with crust	44.60 g
ATEMAJAC L6		
Sierra de Topalpo, Jalisco, Mexico		
Fell on 2/26/1896.		
ME 1521	Mass with crust	28.20 g

Catalog of Field Museum Meteorites

ATLANTA

E 6

Winn County, Louisiana, U.S.A.

Found in 1938.

ME 2289	End piece with polished face.	235.78 g
ME 3173	Two polished thin sections from Me 2289.	

AUBRES

AUB

Nyons, Drome, France

Fell on 9/14/1836 at 1500 hrs.

ME 1506	Fragments	2.70 g
ME 3181	Four polished thin sections.	

AUGUSTA COUNTY

IIIA

Virginia, U.S.A.

Found in 1858, or 1859.

ME 80	Full sized etched section.	1,507.20 g
ME 1095	Full sized etched section.	1,254.00 g

AUGUSTINOVKA

IIIB

Ekaterinoslav, Ukraine, USSR

Found in 1890.

ME 507	Oxidized fragment	59.30 g
ME 508	Etched section	109.40 g
ME 862	Small slice & Troilite nodule that has broken out	77.40 g
ME 971	Etched end piece. Contains large Troilite nodule	944.40 g
ME 972	Oxidized fragments	49.50 g

AUMALE

L 6

Sour el Ghozlane, Alger, Algeria

Fell on 8/25/1865 at 1100-1200 hrs.

ME 283	Fragment from interior; microsections	1.10 g
ME 599	Mass from interior. Micro-sections	50.50 g
ME 633	Microscopic slides; two thin sections with cover.	

Catalog of Field Museum Meteorites

ME 1837	Mass with crust	277.60 g
AUMIERES		
	L6	
Lozere, France		
Fell on 6/3/1842 at 2100 hrs.		
ME 491	Fragment with crust	11.20 g
ME 1741	Fragment with crust	19.30 g
ME 1742	Fragment from interior with one polished surface.	15.50 g
AURORA		
	H4	
Colfax County, New Mexico, U.S.A.		
Found in 1938.		
ME 2294	Polished slice.	97.62 g
ME 3174	Polished thin section from Me 2294.	
AUSSON		
	L5	
Haute Garonne, France		
Fell on 12/9/1858 at 0730 hrs.		
ME 271	Interior fragment (for micro section)	9.70 g
ME 272	Interior fragment with polished face.	22.00 g
ME 620	Microscopic slide; thin section	
ME 710	Microscopic slide; thin section with cover	
ME 1510	Mass from interior	182.10 g
ME 1511	Mass with crust and sawed surface	100.10 g
AVILEZ		
	H	
Cuencame, Durango, Mexico		
Fell in June, 1855.		
ME 1574	Fragment with crust	6.00 g
AVOCA (WESTERN AUSTRALIA)		
	IIIA	
Western Australia, Australia		
Found in 1966, January or February.		
ME 2996	Saw-cut slice w/ crust on two edges	106.80 g

Catalog of Field Museum Meteorites

AXTELL

CV3

Axtell, McLennon County, Texas, USA

Found in late May or early June, 1943.

ME 3203	Originally 5 slabs; cut up and sawn.	623.25 g
---------	--------------------------------------	----------

AZTEC

L6

San Juan County, New Mexico, U.S.A.

Fell on 2/1/1938 at 1700 hrs.

ME 2298	Nearly complete individual; sawn.	1,969.61 g
---------	-----------------------------------	------------

BABB'S MILL (TROOST'S IRON)

IRANOM

Greene County, Tennessee, U.S.A.

Found in 1842.

ME 109	Polished slab. Morradal group.	69.70 g
--------	--------------------------------	---------

ME 905	Polished slab with crust	43.80 g
--------	--------------------------	---------

ME 906	Etched slab	47.10 g
--------	-------------	---------

BACHMUT

L6

Ekaterinoslav, Ukraine, USSR

Fell on 2/15/1814 at 1200 hrs.

ME 234	Fragment with crust and polished surface	7.80 g
--------	--	--------

ME 1379	Sawed slab with crust and polished surface.	25.50 g
---------	---	---------

ME 1724	Fragment with crust	5.00 g
---------	---------------------	--------

BACUBIRITO

IRANOM

Sinaloa, Mexico

Found in 1863.

ME 1124	End piece with etched surface	1,505.10 g
---------	-------------------------------	------------

BAKHARDOK

L6

Karakum Desert, Turkmenistan, USSR

Found in September, 1978.

ME 3096	Small saw-cut end piece. (Two saw-cut faces).	4.90 g
---------	---	--------

BALD EAGLE

IIIB

Williamsport, Lycoming County, Pennsylvania, U.S.A

Found in 1891.

Catalog of Field Museum Meteorites

ME 1006	Full sized section, etched.	273.90 g
BALD MOUNTAIN		
	L4	
Yancy County, North Carolina, U.S.A.		
Fell on 7/9/1929, afternoon.		
ME 2392	Mass with crust.	257.57 g
ME 3182	Polished thin section from Me 2392	
BALLINGER		
	IIICD	
Runnels County, Texas, U.S.A.		
Found in 1927.		
ME 2110	Etched slice	55.30 g
ME 2152	Etched section	53.00 g
BALLINOO		
	IIC	
Murchison River, Western Australia, Australia		
Found in 1892.		
ME 979	Other side	8,300.00 g
ME 980	End piece etched; 70x150 mm	2,676.00 g
BANDONG		
	LL6	
Preanger, Java, Indonesia		
Fell on 12/10/1871 at 1330 hrs.		
ME 304	Two fragments from the interior	1.00 g
ME 1753	Mass with crust. Interior blue-gray, fine-grained	17.00 g
ME 1754	Mass from interior. Of lighter color than ME 1753	7.30 g
BARBOTAN		
	H5	
Gers, France		
Fell on 7/24/1790 at 2100 hrs.		
ME 213	Fragment from interior with polished surface.	6.20 g
ME 214	Mass with crust	129.70 g
ME 679	Microscopic slide; thin section with cover.	
ME 716	Microscopic slide; thin section with cover.	

Catalog of Field Museum Meteorites

ME 1844	Mass with crust and polished surface.	311.20 g
BARCIS PAL		
Pordenone, Friuli, Italy		
Found in 1950.		
ME 3009	Two saw-cut faces with crust around edge.	29.10 g
BAREA MES		
Logrono, Spain		
Fell on 7/4/1842.		
ME 1264	Fragment with polished surface.	6.60 g
ME 3160	9 slices and 7 thin sections	167.20 g
BAROTI L6		
Bilaspur, Simla Hill Sts., Himachal Pradesh, India		
Fell on 9/15/1910 at 1000 hrs.		
ME 2001	Fragments with crust	41.90 g
BARRANCA BLANCA IIE		
Come Caballo Pass, Atacama, Chile		
Found in 1855.		
ME 1085	Fragment with torn and etched surfaces.	15.30 g
BARRATTA L4		
Deniliquin, Co. Townsend, New S. Wales, Australia		
Found in 1845.		
ME 539	Mass with crust	288.90 g
ME 645	Microscopic slide; thin section with cover	
ME 715	Microscopic slide; thin section with cover	
ME 1463	Full sized, polished section; 22x54 cm.	613.20 g
ME 1464	Nearly complete individual, one surface polished.	12,945.00 g
ME 1465	Complete individual	72,507.70 g
BARWELL L6		
Leicestershire, England		
Fell on 12/24/1965 at 1620 hrs.		

Catalog of Field Museum Meteorites

ME 2804	Fragment with no crust	25.00 g
BARWISE H5		
Floyd County, Texas, U.S.A.		
Found in 1950.		
ME 2605	Polished slab with crust	85.80 g
BATH H4		
Brown County, South Dakota, U.S.A.		
Fell 8/29/1892 at 1600 hrs.		
ME 351	Mass with crust and armored surface	1,262.00 g
ME 1782	Mass with crust and armored surface	1,065.20 g
BATH FURNACE L6		
Bath County, Kentucky, U.S.A.		
Fell on 11/15/1902 at 1845 hrs.		
ME 661	Microscopic slide; thin section with cover.	
ME 718	Microscopic slides; two thin section with cover	
ME 1331	End piece with crust & polished face	1,786.00 g
ME 1332	Complete individual, the largest of the fall.	80,715.80 g
BEAR CREEK IIIB		
Jefferson County, Colorado, U.S.A.		
Found in 1866.		
ME 88	Fragment showing crust	44.00 g
ME 89	Thin slab etched. The figures are well marked.	26.70 g
ME 1125	Etched section with crust on three sides	59.90 g
ME 2586	Thin slab, etched; 44x25x2 mm	16.80 g
BEARDSLEY H5		
Rawlins County, Kansas, U.S.A.		
Fell on 10/15/1929 at 2330 hrs.		
ME 2193	Individual mass + chip.	225.90 g
ME 2194	Polished end	218.20 g

Catalog of Field Museum Meteorites

BEAVER

L5

Beaver County, Oklahoma, U.S.A.

Found in 1940, approximately.

ME 2948	Saw-cut slice with crust on 3 sides, polished surf	97.30 g
---------	--	---------

BEAVER CREEK

H4

West Kootenay District, British Columbia, Canada

Fell on 5/26/1893 at 1530 hrs.

ME 353	Fragment with crust	19.80 g
--------	---------------------	---------

ME 669	Microscopic slide; thin section with cover.	
--------	---	--

ME 1390	Mass with crust	22.20 g
---------	-----------------	---------

ME 1392	Mass with crust	485.30 g
---------	-----------------	----------

ME 1393	Mass with crust and polished surface	1,103.20 g
---------	--------------------------------------	------------

BEELER

LL6

Ness County, Kansas, U.S.A.

Found in 1924.

ME 2984	Small weathered saw-cut slice, broken in three pcs	17.40 g
---------	--	---------

BEENHAM

L5

Union County, New Mexico, U.S.A.

Found in 1937.

ME 2297	A complete individual	769.10 g
---------	-----------------------	----------

BELLA ROCA

IIIB

Sra. de S. Francisco, Sant. Papasquiario, Durango, Mexico

Found in 1888.

ME 611	Etched slice with crust	152.34 g
--------	-------------------------	----------

ME 985	Etched slice	408.50 g
--------	--------------	----------

ME 1903	Section of Troilite	14.30 g
---------	---------------------	---------

BELLE PLAINE

L6

Sumner County, Kansas, U.S.A.

Found in 1950.

ME 2727	Large slab, rimmed w/ weathered crust	1,952.80 g
---------	---------------------------------------	------------

Catalog of Field Museum Meteorites

BELLS

CM2

Grayson County, Texas, USA

Fell on 9/9/1961.

ME 3238	Very small fragments	5.16
---------	----------------------	------

BELMONT

H6

Lafayette County, Wisconsin, U.S.A.

Found in Spring, 1958.

ME 2959	Saw-cut chunk with crust on one edge.	51.30 g
---------	---------------------------------------	---------

BENCUBBIN

MES

Western Australia, Australia

Found on 7/30/1930.

ME 2738	Two fragments, fairly weathered	36.40 g
---------	---------------------------------	---------

ME 2739	Slice with crust on one edge.	649.10 g
---------	-------------------------------	----------

BENDEGÓ

IC

Monte Santo, Bahia, Brazil

Found in 1784.

ME 3	Scalings from crust	8.80 g
------	---------------------	--------

ME 5	Etched slab	829.20 g
------	-------------	----------

ME 6	Etched slab with elongated troilite	1,066.80 g
------	-------------------------------------	------------

ME 896	Etched slab with crust	647.90 g
--------	------------------------	----------

BENEDICT

IIIA

York County, Nebraska, U.S.A.

Found in 1970.

ME 3073	Saw-cut slice with crust on all but one edge,	165.00 g
---------	---	----------

BENLD

H6

Macoupin County, Illinois, U.S.A.

Fell on 9/29/1938 at 0900 hrs.

ME 2259	Complete individual	1,324.30 g
---------	---------------------	------------

ME 2260	Part of roof of garage penetrated by Benld fall	
---------	---	--

ME 2261	Part of top cover of Pontiac coupe penetrated	
---------	---	--

Catalog of Field Museum Meteorites

ME 2262 Seat of Pontiac Coupe penetrated by Benld
ME 2263 Muffler of Pontiac Coupe penetrated by Benld
ME 2492 Microscopic slide; thin section w/ cover.

BÉRÉBA

AEUC

Upper Volta

Fell on 6/27/1924 at 1530 hrs.

ME 2650 Fragment with fusion crust on one side. 116.21 g
ME 3184 Polished thin section

BERLANGUILLAS

L6

Burgos, Spain

Fell on 7/8/1811 at 2000 hrs.

ME 492 Polished fragment; texture firm. Abundant 5.50 g
ME 1756 Fragments with crust 5.10 g
ME 1757 Fragment from interior with polished surface 9.10 g

BETHLEHEM

H

Albany County, New York, U.S.A.

Fell 8/11/1859 at 0730 hrs.

ME 1843 Fragment from interior 0.80 g

BEUSTE

L5

Pau, Basses-Pyrénées, France

Fell in May 1859, afternoon.

ME 1568 Full-sized section with crust. One side polished. 37.10 g

BHAGUR

L6

West Khandesh District, Maharashtra, India

Fell on 11/27/1877 at 1800 hrs.

ME 1544 Fragment from interior. Light colored friable 1.60 g
ME 1545 Fragments of dark glass perhaps from crust 0.90 g

BIALYSTOK

AHOW

Grodno, Poland

Fell on 10/5/1827 at 0930 hrs.

Catalog of Field Museum Meteorites

ME 1563	Fragment from interior. Light-colored friable	4.50 g
BIELOKRYNITSCHIE H4		
Zaslavl, Volhynia, Ukraine, USSR		
Fell on 1/1/1887 at 1800 hrs.		
ME 1394	Complete individual	223.15 g
BILLINGS IIIA		
Christian County, Missouri, U.S.A.		
Found in 1903.		
ME 1097	Full-sized, etched section.	925.00 g
ME 1098	Full-sized section	11,905.70 g
BINGERA IIA		
County Murchison, New South Wales, Australia		
Found in 1880.		
ME 1078	Shaving	0.60 g
ME 2040	Fragment	3.40 g
ME 2711	Slice, polished and etched on one side	72.90 g
BISCHTÜBE IA		
Nikolaev, Turgai, Kazakhstan SSR, USSR		
Found in 1888.		
ME 932	Complete individual	586.50 g
ME 933	Full-sized etched section.	1,863.00 g
ME 934	Thin slab from interior, etched.	12.88 g
BISHOP CANYON IVA		
San Miguel County, Colorado, U.S.A.		
Found in 1912.		
ME 1955	Complete individual	3,896.82 g
BISHOPVILLE AUB		
Lee County, South Carolina, U.S.A.		
Fell on 3/25/1843.		
ME 251	Fragments, with and without crust	66.20 g

Catalog of Field Museum Meteorites

BISHUNPUR	LL3	
Mirzapur District, Uttar Pradesh, India		
Fell on 4/26/1895 at 1500 hrs.		
ME 2802	Saw-cut fragment.	11.80 g
BISON	LL6	
Rush County, Kansas, U.S.A.		
Found in 1958.		
ME 3190	Fragments, sawn.	157.35 g
BITBURG	IB	
Trier, Rheinland-Pfalz, Germany		
Found in 1805.		
ME 1257	Porous slab with one surface polished	186.40 g
ME 1258	Porous mass 4x4 cm containing grains of charcoal	131.60 g
ME 1259	Porous slab with surface polished; 6x9 cm	572.30 g
BJELAJA ZERKOV	H6	
Kiev, Ukraine, USSR		
Fell on 1/15/1796.		
ME 1416	Fragments with crust	6.40 g
BJURBÖLE	L4	
Borga, Nyland, Finland		
Fell on 3/12/1899 at 2230 hrs.		
ME 522	Mass with crust.	307.60 g
ME 1427	Mass with crust.	2,247.77 g
ME 1428	Mass with crust	3,123.11 g
BLACK MOUNTAIN	IA	
15 mi E of Asheville, Buncombe County, North Carolina, U.S.A.		
Found in 1839.		
ME 952	Polished fragment	28.40 g
ME 1080	Several octahedral fragments	6.60 g

Catalog of Field Museum Meteorites

BLANKET

L6

Brown County, Texas, U.S.A.

Fell on 5/30/1909 at 2230 hrs.

ME 1964	Nearly complete individual + fragment	1,465.50 g
ME 1965	Complete individual	1,331.20 g
ME 2493	Microscopic slides; two thin sections w/ cover.	

BLANSKO

H6

Brno, Jihomoravsky, Czechoslovakia

Fell on 11/25/1833 at 1830 hrs.

ME 1571	Nearly complete individual. One polished surface.	8.80 g
ME 2478	Microscopic slide; thin section with cover.	

BLED SOE

H4

Cochran County, Texas, U.S.A.

Found in 1970.

ME 2960	Saw-cut slice with crust on 3 portions of edge.	23.10 g
---------	---	---------

BLITHFIELD

E6

Renfrew County, Ontario, Canada

Found in 1910.

ME 1979	Mass with crust.	394.90 g
ME 3183	Polished thin section from Me 1979.	

BLOOMINGTON

LL6

Mclean County, Illinois, U.S.A.

Fell in Summer, 1838 between 2100 & 2200 hrs.

ME 2749	Half of individual with fusion crust.	27.90 g
---------	---------------------------------------	---------

BLUFF (A)

L5(S4)

Fayette County, Texas, U.S.A.

Found in 1878, approximately.

ME 173	End piece with polished surface 25x35 cm	10,943.89 g
ME 174	Polished section 31x38 cm showing the	2,615.50 g
ME 652	Microscopic slides; two thin sections with cover	

Catalog of Field Museum Meteorites

ME 717	Microscopic slide; thin section with cover	
ME 1459	Polished slab	5,544.00 g
BOCAS		L6
San Luis Potosi, Mexico		
Fell on 11/24/1804.		
ME 1497	Fragment with crust. Interior veined.	0.50 g
BOHUMILITZ		IA
Vimperk, Jihocesky, Czechoslovakia		
Found in 1829.		
ME 899	Full sized, etched section 13x22 cm	1,577.70 g
BONDOC		MES
Bondoc Peninsula, Luzon, Philippines		
Found in 1956.		
ME 2557	4x2.5 in slab, polished on one side.	140.10 g
BONITA SPRINGS		H5
Lee County, Florida, U.S.A.		
Found in Summer, 1938.		
ME 2442	Thin slab with crust	535.30 g
BORGO SAN DONINO		LL6
Parma, Italy		
Fell on 4/19/1808 at 1200 hrs.		
ME 1530	Fragment with crust.	6.50 g
ME 1531	Interior fragment	4.30 g
BORI		L6
Betul District, Madhya Pradesh, India		
Fell on 5/9/1894 at 1600 hrs.		
ME 1382	Mass 5x5x7 cm. with crust	481.90 g
BORISKINO		CM2
Orenburg, Federated SSR, USSR		
Fell on 4/20/1930 at 1330 hrs.		
ME 2758	Fragment	3.80 g

Catalog of Field Museum Meteorites

ME 3189 Polished thin section from Me 2758.

BORKUT

L5

Marmaros, Ukraine, USSR

Fell on 10/13/1852 at 1500 hrs.

ME 262 Individual chondri and fragments in vial 1.40 g

ME 1555 Sawed fragment with crust 72.20 g

BORODINO

H5

Moscow, Federated SSR, USSR

Fell on 9/5/1812 at 0100 hrs.

ME 1420 Fragment with crust. Polished. 1.20 g

BOVEDY

L3

Bovedy, County Londonderry, Northern Ireland

Fell on 4/25/1969, evening.

ME 3198 Polished part-slice. 23.20 g

BOWESMONT

L6

Pembina County, North Dakota, U.S.A.

Found in 1962.

ME 2689 7 mm thick slice, polished on one side. 14.20 g

BOXHOLE

IIIA

Plenty River, Northern Territory, Australia

Found in June, 1937.

ME 2646 Single fragment, uncut. 35x25x12 mm. 35.20 g

ME 3130 Weathered, single individual 1,521.50 g

BRADY

L6

McCulloch County, Texas, U.S.A.

Found in 1937.

ME 2303 Polished slice with crust 3 x 2. 67.90 g

BRAHIN

PAL

Minsk, Belorussiya SSR, USSR

Found in 1810.

ME 1318 Slab with polished surface. 44.00 g

Catalog of Field Museum Meteorites

ME 1319	Torn mass	32.00 g
BRAUNAU		
IIA		
Trutnov, Vychodočesky, Czechoslovakia		
Fell on 7/14/1847 at 0345 hrs.		
ME 55	Sawed block showing natural surface with pits.	33.50 g
ME 907	Etched slab with crust.	102.20 g
ME 908	Wedge-shaped mass from interior.	279.70 g
BREMERVÖRDE		
H3		
Niedersachsen, Germany		
Fell on 5/13/1855 at 1700 hrs.		
ME 438	Fragment with crust and polished surface.	59.20 g
ME 1758	Fragment with crust	14.01 g
BRENHAM		
PAL		
Kiowa County, Kansas, U.S.A.		
Found in 1882.		
ME 195	One-half of complete individual.	1,744.34 g
ME 196	Full-sized section, polished.	1,228.50 g
ME 198	Full-sized section polished.	4,977.00 g
ME 199	Fragment of slice	40.70 g
ME 200	Complete individual, the largest of the fall.	218,847.00 g
ME 201	Full-sized section polished; broken & crumbling.	1,557.20 g
ME 202	Complete individual, form hemispherical	7,897.00 g
ME 203	One-half of a complete individual.	8,490.00 g
ME 204	Complete individual, almost wholly iron	155,473.00 g
ME 205	Complete individual, spheroidal form.	16,219.00 g
ME 432	Etched section	168.30 g
ME 436	Fragments	47.30 g
ME 480	Fragment with etched surface.	99.70 g

Catalog of Field Museum Meteorites

ME 481	Beads made from meteorite	19.20 g
ME 1271	Full-sized etched section showing transition from	410.00 g
ME 1272	Full-sized etched section.	524.97 g
ME 1273	Cubical section 5x5x8 cm with crust	760.20 g
ME 1275	Thin, broad section 16x36 cm; polished.	3,065.00 g
ME 1276	End piece with polished surface, 16x31 cm	9,814.00 g
ME 1277	End piece with polished surface.	12,522.00 g
ME 1278	End piece of large individual.	44,905.00 g
ME 1317	Fragments	2.10 g
ME 2119	Altered individuals	100.40 g
ME 2120	Altered individual	52.40 g
ME 2121	Altered individual	96.40 g
ME 2122	Altered individual	123.10 g
ME 2123	Altered individual	75.60 g
ME 2124	Altered individual	73.00 g
ME 2125	Altered individual	120.60 g
ME 2126	Altered individual	32.90 g
ME 2127	Altered individual	83.70 g
ME 2128	Altered individual	126.10 g
ME 2129	Altered individual	92.40 g
ME 2130	Altered individual	40.00 g
ME 2131	Sand from Brenham meteorite.	1.00 g
ME 2134	Five fragments largely altered to limonite	2,009.80 g

BRIDGEWATER

IID

Burke County, North Carolina, U.S.A.

Found in 1890.

Catalog of Field Museum Meteorites

ME 137	Etched fragment	19.00 g
ME 1895	Etched slab with crust	83.70 g
BRIENT	AEUC	
Chkalov (=Orenburg), Federated SSR, USSR		
Fell on 4/19/1933 at 2030 hrs.		
ME 2757	Fragment	5.00 g
BRISTOL	IVA	
Sullivan County, Tennessee, U.S.A.		
Found in 1937.		
ME 2248	End piece with polished surface	390.12 g
BROKEN BOW	H4	
Custer County, Nebraska, U.S.A.		
Found in 1937.		
ME 2244	End piece with polished surface	280.72 g
BROWNFIELD (1937)	H3	
Terry County, Texas, U.S.A.		
Found in 1937.		
ME 2577	Thin polished slice, 120x75 mm	105.00 g
BRUDERHEIM	L6	
Alberta, Canada		
Fell on 3/4/1960 at 0806 hrs.		
ME 2476	Complete individual	1,147.67 g
BUDULAN	MES	
Buryat National District, Chita, USSR		
Found in Summer, 1962.		
ME 2756	Large fragment, saw cut on three sides.	1,226.00 g
BUENAVENTURA	IIIB	
Chihuahua, Mexico		
Found in 1969, approximately.		
ME 2981	Large saw-cut slice with crust on three sides.	1,549.60 g

Catalog of Field Museum Meteorites

BUR-GHELUAI	H5	
Bur-Hagaba District, Somalia		
Fell on 10/16/1919 at 0800 hrs.		
ME 2098	Complete individual	1,561.70 g
BURDETT	H5	
Pawnee County, Kansas, U.S.A.		
Found in 1940, approximately.		
ME 2603	Polished slab with large Troilite nodule (0.5 in)	124.20 g
BURLINGTON	IIIIE	
Otsego County, New York, U.S.A.		
Found in 1819.		
ME 915	Etched slab from interior, cut nearly parallel to	61.40 g
ME 916	Wedge-shaped, etched section, showing cleavage	53.70 g
BURSA	L6	
Turkey		
Fell in 1946.		
ME 2668	Saw-cut fragment with crust on one edge.	6.80 g
BUSCHHOF	L6	
Zemgale, Latvian SSR, USSR		
Fell on 6/2/1863 at 0730 hrs.		
ME 644	Microscopic slides; thin sections with cover	
ME 774	Mass with crust	37.40 g
ME 1473	Mass with crust	21.20 g
ME 1475	Fragment from interior.	14.30 g
BUSTEE	AUB	
Bet. Gorakhpur & Fyzabad, Basti District, Uttar Pradesh, India		
Fell on 12/2/1852 at 1000 hrs.		
ME 1352	Fragments	3.30 g
BUTLER	IRANOM	
Bates County, Missouri, U.S.A.		
Found in 1874.		

Catalog of Field Museum Meteorites

ME 96	Small slab, etched	45.90 g
ME 1121	Slab with crust.	87.00 g
ME 1122	Etched slab with crust.	313.90 g
BUTSURA	H6	
Champan District, Bihar, India		
Fell on 5/12/1861 at 1200 hrs.		
ME 277	Fragments with crust	1.90 g
ME 1884	Polished slab with crust.	24.32 g
ME 1885	Fragment with crust and polished surface.	10.60 g
CABEZO DE MAYO	L6	
Murcia, Spain		
Fell on 8/18/1870 at 0615 hrs.		
ME 1514	Mass with crust	102.30 g
ME 1515	Mass with crust.	54.10 g
CABIN CREEK	IIIA	
Johnson County, Arkansas, U.S.A.		
Fell on 3/27/1886 at 1500 hrs.		
ME 1091	Etched fragment with crust on one side.	1.10 g
CACARIA	IIIA	
Durango, Mexico		
Found in 1867.		
ME 922	Mass with crust and three etched surfaces.	1,649.90 g
ME 923	Etched slab with crust;re-etched Oct. 1917.	281.60 g
CACHIYUYAL	IIIE	
Atacama, Chile		
Found in 1874.		
ME 958	End piece with etched surface.	689.90 g
CADDO COUNTY	IAB	
Caddo County, Oklahoma, USA		
Found in 1987.		

Catalog of Field Museum Meteorites

ME 3156	Etched slice.	468.90 g
CALICO ROCK	IIA	
Izard County, Arkansas, U.S.A.		
Found in 1938.		
ME 3071	Saw-cut slice, no crust.	10.60 g
ME 3113	Saw-cut slice with crust on two edges.	60.10 g
CALLIHAM	L6	
McMullen County, Texas, U.S.A.		
Found in 1958.		
ME 2598	Polished slab.	110.70 g
CAMBRIA	IRANOM	
Niagara County, New York, U.S.A.		
Found in 1818.		
ME 927	Etched slab.	73.60 g
ME 928	Etched slab; contains troilite.	96.99 g
CAMEL DONGA	AEUC	
Western Australia, Australia		
Found in January, 1984.		
ME 3091	End piece, fresh, with one saw-cut face.	44.70 g
ME 3103	Small saw-cut slice with crust on three edges.	11.00 g
ME 3104	End-piece with crust on all but one face.	144.20 g
CAMPO DEL CIELO	IA	
Gran Chaco Gualamba, Chaco, Argentina		
Found in 1576.		
ME 1016	Section 16 x 6 cm. with crust on border.	406.60 g
ME 2647	Polished slab. 20 x 19 x 2 cm.	3,153.20 g
CAÑELLAS	H5	
Barcelona, Spain		
Fell on 5/14/1861 at 1330 hrs.		
ME 1793	Fragment with crust.	7.10 g

Catalog of Field Museum Meteorites

ME 1794	Fragment from interior	2.20 g
CANGAS DE ONIS		
H5		
Asturias, Spain		
Fell on 12/6/1866 at 1100 hrs.		
ME 667	Microscopic slide; thin section with cover.	
ME 1841	Part of a small individual.	39.80 g
ME 1842	Nearly complete individual.	53.70 g
CANON CITY		
H6		
Fremont County, Colorado, U.S.A.		
Fell on 10/27/1973 at 1800 hrs.		
ME 2728	Small fragments with fusion crust on one side.	8.70 g
CANTON		
IIIA		
Cherokee County, Georgia, U.S.A.		
Found in 1894.		
ME 1092	Fragment from interior. One surface polished.	110.10 g
ME 1093	Full-sized section, etched.	152.20 g
CANYON CITY		
IIIA		
Trinity County, California, U.S.A.		
Found in 1875.		
ME 1018	Full-sized section, etched.	234.80 g
ME 1019	End piece, etched.	4,244.00 g
CANYON DIABLO		
IA		
Coconino County, Arizona, U.S.A.		
Found in 1891.		
ME 143	Complete individual, flattened form.	460,304.00 g
ME 144	Etched section 20 x 29 cm.	2,920.20 g
ME 146	Complete individual. Perforated.	120,657.00 g
ME 147	Etched section 19x30 cm.	4,307.00 g
ME 148	Nearly complete individual.	23,590.00 g

Catalog of Field Museum Meteorites

ME 150	Thick slab, 20x27 cm polished.	26,047.00 g
ME 151	Nearly complete individual.	24,489.00 g
ME 152	Fragments (6 pieces) of iron shale.	122.50 g
ME 373	Complete individual.	622.00 g
ME 455	Complete individual	60.60 g
ME 610	Complete individual	155.50 g
ME 751	Iron shale (crust).	34.00 g
ME 771	3 fragments, iron shale. (Meteorite crust).	31.40 g
ME 1233	Complete individual.	383,292.00 g
ME 1234	Complete individual.	252,202.00 g
ME 1235	Complete individual.	169,553.00 g
ME 1236	Complete individual.	143,791.00 g
ME 1244	End piece, etched.	48,080.00 g
ME 1245	End piece, etched.	31,752.00 g
ME 1246	Etched section, 35x46 cm.	18,597.00 g
ME 1247	Etched section 35 x 52 cm.	17,290.00 g
ME 1248	Etched section, 18x40 cm	8,472.00 g
ME 1249	Etched section.	1,283.90 g
ME 1252	Complete individuals, about 100 pcs.	
ME 1910	Cohenite from meteorite.	2.30 g
ME 2108	Nearly complete individual; sawn.	69,135.20 g
ME 2150	Fragment and filings (graphite)	39.60 g
ME 2153	Complete individual	185.10 g
ME 2342	Mass containing diamond (see note).	189.90 g
ME 2349	Cohenite from meteorite.	1.90 g

Catalog of Field Museum Meteorites

ME 2389	Etched slice.	29.69 g
ME 2570	Graphite nodules.	245.00 g
ME 2571	Graphite nodules (see notes).	52.30 g
ME 2736	Single individual, 12x5.7x4.4 cm.	755.70 g
ME 2833	Saw cut slice, not polished.	548.40 g
ME 3045	Small weathered individual.	143.50 g
ME 3060	Thin saw-cut slice.	190.70 g
CANYONLANDS		H6
San Juan County, Utah, U.S.A.		
Found on 4/18/1961.		
ME 2985	Saw-cut chunk with crust on all but two sides.	86.70 g
CAPE GIRARDEAU		H6
Cape Girardeau County, Missouri, U.S.A.		
Fell on 8/14/1846 at 1500 hrs.		
ME 1566	Mass with crust.	39.50 g
ME 1567	Mass with crust.	17.20 g
CAPE OF GOOD HOPE		IVB
Cape Province, South Africa		
Found in 1793.		
ME 29	Section with crust	27.00 g
ME 911	Thin, broad slab; etched.	164.70 g
CAPE YORK		IIIA
West Greenland, Greenland		
Found in 1818.		
ME 953	Shavings	5.50 g
ME 2643	Rectangular slab, cut on all sides; 2x1.5x0.5 in	230.50 g
ME 2762	Three slabs with Troilite inclusions; not polished	529.70 g

Catalog of Field Museum Meteorites

CAPERR	IIIA	
Rio Senguerr, Chubut, Argentina		
Found in 1869.		
ME 1005	Full sized section etched.	369.50 g
CARBO	IID	
Alamo Ranch, Sonora, Mexico		
Found in 1923.		
ME 2148	Torn piece.	40.70 g
ME 2569	Slice with crust; 3.5x3x0.375 in	320.50 g
CARCOTE	H5	
Western Cordilleras, Atacama, Chile		
Found in 1888.		
ME 1492	Sawed fragment	0.90 g
CARICHIC	H5	
Near Casas Grandes, Chihuahua, Mexico		
Found in 1983.		
ME 3005	Highly weathered chunk broken from larger mass.	28.70 g
CARLTON	IIICD	
Hamilton County, Texas, U.S.A.		
Found in 1887.		
ME 131	Full-sized, thin slab, 22x30 cm; polished & etched	3,397.00 g
ME 879	Full sized etched section	3,224.00 g
ME 880	Full sized etched section	2,506.78 g
CARRAWEENA	L3	
South Australia, Australia		
Found in 1914.		
ME 2722	Slice with crust on two sides; weathered surface o	192.33 g
CARTHAGE	IIIA	
Smith County, Tennessee, U.S.A.		
Found in 1840.		
ME 51	Thick slab, polished and etched; with crust.	49.90 g

Catalog of Field Museum Meteorites

ME 925	Etched section with crust	26.40 g
CASAS GRANDES		
IIIA		
Chihuahua, Mexico		
Found in 1867.		
ME 524	Etched and polished section, 12x12 cm.	591.00 g
ME 881	Broad slab, 24x41 cm; etched	6,026.00 g
ME 882	Broad etched slab.	3,364.00 g
CASEY COUNTY		
IA		
Casey County, Kentucky, U.S.A.		
Found in 1877.		
ME 1075	Etched section with crust	28.30 g
ME 1076	Etched section in two parts.	42.50 g
CASILDA		
H5		
Cordoba, Argentina		
Found in 1937.		
ME 2997	Small saw-cut slice with crust on two edges.	10.90 g
CASTALIA		
H5		
Nash County, North Carolina, U.S.A.		
Fell on 5/14/1874 at 1430 hrs.		
ME 307	Fragment with crust. Microsections.	8.00 g
ME 623	Microscopic slides; two thin sections #623 & 623A	
ME 1519	Mass with crust and one sawed surface.	175.40 g
CASTINE		
L6		
Hancock County, Maine		
Fell on 5/20/1848 at 0400 hrs.		
ME 1565	Mass with crust and polished surface.	41.90 g
CATHERWOOD		
L6		
Saskatchewan, Canada		
Found in 1965, possibly 1964.		
ME 3066	Saw-cut slice with crust on one edge.	29.40 g

Catalog of Field Museum Meteorites

CAVOUR	H6	
Beadle County, South Dakota, U.S.A.		
Found in 1941.		
ME 2416	End piece, polished slice.	284.90 g
CEDAR	H4(3)	
Fayette County, Texas		
Found in 1900.		
ME 1461	Complete individual. This is a crusted fragment o	7,518.18 g
CEDAR (KANSAS)	H6	
Smith County, Kansas, U.S.A.		
Found in 1937.		
ME 2293	Slice, polished on both sides	77.90 g
CEDARTOWN	IIA	
Polk County, Georgia, U.S.A.		
Found in 1898.		
ME 1962	Two fragments, each mounted in plastic & polished.	5.00 g
ME 2373	Slice, polished	192.60 g
CEE VEE	H5	
Cottle County, Texas, U.S.A.		
Found in 1959, or 1960.		
ME 2634	Two fragments of polished slice, 0.25 in thick	13.20 g
CENICEROS	H3.7	
Cienega de Cenicerros, Chihuahua, Mexico		
Fell on 8/20/1988 at 1020 hrs.		
ME 3202	Sawn half of individual; with crust.	189.30 g
CERSETO	H5	
Alessandria, Piemonte, Italy		
Fell on 7/17/1840 at 0730 hrs.		
ME 1476	Fragment with crust and armoured surface	9.60 g
CHAINPUR	LL3	
Azamgarh District, Uttar Pradesh, India		
Fell on 5/9/1907 at 1330 hrs.		

Catalog of Field Museum Meteorites

ME 2796	Small fragment	7.60 g
ME 2808	Interior fragment, no crust.	8.36 g
CHAMBERLIN H5		
Dallam County, Texas, U.S.A.		
Found in 1941.		
ME 2377	Slice	271.80 g
CHAMBORD IIIA		
Lake St. John County, Quebec, Canada		
Found in 1904.		
ME 921	Etched section with crust.	17.70 g
CHANDAKAPUR L5		
Buldhana, Maharashtra, India		
Fell on 6/6/1838 at 1200 hrs.		
ME 245	Three fragments from the interior. Two polished.	3.70 g
ME 1800	Mass with crust.	68.60 g
ME 1802	Fragment from interior w/ two polished surfaces	12.10 g
CHANGXING H5		
Changxing Island, Shanghai, China		
Found in 1964.		
ME 3187	Fragment with one saw-cut fact.	19.60 g
CHANNING H5		
Hartley County, Texas, U.S.A.		
Found in 1936.		
ME 2215	Chondrite with large metallic inclusions	638.70 g
CHANTONNAY L6		
Vendée, France		
Fell on 8/5/1812 at 0200 hrs.		
ME 232	Polished chip. Microsection	1.70 g
ME 665	Microscopic slides; two thin sections with cover.	
ME 1790	Mass from interior	46.20 g

Catalog of Field Museum Meteorites

ME 1791	Mass from interior.	51.80 g
CHARCAS		
IIIA		
San Luis Potosi, Mexico		
Found in 1804.		
ME 931	Broad, etched section	5,372.00 g
ME 947	Pyramidal mass with one etched surface.	28,576.00 g
ME 948	Full-sized triangular etched section	4,772.00 g
ME 1913	Rhabdite from meteorite.	4.00 g
CHARLOTTE		
IVA		
Dickson County, Tennessee, U.S.A.		
Fell on 7/31/1835 at 1400-1500 hrs.		
ME 40	Thin slab, one surface etched.	4.20 g
ME 903	Triangular section with crust, etched.	5.70 g
CHARSONVILLE		
H6		
Meung, Loiret, France		
Fell on 11/23/1810 at 1330 hrs.		
ME 229	Fragment from interior	19.80 g
ME 629	Microscopic slides; two thin sections #'s 629 & 62	
ME 719	Microscopic slide; thin section with cover	
ME 1489	Two fragments from interior, one polished	41.30 g
ME 1490	Fragment from interior showing broad black vein.	15.20 g
CHARWALLAS		
H6		
Hisar District, Haryana, India		
Fell on 6/12/1834 at 0800 hrs.		
ME 1832	Fragments	0.10 g
CHASSIGNY		
SNC		
Haute Marne, France		
Fell on 10/3/1815 at 0800 hrs.		
ME 2631	Fragment with crumbly grains.	3.40 g

Catalog of Field Museum Meteorites

ME 2779	Crumbly fragment	1.50 g
CHÂTEAU RENARD		
	L6	
Montargis, Loiret, France		
Fell on 6/12/1841 at 1330 hrs.		
ME 248	Fragment from interior	6.60 g
ME 720	Microscopic slide; thin section with cover.	
ME 1804	Mass with crust and armoured surface.	174.10 g
ME 1805	Mass from interior.	36.40 g
ME 1806	Fragment with crust and polished surface.	14.70 g
CHERVETAZZ		
	L5	
Palézieux, Vaud, Switzerland		
Fell on 11/30/1901 at 1400 hrs.		
ME 1562	Fragment with crust and polished surface.	25.30 g
CHESTERVILLE		
	IIA	
Chester County, South Carolina, U.S.A.		
Found in 1849.		
ME 56	Thin, etched slab.	6.50 g
ME 1077	Etched slab with crust.	138.00 g
CHIANG KHAN		
	H6	
Loei, Thailand		
Fell on 11/17/1981 at 0530 hrs.		
ME 2930	Two small whole individuals; one with a chip out	7.70 g
CHICO		
	L6	
Colfax County, New Mexico, U.S.A.		
Found in January, 1954.		
ME 2961	Saw-cut slice with crust on two edges.	14.00 g
CHICO HILLS		
	H4	
Colfax County, New Mexico, U.S.A.		
Found between 1951 and 1960.		
ME 2962	Saw-cut end piece with matrix on all but two sides	8.50 g

Catalog of Field Museum Meteorites

CHIHUAHUA CITY

IC

Mexico

Found in 1929.

ME 2136	End piece with polished surface.	1,903.60 g
---------	----------------------------------	------------

CHILKOOT

IIIA

Portage Bay, Alaska, U.S.A.

Found in 1881.

ME 1069	Etched section with crust	61.90 g
---------	---------------------------	---------

CHINAUTLA

IVA-ANOM

Guatemala

Found in 1902.

ME 1949	Full sized etched section.	104.50 g
---------	----------------------------	----------

CHINGA

IVB-ANOM

Tanna Tuva, Turvinskaya, USSR

Found in 1913.

ME 2993	Small saw-cut slice with crust on two edges.	5.40 g
---------	--	--------

ME 3114	Saw-cut slice with crust on one edge, one face	19.60 g
---------	--	---------

CHITADO

H6

Cunene, Angola

Fell on 10/20/1966.

ME 2994	Irregularly shaped chunk with two saw-cut faces	77.40 g
---------	---	---------

ME 2998	Small chunk with crust on one edge.	14.00 g
---------	-------------------------------------	---------

CHULAFINNEE

IIIA

Cleburne County, Alabama, U.S.A.

Found in 1873.

ME 94	Etched slab.	28.90 g
-------	--------------	---------

ME 1109	Etched slab with crust.	87.30 g
---------	-------------------------	---------

CHUPADEROS

IIIB

Jimenez, Chihuahua, Mexico

Found in 1852.

ME 1024	Full sized slab, etched. Shows large nodules.	263.40 g
---------	---	----------

Catalog of Field Museum Meteorites

ME 1025	End piece with polished surfaces.	17,340.00 g
ME 1044	Etched mass with crust. Bands broader.	200.10 g
ME 1045	Full sized etched slab.	2,488.60 g
ME 1046	Full sized etched slab.	2,497.00 g
ME 1047	End piece, etched.	5,449.00 g
ME 1902	Fragment	2.70 g
CILIMUS	L5	
Sampora, Java, Indonesia		
Fell on 5/7/1979 at 0930 hrs.		
ME 2821	Saw-cut slice with crust on two edges.	31.00 g
CINCINNATI	IIA	
Hamilton County, Ohio, U.S.A.		
Found in 1870.		
ME 1089	Etched fragment with crust	1.10 g
ME 2104	A section with crust	62.35 g
CLARETON	L6	
Weston County, Wyoming, U.S.A.		
Found in 1931.		
ME 2304	Polished slice, 3x2 in	43.80 g
CLARK COUNTY	IIIF	
Kentucky, U.S.A.		
Found in 1937.		
ME 2825	Two saw-cut slices, unpolished.	55.60 g
CLAXTON	L6	
About 10 km SE of Claxton, Evans County, Georgia, USA		
Fell on 12/10/1984 at 1730 hrs.		
ME 3070	Saw-cut slice, crust on all edges except one.	40.60 g
CLAYTONVILLE	L5	
Swisher County, Texas, U.S.A.		
Found in 1964.		

Catalog of Field Museum Meteorites

ME 2885	Small saw-cut slice with crust on two sides.	45.40 g
CLEVELAND		
IIIB		
Bradley County, Tennessee, U.S.A.		
Found in 1860.		
ME 127	Large, thin slab, showing crust, polished & etched	234.00 g
ME 1119	Full sized, etched section.	123.00 g
ME 1196	Etched slab, figures distinct.	127.10 g
ME 1197	Etched slab.	94.50 g
CLOVER SPRINGS		
MES		
Gila County, Arizona, U.S.A.		
Found in 1954.		
ME 2735	Polished slab.	126.40 g
CLOVIS NO. 2		
L6		
Curry County, New Mexico, U.S.A.		
Found in 1963.		
ME 2573	Fragment with crust and polished surface.	6.00 g
ME 2660	Polished slab.	54.60 g
COAHUILA		
IIA		
Coahuila, Mexico		
Found in 1837.		
ME 43	Large section with polished surface.	3,292.00 g
ME 113	Thin slab with crust, etched.	104.20 g
ME 841	Etched section.	925.20 g
ME 843	Broad slab, 15x33 cm; etched.	2,163.00 g
ME 844	Thin, etched section.	444.50 g
ME 847	Etched slab; cut into pieces.	1,197.90 g
ME 850	Polished section.	8.30 g
ME 852	Etched section; 8x5 cm with crust; re-etched 1917	425.30 g

Catalog of Field Museum Meteorites

ME 853	Sawed fragment with crust	11.60 g
COBIJA		
H6		
Pampa of Santa Barbara, Antofagasta, Chile		
Found in 1892.		
ME 753	Polished section	16.70 g
ME 790	Microscopic slides; two thin sections with cover.	
ME 791	Microscopic slides; two thin sections with cover.	
ME 1408	Mass with crust and polished surface	884.50 g
ME 1409	End piece with polished surface.	1,101.30 g
COCKBURN		
L6		
South Australia, Australia		
Found in 1946.		
ME 3076	Two small complete weathered individuals	34.10 g
COCKLEBIDDY		
H5		
Western Australia, Australia		
Found in 1949.		
ME 3036	Saw-cut hemispherical end piece, weathered.	97.70 g
COLBY (KANSAS)		
H5		
Thomas County, Kansas, U.S.A.		
Found in 1940.		
ME 2376	Slice, polished.	108.70 g
COLBY (WISCONSIN)		
L6		
Clark County, Wisconsin, U.S.A.		
Fell on 7/4/1917 at 1820 hrs.		
ME 1988	Mass with crust.	760.00 g
ME 1989	One large fragment + 3 smaller fragments	1,077.50 g
ME 1990	432 fragments	6,567.21 g
ME 2548	Polished thin section	

Catalog of Field Museum Meteorites

COLD BOKKEVELD

CM2

Cape Province, South Africa

Fell on 10/13/1838 at 0900 hrs.

ME 1736	Fragments	40.50 g
ME 1738	Polished thin section	
ME 3186	Polished thin section	

COLDWATER (IRON)

Comanche County, Kansas, U.S.A.

Found in 1923.

ME 2051	Large section altered to limonite by weathering.	3,748.60 g
---------	--	------------

COLDWATER (STONE)

H5

Comanche County, Kansas, U.S.A.

Found in 1924.

ME 2052	Nearly complete individual.	3,557.00 g
ME 2071	Polished slice.	275.30 g
ME 2072	Polished section	203.50 g
ME 2076	Polished slice	33.30 g
ME 2499	Microscopic slides; two thin sections w/ cover.	

COLFAX

IB

Rutherford County, North Carolina, U.S.A.

Found in 1880.

ME 1960	End piece etched; cut from Me 153.	652.00 g
ME 1961	End piece, etched. Cut from Me 153	13.40 g

COLLESCIPOLI

H5

Terni, Umbria, Italy

Fell on 2/3/1890 at 1330 hrs.

ME 356	Fragment with crust	3.00 g
ME 1532	Mass with crust.	40.20 g
ME 1533	Mass with crust	44.30 g

Catalog of Field Museum Meteorites

COLOMERA

IIE

Granada, Spain

Found in 1912.

ME 2763	Small slice, bounded by saw cut surfaces.	59.20 g
---------	---	---------

COLONIA OBRERA

IIIE

Durango, Mexico

Found in 1973.

ME 2871	Small saw-cut slice with crust on all but one side	62.50 g
---------	--	---------

COLONY

CO3

Washita County, Oklahoma, U.S.A.

Found in 1975, approximately.

ME 3021	Small irregular chunk with one saw-cut face.	3.60 g
---------	--	--------

ME 3087	Weathered saw-cut slice with crust on two edges.	15.00 g
---------	--	---------

ME 3089	Weathered saw-cut slice with apparent crust.	26.00 g
---------	--	---------

ME 3131	Weathered end piece with 3 saw-cut faces.	134.40 g
---------	---	----------

COMANCHE (STONE)

H

Comanche County, Texas, USA

Found in 1956, or 1957.

ME 3217	Thin slice; one side polished.	89.92
---------	--------------------------------	-------

CONQUISTA

H4

Corego do Lageado, Conquista, Minas Gerais, Brazil

Fell early in the month of December, 1965 at 0600

ME 3000	Small saw-cut slice; weathered.	12.90 g
---------	---------------------------------	---------

COOKEVILLE

IA

Putman County, Tennessee, U.S.A.

Found in 1913.

ME 1985	Two pieces of etched section and fragments.	215.80 g
---------	---	----------

COOLAC

IA

County Harden, New South Wales, Australia

Found in 1874.

ME 2421	Slice, etched and polished.	14.90 g
---------	-----------------------------	---------

Catalog of Field Museum Meteorites

ME 2723	Slice, polished and etched on two sides.	205.80 g
COOLIDGE	C4	
Hamilton County, Kansas, U.S.A.		
Found in 1937.		
ME 2243	End piece, polished face.	180.60 g
COON BUTTE	L6	
Coconino County, Arizona, U.S.A.		
Found in 1905.		
ME 1434	Full sized section, one surface polished.	309.30 g
COONANA	H4	
South Australia, Australia		
Found in 1962.		
ME 2963	Saw-cut slice with crust on two edges.	6.80 g
COOPERTOWN	IIIE	
Robertson County, Tennessee, U.S.A.		
Found in 1860.		
ME 83	Thin slab, etched	82.20 g
ME 822	Polished section.	21.20 g
ME 1126	Etched section with crust on three edges.	46.65 g
ME 1127	Etched section with crust.	60.00 g
COPE	H5	
Washington County, Colorado, U.S.A.		
Found in 1934.		
ME 2250	Complete individual	451.30 g
COPIAPO	IA	
Atacama, Chile		
Found in 1863.		
ME 833	Etched sections.	153.20 g
CORREO	H4	
Valencia County, New Mexico, U.S.A.		
Found in July or August, 1979.		

Catalog of Field Museum Meteorites

ME 2883	Mass with crust; heavily weathered.	40.10 g
COSBY'S CREEK		
IA		
Cocke County, Tennessee, U.S.A.		
Found in 1837.		
ME 48	Five irregular fragments.	34.20 g
ME 49	Irregular fragment.	42.80 g
ME 53	Four octahedral fragments with plates of taenite	115.40 g
ME 889	Etched slab with crust.	96.10 g
ME 890	Irregular fragment; shows octahedral cleavage.	56.20 g
ME 891	Mass with crust.	2,881.00 g
ME 1906	Taenite from meteorite.	5.00 g
ME 1907	Graphite from meteorite.	9.80 g
COSINA		
H5		
Dolores Hidalgo, Guanajuato, Mexico		
Fell in January, 1844 at 1100 hrs.		
ME 1561	Fragment with one sawed surface.	4.70 g
COSTILLA PEAK		
IIIA		
Taos County, New Mexico, U.S.A.		
Found in 1881.		
ME 502	Nearly full sized section, etched; 11x20 cm	1,141.30 g
ME 856	Full sized, etched section, 11x31 cm	1,658.60 g
ME 857	Broad, etched section with crust.	6,831.00 g
COTESFIELD		
L6		
Howard County, Nebraska, U.S.A.		
Found in 1928.		
ME 2154	Polished slice, with crust.	77.20 g
COTTONWOOD		
H5		
Yavapai County, Arizona, U.S.A.		
Found in 1955.		

Catalog of Field Museum Meteorites

ME 2878	Small saw-cut slice with crust on three sides.	42.20 g
COVERT		
H5		
Osborne County, Kansas, U.S.A.		
Found in 1896.		
ME 2366	End piece with polished surface	798.40 g
COWRA		
IRANOM		
County Bathurst, New South Wales, Australia		
Found in 1888.		
ME 783	Etched section.	62.70 g
ME 973	Thin broad section; etched, schreibersite.	25.30 g
CRAB HOLE		
L		
Donga, Western Australia, Australia		
Found in Spring, 1980.		
ME 2853	Small fragment from interior heavily weathered?	24.70 g
CRAB ORCHARD		
MES		
Rockwood, Cumberland County, Tennessee, U.S.A.		
Found in 1887.		
ME 184	Etched section	29.50 g
ME 185	Complete individual sliced into four pieces.	799.10 g
ME 187	End piece with polished surface, 17x26 cm	3,712.11 g
ME 706	Microscopic slide; thin section with cover.	
ME 1262	End piece with polished surface.	1,262.50 g
ME 1263	Full sized polished section, 18x27 cm	1,920.00 g
CRANBERRY PLAINS		
IVA?		
Poplar Hill, Giles County, Virginia, U.S.A.		
Found in 1852.		
ME 1084	Fragment	1.30 g
CRANBOURNE		
IA		
Melbourne, Victoria, Australia		
Found in 1854.		

Catalog of Field Museum Meteorites

ME 68	Three fragments from interior	37.90 g
ME 70	Etched fragment.	15.20 g
ME 499	Etched section showing distinct features.	261.90 g
ME 1159	Full sized etched section; 100x120 mm	714.20 g
ME 1198	Interior fragment	22.98 g
ME 1199	Full sized etched section. Re-etched 1917.	1,706.00 g
ME 1909	Cohenite fragments from meteorite	0.10 g
ME 2344	Troilite powder.	0.50 g
ME 2353	Anthracite like carbon from decomposition of	0.50 g
CRATHEÚS (1950)		IIC
Brazil. Coordinates not known		
Found in 1909?		
ME 2712	Small slice.	11.30 g
CRESCENT		CM2
Logan County, Oklahoma, USA		
Fell on 8/17/1936, at 1907 hours.		
ME 3239	Two small fragments.	4.23
CRONSTAD		H5
Orange Free State, South Africa		
Fell on 11/19/1877 at 1600 hrs.		
ME 1546	Fragment with crust. Metal segregated near crust.	5.70 g
ME 1547	Slice with crust.	4.60 g
ME 2813	Slice with crust on three edges.	35.60 g
CROSS ROADS		H5
Boyett, Wilson County, North Carolina, U.S.A.		
Fell on 5/24/1892 at 0500 hrs.		
ME 1559	Mass with crust; dark-gray color, texture firm.	18.00 g

Catalog of Field Museum Meteorites

CRUMLIN	L5	
County Antrim, Ireland		
Fell on 9/13/1902 at 1030 hrs.		
ME 1499	Fragment with crust and armored surface.	12.90 g
CRUZ DEL AIRE	IRANOM	
Sabina Hidalgo, Nuevo Leon, Mexico		
Found in 1911.		
ME 2405	Polished and etched slab.	208.77 g
CUBA	I	
Cuba		
Found in 1871.		
ME 1087	Oxidized fragments.	2.50 g
CULLISON	H4	
Pratt County, Kansas, U.S.A.		
Found in 1911.		
ME 1746	Thin broad slab with crust & polished surface.	146.70 g
CUMBERLAND FALLS	AUB	
Whitley County, Kentucky, U.S.A.		
Fell on 4/9/1919 at 1200 hrs.		
ME 1996	Complete individual.	879.50 g
ME 1997	Two end pieces with polished surfaces.	237.10 g
ME 1998	Complete individual.	2,192.00 g
ME 2002	Fragments of aerolite with crust.	28.30 g
ME 2015	Fragments of brecciated structure.	52.40 g
CUMPAS	IIIA	
Sonora, Mexico		
Found in 1903.		
ME 2827	Small slice, not polished.	48.90 g
CYNTHIANA	L4	
Harrison County, Kentucky, U.S.A.		
Fell on 1/23/1877 at 1600 hrs.		

Catalog of Field Museum Meteorites

ME 1504	Five fragments with crust.	21.23 g
DALGARANGA MES		
Western Australia, Australia		
Found in 1923.		
ME 2902	Small weathered complete individual.	25.60 g
DALGETY DOWNS L4		
Gascoyne District, Western Australia, Australia		
Found in 1941.		
ME 2613	Fragment (uncut) with hydrated oxide coating.	911.80 g
DALHART H5		
Dallam County, Texas, U.S.A.		
Found in 1968.		
ME 2964	Small weathered saw-cut slice w/ crust on one edge	7.20 g
DALTON IIIA		
Whitfield County, Georgia, U.S.A.		
Found in 1879.		
ME 1120	Angular block etched on two faces.	41.10 g
ME 1967	Etched section	91.90 g
DANDAPUR L6		
Gorakhpur District, Uttar Pradesh, India		
Fell on 9/5/1878 at 1700 hrs.		
ME 449	Fragment	24.20 g
ME 721	Microscopic slide; thin section with cover.	
ME 1548	Sawed mass from interior.	65.50 g
DANIEL'S KUIL E6		
Griqualand West, Cape Province, South Africa		
Fell on 3/20/1868.		
ME 1500	Polished slice and fragment with crust.	12.70 g
DANVILLE L6		
Morgan County, Alabama, U.S.A.		
Fell on 11/27/1868 at 1700 hrs.		

Catalog of Field Museum Meteorites

ME 1578	Fragment from interior.	5.50 g
DAR AL GANI 078	CO3	
Dar al Gani, Saharan Desert, Libya		
Found in 1995.		
ME 3205	Two sawn slices	24.08 g
DAVIS MOUNTAINS	IIIA	
Jeff Davis County, Texas, U.S.A.		
Found in 1903.		
ME 1946	Individual complete except for small cut piece	693,090.00 g
ME 2107	Etched mass with crust.	202.10 g
DAVY (A)	L4(S2)W4	
De Witt, Texas, USA		
Found before 1981.		
ME 3226	Sawn fragment; sawn side polished.	690.00
DAYTON	IIICD	
Montgomery County, Ohio, U.S.A.		
Found in 1892, or 1893.		
ME 2616	Slice with phosphate inclusions.	451.74 g
DE CEWSVILLE	H6	
Haldimand County, Ontario, Canada		
Fell on 1/21/1887 at 1400 hrs.		
ME 1558	Fragment from interior.	0.30 g
DE NOVA	L6	
Washington County, Colorado, U.S.A.		
Found in 1940.		
ME 2378	Fragment from interior.	632.30 g
DEAL	L6	
Long Branch, Monmouth County, New Jersey, U.S.A.		
Fell on 8/15/1829 at 0030 hrs.		
ME 1543	Fragment from interior	0.30 g

Catalog of Field Museum Meteorites

DEEP SPRINGS

IRANOM

Rockingham County, North Carolina, U.S.A.

Found in 1846.

ME 453	Nearly complete etched section; 7x17 cm.	419.90 g
--------	--	----------

DELEGATE

IIIB-ANOM

County Wellesley, New South Wales, Australia

Found in 1904.

ME 1969	Etched section	356.10 g
---------	----------------	----------

DELLYS

Algeria

Found in 1865.

ME 1064	Two irregular fragments, one etched.	3.10 g
---------	--------------------------------------	--------

DENSMORE (1950)

H6

Graham County, Kansas, U.S.A.

Found in 1950.

ME 2726	Sawn slab.	823.85 g
---------	------------	----------

DENTON COUNTY

IIIA

Denton County, Texas, U.S.A.

Found in 1856.

ME 74	Thin slab.	1.90 g
-------	------------	--------

ME 1190	Pyramidal fragment with crust; etched.	25.10 g
---------	--	---------

ME 1191	Thin slab with crust on edge; etched.	16.80 g
---------	---------------------------------------	---------

DEPORT

IA

Red River County, Texas, U.S.A.

Found in 1926.

ME 2169	Etched section	314.70 g
---------	----------------	----------

DHAJALA

H3-4

Surendranager District, Gujarat, India

Fell on 1/28/1976 at 2100 hrs.

ME 2797	Three pieces with fusion crust.	91.90 g
---------	---------------------------------	---------

Catalog of Field Museum Meteorites

DHURMSALA

LL6

Kangra District, Himachal Pradesh, India

Fell on 7/14/1860 at 1415 hrs.

ME 275	Fragments from interior.	0.20 g
ME 630	Microscopic slide; thin section with cover	
ME 722	Microscopic slide; thin section with cover	
ME 1346	Mass with crust.	284.36 g
ME 1347	Mass with crust.	986.30 g
ME 1348	Mass with crust	1,394.99 g

DIMBOOLA

H5

Victoria, Australia

Found in 1944.

ME 3062	Irregular weathered chunk with crust on two edges.	30.60 g
---------	--	---------

DIMMITT

H4

Castro County, Texas, U.S.A.

Found in 1942.

ME 2402	Complete individual	734.00 g
ME 2582	Complete individual, 8x6x4 cm	258.60 g
ME 2583	Complete individual; 55x40x30 mm	121.60 g

DISPATCH

H

Smith County, Kansas, U.S.A.

Found in 1956.

ME 2877	Small saw-cut fragment with crust.	37.70 g
---------	------------------------------------	---------

DIX

L6

Kimball County, Nebraska, U.S.A.

Found in 1927.

ME 2296	End piece with polished face.	823.10 g
---------	-------------------------------	----------

DJATI-PENGILON

H6

Ngawi District, Java, Indonesia

Fell on 3/19/1884 at 1630 hrs.

Catalog of Field Museum Meteorites

ME 1556	Mass with crust and sawed surface.	28.00 g
ME 1557	Mass with crust and sawed surface.	10.80 g
DOKACHI	H5	
Munshiganj, Dacca, Bangladesh		
Fell on 10/22/1903 at 1900 hrs.		
ME 772	Mass with crust.	25.40 g
ME 1380	Nearly complete individual with polished surface.	193.10 g
DOLGOVOLI	L6	
Luck, Ukraine, USSR		
Fell on 6/26/1864 at 0700 hrs.		
ME 1509	Fragment from interior.	6.30 g
DORA (PALLASITE)	PAL	
Roosevelt County, New Mexico, U.S.A.		
Found in 1955.		
ME 2700	6 mm thick slice, polished on one side.	489.00 g
DORONINSK	H6	
Irkutsk, Federated SSR, USSR		
Fell on 4/6/1805 at 1700 hrs.		
ME 1560	Mass with crust.	50.30 g
DRAKE CREEK	L6	
Nashville, Sumner County, Tennessee, U.S.A.		
Fell on 5/9/1827 at 1600 hrs.		
ME 1526	Mass with crust; crust crackled, interior friable.	119.70 g
DRUM MOUNTAINS	IIIA	
Millard County, Utah, U.S.A.		
Found on 9/24/1944.		
ME 2419	Slice, polished and etched.	939.20 g
DUBROVNIK	L3-6	
Molunat, Yugoslavia		
Fell on 2/20/1951 at 1400 hrs.		
ME 3046	Small gray chunk with one saw-cut face.	23.50 g

Catalog of Field Museum Meteorites

DUCHESNE

IVA

Duchesne County, Utah, U.S.A.

Found in 1906.

ME 2109	Etched section.	94.40 g
---------	-----------------	---------

ME 2111	Etched section; contains insoluble troilite.	811.70 g
---------	--	----------

DUEL HILL (1854)

IVA-ANOM

Walnut Mountains, Madison County, North Carolina, U.S.A.

Found in 1854.

ME 1108	Etched slab with crust.	40.18 g
---------	-------------------------	---------

DUEL HILL (1873)

IA

Walnut Mountains, Madison County, North Carolina, U.S.A.

Found in 1873.

ME 864	Etched slab with crust on edge.	178.40 g
--------	---------------------------------	----------

ME 865	Etched slab with crust on edge.	12.60 g
--------	---------------------------------	---------

DUKETON

IIIA

Nuleri Land District, Western Australia, Australia

Found in October, 1948.

ME 2701	Small slice, unpolished.	38.40 g
---------	--------------------------	---------

DUMAS (A)

H5

Moore County, Texas, U.S.A.

Found in February, 1956.

ME 2973	Polished thin section.	
---------	------------------------	--

DUMAS (B)

H6

Moore County, Texas, U.S.A.

Found in 1980.

ME 2941	Thin saw-cut slice with crust on edge.	59.60 g
---------	--	---------

DUNDRUM

H5

County Tipperary, Ireland

Fell on 8/12/1865 at 1900 hrs.

ME 1501	Fragment from interior showing loose, vitreous	0.70 g
---------	--	--------

Catalog of Field Museum Meteorites

DUNGANNON

IA

Scott County, Virginia, U.S.A.

Found in 1922, or 1923.

ME 2037	Incomplete individual.	6,557.00 g
ME 2090	Polished section of Me 2037	301.00 g
ME 2091	Polished section of Me 2037	352.90 g

DUNGANVILLE

Greymouth, Westland, New Zealand

Found in January, 1976.

ME 3148	Weathered saw-cut piece with crust on 3 sides.	93.60 g
---------	--	---------

DURALA

L6

Patiala District, Punjab, India

Fell on 2/18/1815 at 1200 hrs.

ME 559	Sawed fragment with crust.	53.30 g
ME 1542	Sawed fragment with crust.	25.30 g

DURANGO

IIIA

Durango, Mexico. Coordinates not known.

Found in 1804.

ME 2138	Section of iron meteorite. Also plastic-	282.40 g
---------	--	----------

DURUMA

L6

Mombasa, Kenya

Fell on 3/6/1853.

ME 1552	Fragment from interior.	4.10 g
---------	-------------------------	--------

DWIGHT

L6

Geary County, Kansas, U.S.A.

Found in 1940.

ME 2379	End piece with polished surface.	422.60 g
---------	----------------------------------	----------

DYALPUR

AURE

Sultanpur district, Uttar Pradesh, India

Fell on 5/8/1872.

ME 2809	Fragment from interior.	4.15 g
---------	-------------------------	--------

Catalog of Field Museum Meteorites

EAGLE

EL6

Cass County, Nebraska, USA

Found in the Spring, 1947.

ME 3149	Four saw-cut pieces with crust.	24.46 g
---------	---------------------------------	---------

EAGLE STATION

PAL

Carroll County, Kentucky, U.S.A.

Found in 1880.

ME 180	Sawed slab.	61.80 g
--------	-------------	---------

ME 1314	Polished slab.	155.80 g
---------	----------------	----------

EDMOND

Norton County, Kansas, U.S.A.

Found in August, 1983.

ME 3054	Thin-saw cut slice broken into two pieces.	72.40 g
---------	--	---------

EDMONSON (A)

L6

Hale County, Texas, U.S.A.

Found in 1955.

ME 2604	Polished slab with crust.	186.60 g
---------	---------------------------	----------

EDMONSON (B)

H4

Hale County, Texas, U.S.A.

Found in February, 1981.

ME 2949	Saw-cut slice with crust on two sides.	97.80 g
---------	--	---------

EDMONTON (KENTUCKY)

IIICD-ANO

Metcalfe County, Kentucky, U.S.A.

Found in 1942.

ME 2399	Slice, lightly etched with nital;	150.20 g
---------	-----------------------------------	----------

EFREMOVKA

CV3

Pavlodar District, Kazakhstan SSR, USSR

Found in July, 1962.

ME 2754	Elongated fragment, saw cut on two sides.	104.90 g
---------	---	----------

EICHSTÄDT

H5

Middle Franconia, Bayern, Germany

Fell on 2/19/1785 at 1215 hrs.

Catalog of Field Museum Meteorites

ME 212	Fragment from interior.	1.00 g
ME 1876	Fragment with crust.	13.60 g
EL BURRO	IIB	
Coahuila, Mexico		
Found in 1939.		
ME 2848	Saw-cut fragment.	78.10 g
EL CAPITAN	IIIB	
Lincoln County, New Mexico, U.S.A.		
Found in 1893.		
ME 968	Full sized etched section.	483.00 g
ME 969	Full sized etched section.	1,577.20 g
EL HABIB		
Near Wabar, Saudia Arabia. Coordinates not known.		
ME 3051	Weathered saw-cut slice with crust on one side.	46.50 g
EL HAMMAMI	H5	
Tiris Zemmour, Mauritania		
Fell on 8/10/1997.		
ME 3212	Fragment w/ crust & slice	336.88 g
EL MIRAGE	IIA	
Maricopa County, Arizona, U.S.A.		
Found in 1972.		
ME 2872	Small saw-cut slice with crust	23.30 g
EL SAMPAL	IIIA	
Nueva Lubuka, Chubut, Argentina		
Found in 1973.		
ME 2860	Large saw-cut slice, surrounded by crust.	2,214.20 g
ELBA	H5	
Washington County, Colorado, U.S.A.		
Found in 1966.		
ME 2698	6 mm thick slice, polished on one side.	139.30 g

Catalog of Field Museum Meteorites

ELBOGEN

IID

Zapadocesky, Czechoslovakia

Found in 1400.

ME 1	Etched fragment with Widmandstatten figure.	2.40 g
ME 919	Lath-shaped section from interior; etched.	39.90 g
ME 920	Section polished and oxidized surface.	18.70 g

ELENOVKA

L5

Donetsk Region, Ukraine, USSR

Fell on 10/17/1951 at 1630 hrs.

ME 2783	Interior fragment with saw cut face polished.	21.50 g
---------	---	---------

ELI ELWAH

L6

Hay, New South Wales, Australia

Found in 1888.

ME 779	Polished slab with crust.	81.30 g
ME 1343	Two fragments with crust.	3.00 g

ELKHART

H5

Morton County, Kansas, U.S.A.

Found in 1936.

ME 2873	Small saw-cut end piece, two sides polished.	82.80 g
---------	--	---------

ELLA ISLAND

L6

Solitairebugt, Greenland

Found in 1971.

ME 2781	Interior fragment.	156.70 g
---------	--------------------	----------

ELLERSLIE

L5

Tego, Maranoa, Queensland, Australia

Found in 1905.

ME 2707	Fragment with cut surface on one side and crust	9.40 g
---------	---	--------

ELLCOTT

IA

El Paso County, Colorado, U.S.A.

Found in 1960.

ME 2732	Two cut and partially polished slices	445.50 g
---------	---------------------------------------	----------

Catalog of Field Museum Meteorites

ELLIS COUNTY

H6

Kansas, U.S.A.

Found in 1948, or 1949.

ME 2764	Polished slice.	115.60 g
---------	-----------------	----------

ELM CREEK

H4

Admire, Lyon County, Kansas, U.S.A.

Found in 1906.

ME 765	Full sized section, one surface polished.	382.70 g
--------	---	----------

ME 1415	Thin slice.	378.30 g
---------	-------------	----------

ELYRIA

IIIA

McPherson County, Kansas, U.S.A.

Found in 1971.

ME 2674	4 mm slice; polished and etched on both sides.	146.60 g
---------	--	----------

EMERY

MES

Hanson County, South Dakota, U.S.A.

Found in 1962.

ME 2645	Polished slab, 150x170x5 mm.	430.20 g
---------	------------------------------	----------

EMMITSBURG

IIIA

Frederick County, Maryland, U.S.A.

Found in 1854.

ME 67	Etched slab with crust	28.40 g
-------	------------------------	---------

ME 1182	Etched slab with crust.	13.60 g
---------	-------------------------	---------

ENSISHEIM

LL6

Alsace, France

Fell on 11/16/1492 at 1130 hrs.

ME 207	Fragment from interior; from microsection.	21.40 g
--------	--	---------

ME 208	Fragment from interior.	4.30 g
--------	-------------------------	--------

ME 617	Microscopic slide, thin section with cover	
--------	--	--

ME 1739	Mass with crust and armoured surface.	36.40 g
---------	---------------------------------------	---------

ME 1740	Two masses with polished surfaces.	52.90 g
---------	------------------------------------	---------

Catalog of Field Museum Meteorites

ÉPINAL

H5

Vosges, France

Fell on 9/13/1822 at 0700 hrs.

ME 1786	Fragment with crust.	7.20 g
ME 1787	Mass from interior	12.00 g

ERGHEO

L5

Brava, Somalia

Fell in July, 1889, before the full moon.

ME 553	Polished section with crust.	143.90 g
ME 627	Microscopic slide; thin section with cover	
ME 686	Microscopic slide; thin section with cover	
ME 723	Microscopic slide; thin section with cover	
ME 1769	Polished section with crust.	384.00 g

ERXLEBEN

H6

Magdeburg, Sachsen-Anhalt, Germany

Fell on 4/15/1812 at 1600 hrs.

ME 626	Microscopic slide; thin section with cover	
ME 1772	Broad fragment with crust.	45.00 g

ESNANDES

H6

Charente Maritime, France

Fell in August, 1837.

ME 1569	Fragment from interior.	23.30 g
---------	-------------------------	---------

ESPIRITU SANTO

Michoacan, Mexico

Found, no date give.

ME 1056	Etched fragment with crust.	54.00 g
---------	-----------------------------	---------

ESQUEL

PAL

Chubut, Argentina

Found in 1951, or before this year.

ME 3194	Half-slice, polished on one face + fragment	1,161.40 g
---------	---	------------

Catalog of Field Museum Meteorites

ESTACADO

H6

Hale County, Texas, U.S.A.

Found in 1883.

ME 760	Full sized slab with polished surfaces.	14,453.00 g
ME 1439	About one-third of the original mass.	103,200.00 g
ME 2602	Fragment with one polished side	19.40 g

ESTHERVILLE

MES

Emmet County, Iowa, U.S.A.

Fell on 5/10/1879 at 1700 hrs.

ME 176	Irregular fragment.	75.40 g
ME 177	Full sized section 18x31 cm, one surface polished.	2,716.00 g
ME 178	Complete small individuals.	13.40 g
ME 458	Complete individual.	6.90 g
ME 1302	Full sized section, 18x37 cm, one side polished.	5,150.67 g
ME 1303	Mass	394.80 g
ME 1305	Stony mass with crust.	227.20 g
ME 1307	Twelve small individuals.	15.40 g
ME 1308	113 complete individuals.	855.00 g

ETHIUDNA

L

County Lytton, South Australia, Australia

Found on 2/20/1977.

ME 3061	One-half saw-cut disk; crust on circular edge	15.00 g
---------	---	---------

ETTER

H6

Moore County, Texas, U.S.A.

Found in 1965.

ME 2691	Large slice, polished on one side.	868.50 g
---------	------------------------------------	----------

EUNICE

H

Swisher County, Texas, U.S.A.

Found in 1961.

Catalog of Field Museum Meteorites

ME 2965	Small saw-cut slice with crust on two edges.	15.40 g
EVA	H5	
Texas County, Oklahoma, U.S.A.		
Found in 1965, or 1966.		
ME 2690	Slice, polished on one side.	184.30 g
FAITH	H5	
Perkins County, South Dakota, U.S.A.		
Found in 1952.		
ME 2855	Large slice with crust around three sides.	722.80 g
FARLEY	H5	
Colfax County, New Mexico, U.S.A.		
Found in 1936.		
ME 2216	Polished slice.	627.90 g
FARMINGTON	L5	
Washington County, Kansas, U.S.A.		
Fell on 6/25/1890 at 1300 hrs.		
ME 346	Full sized section.	2,817.70 g
ME 347	End piece of 84 kg individual.	12,794.20 g
ME 349	Nearly encrusted mass.	2,266.00 g
ME 681	Microscopic slides; two thin sections with cover.	
ME 694	Microscopic slide; thin section with cover	
ME 1820	Two polished sections	5,544.00 g
FARNUM	L5	
Lincoln County, Nebraska, U.S.A.		
Found in 1937.		
ME 2953	Small saw-cut slice with crust on one edge.	5.80 g
FAUCETT	H5	
Buchanan County, Missouri, U.S.A.		
Found in 1966.		
ME 2619	Thin slab polished on one side.	56.20 g

Catalog of Field Museum Meteorites

FAVARS

H5

Laissac, Aveyron, France

Fell on 10/21/1844 at 0645 hrs.

ME 1838	Fragment with crust.	21.00 g
ME 1839	Fragment with crust and polished surface.	8.20 g

FELIX

CO3

Perry County, Alabama, U.S.A.

Fell on 5/15/1900 at 1130 hrs.

ME 613	Mass with crust.	
ME 1330	Mass with crust	34.20 g

FELT

H

Cimarron County, Oklahoma, U.S.A.

Found in 1970.

ME 2966	Small weathered saw-cut slice with crust on one	7.80 g
---------	---	--------

FERGUSON SWITCH

H5

Hale County, Texas, U.S.A.

Found in 1937.

ME 3097	Saw-cut end piece.	9.10 g
---------	--------------------	--------

FINMARKEN

PAL

Finmark, Norway

Found in 1902.

ME 1310	Broad polished slab.	2,417.80 g
ME 1311	Polished slice.	223.60 g
ME 1312	Fragments from interior.	13.30 g
ME 2225	Polished slab.	424.00 g
ME 2227	Fragment	25.80 g
ME 2229	Mass and fragments	535.00 g

FINNEY

L5

Hale County, Texas, U.S.A.

Found in 1962.

Catalog of Field Museum Meteorites

ME 2578	Thin polished slab; 67x58 mm	43.20 g
FISHER	L6	
Polk County, Minnesota, U.S.A.		
Fell on 4/9/1894 at 1600 hrs.		
ME 596	Mass from interior.	146.60 g
ME 1341	Mass with crust.	276.70 g
FLANDREAU	H5	
Moody County, South Dakota, USA		
Found in June, 1983.		
ME 3197	Full slice with crust, one face polished.	515.00 g
FLOREY	H6	
Andrews County, Texas, U.S.A.		
Found in 1978.		
ME 3064	Saw-cut slice with crust on all but one edge.	61.20 g
FLOYD	L4	
Roosevelt County, New Mexico, U.S.A.		
Found in 1966.		
ME 2699	Slice, 3 mm thick, polished on one side.	223.30 g
FLUVANNA (A)	L5	
Scurry County, Texas, U.S.A.		
Found in 1967, approximately.		
ME 2792	Weathered fragment.	147.00 g
FLUVANNA (B)	H6	
Scurry County, Texas, U.S.A.		
Found in 1976.		
ME 3016	Saw-cut slice with crust on edges.	62.10 g
FÖLLINGE	III CD	
Ottsjön, Jämtland, Sweden		
Found in September, 1932.		
ME 2451	Fragment with crust	17.90 g

Catalog of Field Museum Meteorites

FOREST CITY

H5

Winnebago County, Iowa, U.S.A.

Fell on 5/2/1890 at 1715 hrs.

ME 340	One complete and 581 small complete individuals.	10,245.10 g
ME 341	55 small complete individuals.	37.30 g
ME 654	Microscopic slides; two thin sections with cover	
ME 698	Microscopic slide; thin section with cover.	
ME 1807	Complete individual.	1,770.90 g
ME 1808	About 2/3 of a complete individual.	998.90 g
ME 1810	Complete individual.	491.80 g
ME 1811	Complete individual + mounted chip.	296.50 g
ME 1812	Complete individual.	273.40 g
ME 1813	Complete individual.	234.00 g
ME 1815	Complete individual	261.20 g
ME 1816	Three individuals of medium size.	330.30 g
ME 1818	21 small, complete individuals.	138.80 g
ME 1819	Eight individuals of small size.	11.60 g
ME 1972	Complete individual+ tiny chip broken.	1,704.00 g
ME 2034	Complete individual.	464.00 g

FOREST VALE

H4

County Dowling, New South Wales, Australia

Fell on 8/7/1942 at 1500 hrs.

ME 2975	Saw-cut end piece.	12.50 g
ME 2986	Small saw-cut slice with crust on one side.	27.90 g

FORREST (B)

L6

Western Australia, Australia

Found in October, 1980.

ME 2914	Small saw-cut slice with crust.	10.30 g
---------	---------------------------------	---------

Catalog of Field Museum Meteorites

ME 2918	Extremely weathered single individual.	399.80 g
FORRESTBURG (B) L5		
Montague County, Texas, USA		
Found in 1957		
ME 3227	Slice; one side polished.	136.60
FORSYTH L6		
Monroe County, Georgia, U.S.A.		
Fell on 5/8/1829 at 1530 hrs.		
ME 240	Polished chip and fragment.	3.50 g
ME 241	Mass with crust.	33.70 g
ME 647	Microscope slide; thin section with cover	
ME 724	Microscopic slide; thin section with cover	
ME 1788	Mass with crust.	41.90 g
ME 1789	Fragment from interior.	6.20 g
FORSYTH COUNTY IIA		
South Carolina, U.S.A.		
Found in 1891, approximately.		
ME 1014	Full sized section with crust	535.70 g
FORT PIERRE IIIA		
Stanley County, South Dakota, U.S.A.		
Found in 1856.		
ME 1068	Etched section with crust.	64.00 g
FOUR CORNERS IB		
San Juan County, New Mexico, U.S.A.		
Found in 1924, approximately.		
ME 2048	Polished section.	1,757.00 g
FRANCEVILLE IIIA		
El Paso County, Colorado, U.S.A.		
Found in 1890.		
ME 863	Full sized, etched section	863.50 g

Catalog of Field Museum Meteorites

FRANKEL CITY	L6	
Andrews County, Texas, U.S.A.		
Found in 1977.		
ME 3025	Small saw-cut slice with crust on one side.	28.75 g
FRANKFORT (IRON)	IIIA	
Franklin County, Kentucky, U.S.A.		
Found in 1866.		
ME 1073	Etched, interior section.	5.50 g
FRANKFORT (STONE)	AHOW	
Franklin County, Alabama, U.S.A.		
Fell on 12/5/1868 at 1500 hrs.		
ME 296	Fragment	0.40 g
ME 1358	Fragment with crust.	17.55 g
ME 1359	Mass from interior, with sawed surface.	3.60 g
FREMONT BUTTE	L4	
Colorado, U.S.A.		
Found in 1963.		
ME 2579	Thin, polished slice; 110x80 mm	90.50 g
FRIONA	L5	
Parmer County, Texas, U.S.A.		
Found in 1981.		
ME 2911	End piece of saw-cut slice; polished face.	143.20 g
FUKUTOMI	L5	
Kinoshima, Saga, Kyushu, Japan		
Fell on 3/19/1882 at 1300 hrs.		
ME 1491	End piece with crust and polished surface.	175.20 g
FUTTEHPUR	L6	
Allahabad District, Uttar Pradesh, India		
Fell on 11/30/1822 at 1800 hrs.		
ME 588	Polished fragment with crust.	17.10 g
ME 1733	Mass with crust and sawed surfaces.	37.90 g

Catalog of Field Museum Meteorites

ME 1734	Mass with crust and sawed surfaces.	38.70 g
GAIL	H	
Borden County, Texas, USA		
Found in 1948.		
ME 3218	Thin slice; one side polished.	67.73
GALAPIAN	H6	
Agen, Lot-et-Garonne, France		
Fell in May or August, 1826.		
ME 1777	Two fragments, one with crust.	4.80 g
GALATIA	L6	
Barton County, Kansas, U.S.A.		
Found on 8/8/1971.		
ME 2817	Saw-cut slab.	87.40 g
GAMBAT	L6	
Khairpur District, Sind, Pakistan		
Fell on 9/15/1897.		
ME 1512	Mass with crust and two polished surfaces.	72.70 g
GAO	H4-5	
60 km N of Leo, Upper Volta		
Fell on 3/5/1960 at 1700 hrs.		
ME 3201	Full slice with crust.	143.60 g
GARHI YASIN	IIE	
Shikarpur taluk, Sukkur District, Sind, Pakistan		
Fell in January, 1917, during darkness hrs.		
ME 2845	Saw-cut fragment	8.50 g
GARNETT	H4	
Anderson County, Kansas, U.S.A.		
Found in 1938.		
ME 2288	Polished slice; contains free copper.	229.80 g
GARRAF	L6	
Barcelona, Spain		
Found in 1905.		

Catalog of Field Museum Meteorites

ME 2105	Fragment with crust.	61.00 g
ME 2106	Fragment with crust.	7.10 g
GARRISON		H5
Roosevelt County, New Mexico, U.S.A.		
Found in 1969.		
ME 2897	Small saw-cut slice with crust on two edges.	35.30 g
GAYLORD		H4
Smith County, Kansas, U.S.A.		
Found in August, 1983.		
ME 3145	Small saw-cut slice with one polished surface.	3.10 g
ME 3146	Weathered piece with one saw-cut face.	63.10 g
GERONA		H
Catalonia, Spain		
Found in 1899.		
ME 1487	Fragments from interior showing dark and light	0.60 g
GHUBARA		L5
Oman		
Found in 1954.		
ME 2803	Slice with crust and fracture surface.	1,679.90 g
GIBEON		IVA
Great Nama Land, Namibia		
Found in 1836.		
ME 62	Etched slab with crust.	31.00 g
ME 552	Small saw-cut piece with no crust.	14.10 g
ME 569	Etched slab, with figures differing on two sides.	167.70 g
ME 789	Full sized section; 33x37 cm, etched.	9,469.00 g
ME 825	Thin fragment.	0.70 g
ME 1028	Fragment with crust.	2.80 g
ME 1029	Fragment.	11.20 g

Catalog of Field Museum Meteorites

ME 1030	Etched fragment.	10.20 g
ME 1033	Mass with crust and two etched surfaces.	20,360.00 g
ME 1034	Full sized section, 36x69 cm; etched.	22,620.00 g

GILGOIN

H5

Brewarrina, County Clyde, New South Wales, Australia

Found in 1889.

ME 538	Mass with crust and polished surface.	179.70 g
ME 634	Microscopic slides; two thin sections with cover	
ME 685	Microscopic slide; thin section with cover	
ME 725	Microscopic slide; thin section with cover	
ME 1424	Mass with crust and two polished surfaces.	757.10 g
ME 1425	Complete individual.	11,948.00 g

GIRGENTI

L6

Sicily, Italy

Fell on 2/10/1853 at 1830 hrs.

ME 663	Microscopic slide; thin section with cover.	
ME 1775	Mass with crust.	13.90 g
ME 2412	Nearly complete individual with crust.	1,605.91 g

GLADSTONE (IRON)

IA

Portcurtis, Queensland, Australia

Found in 1915.

ME 2114	Nearly complete individual.	634,200.00 g
ME 2147	End piece with polished surface	17,909.40 g

GLADSTONE (STONE)

H6

Union County, New Mexico, U.S.A.

Found in 1936.

ME 2219	Mass from interior with polished surface.	800.00 g
---------	---	----------

Catalog of Field Museum Meteorites

GLANGGANG

H5-6

Near Bandung, Java, Indonesia

Fell on 9/26/1939.

ME 2924	Small end piece with crust on one side.	49.40 g
---------	---	---------

GLASGOW

IIIA

Barren County, Kentucky, U.S.A.

Found in 1922.

ME 2254	Polished and etched slice.	138.30 g
---------	----------------------------	----------

GLEN ROSE (IRON)

IRANOM

Somervell County, Texas, USA

Found in 1934, approximate year.

ME 3235	Slice; one side etched.	426.90
---------	-------------------------	--------

GLORIETA MOUNTAIN

PAL

Canoncito, Santa Fe County, New Mexico, U.S.A.

Found in 1884.

ME 122	Full sized etched section; 11x13 cm.	1,225.02 g
--------	--------------------------------------	------------

ME 123	Etched section.	21.60 g
--------	-----------------	---------

ME 997	Complete individual of dumb bell shape.	1,467.70 g
--------	---	------------

ME 998	Complete pear-shaped individual.	357.70 g
--------	----------------------------------	----------

ME 999	Cut mass showing etched, torn and striated surface	1,052.80 g
--------	--	------------

ME 1001	Broad thin etched section showing curved figures.	66.60 g
---------	---	---------

ME 1002	Etched section.	284.60 g
---------	-----------------	----------

ME 2365	Individual of pallasite.	145.60 g
---------	--------------------------	----------

GNADENFREI

H5

Between Reichenbach (=Dzierzoniów) & Frankenstein, Poland

Fell on 5/17/1879 at 1600 hrs.

ME 622	Microscopic slides; two thin sections #622 & #622A	
--------	--	--

ME 1549	Fragment with crust.	18.00 g
---------	----------------------	---------

Catalog of Field Museum Meteorites

GOALPARA

AURE

Assam, India

Found in 1868.

ME 764	Fragments with and without crust	9.60 g
--------	----------------------------------	--------

GOLD BASIN

L4

Gold Basin Region, Mohave County, Arizona, USA

Found on 11/24/1995

ME 3213	Single individual w/ partly weathered crust.	359.00 g
---------	--	----------

ME 3214	Single individual and fragments	370.21 g
---------	---------------------------------	----------

ME 3215	Twelve fragments of different sizes.	291.50 g
---------	--------------------------------------	----------

GOMEZ

L6

Terry County, Texas, U.S.A.

Found in 1974.

ME 2864	Three small saw-cut fragments; two with crust.	24.30 g
---------	--	---------

GOODLAND

L4

Sherman County, Kansas, U.S.A.

Found in 1923.

ME 2590	Irregular piece with three cut faces.	126.60 g
---------	---------------------------------------	----------

GOOSE LAKE

IA

Modoc County, California, U.S.A.

Found on 10/13/1938.

ME 2622	Polished, etched slab.	517.00 g
---------	------------------------	----------

ME 2903	Large saw-cut slice with crust on all but one side	987.30 g
---------	--	----------

GOVERNADOR VALADARES

SNC

Minas Gerais, Brazil

ME 3216	Thin slice with partial crust	10.99
---------	-------------------------------	-------

GRADY (1937)

H3

Curry County, New Mexico, U.S.A.

Found in 1937.

ME 2305	Polished slice with crust; 5.5x6 in	441.80 g
---------	-------------------------------------	----------

Catalog of Field Museum Meteorites

GRADY (C)

H4

Curry County, New Mexico, U.S.A.

Found in 1970.

ME 2967	Small saw-cut slice with crust on two edges.	18.60 g
---------	--	---------

GRAND RAPIDS

IRANOM

Kent County, Michigan, U.S.A.

Found in 1883.

ME 116	Full sized etched section.	1,139.50 g
--------	----------------------------	------------

ME 117	Thick, full sized section 16x22 cm, polished &	7,875.00 g
--------	--	------------

ME 1102	Full sized section; etched; 17x23 cm.	2,246.00 g
---------	---------------------------------------	------------

GRANT

IIIB

Cibola County, New Mexico, U.S.A.

Found in 1929.

ME 2140	Large individual, cut flat on one end + slice	35,993.00 g
---------	---	-------------

ME 2162	Etched section of Me 2140	1,686.60 g
---------	---------------------------	------------

ME 2164	Two fragments, etched	8.20 g
---------	-----------------------	--------

ME 2165	Etched section of Me 2140.	1,402.00 g
---------	----------------------------	------------

ME 2167	Etched section.	747.50 g
---------	-----------------	----------

ME 2620	Highly polished slab with troilite nodules.	2,696.40 g
---------	---	------------

GRAYTON

H5

Grayton Beach, Walton County, Florida, U.S.A.

Found in 1983.

ME 3052	Saw-cut end piece with crust on all but 3 faces.	93.90 g
---------	--	---------

GREAT BEND

H6

Barton County, Kansas, U.S.A.

Found in 1983.

ME 3017	Saw-cut slice with crust on one edge.	93.20 g
---------	---------------------------------------	---------

GREENBRIER COUNTY

IIIA

West Virginia, U.S.A.

Found in 1880.

Catalog of Field Museum Meteorites

ME 957	Polished slab with crust.	21.70 g
GRESSK	IIA	
Minsk, Belorussiya SSR, USSR		
Found in July, 1955.		
ME 2423	Small slab with crust on one side.	539.10 g
GRIER (B)	L5	
Curry County, New Mexico, U.S.A.		
Found in 1969.		
ME 2861	Small saw-cut slice, with crust on three sides.	59.30 g
GROSNAJA	CV3	
Mekensk, Terek, Checheno-Ingushskaya ASSR, USSR		
Fell on 6/28/1861 at 1900 hrs.		
ME 1732	Several fragments from interior.	45.23 g
GROSS-DIVINA	H5	
Sillein, Trenčän, Stredoslovensky, Czechoslovakia		
Fell on 7/24/1837 at 1130 hrs.		
ME 545	Crust fragments.	0.50 g
ME 1792	Fragments with crust.	4.10 g
GROSSLIEBENTHAL	L6	
Odessa, Kherson, Ukraine, USSR		
Fell on 11/19/1881 at 0630 hrs.		
ME 549	Fragment with crust. Microsections.	0.60 g
ME 642	Microscopic slides; thin sections # 642 & 642A.	
ME 785	Mass from interior.	24.20 g
ME 1830	Mass with crust.	20.40 g
GRÜNEBERG	H4	
Silesia, Poland		
Fell on 3/22/1841 at 1530 hrs.		
ME 1478	Mass with slightly crusted surface.	98.10 g
ME 1479	Slab with crust and 2 polished surfaces.	11.70 g

Catalog of Field Museum Meteorites

ME 1481	Two fragments from interior.	3.70 g
GRUVER	H4	
Hansford County, Texas, U.S.A.		
Found in 1934.		
ME 2214	End piece with polished surface.	783.60 g
GUADALUPE Y CALVO	IIAB	
Chihuahua, Mexico		
Found in 1971.		
ME 3159	Polished slice.	1,167.50 g
GUAREÑA	H6	
Badajos, Spain		
Fell on 7/20/1892 at 1030 hrs.		
ME 631	Microscopic slide; thin section with cover	
ME 1539	Fragment with crust.	14.40 g
ME 1540	Fragment from interior with polished surface.	5.60 g
GUFFEY	IRANOM	
Park County, Colorado, U.S.A.		
Found in 1907.		
ME 770	Fragment with bright nickel color.	14.80 g
GUIBGA	L5	
Near Pissila, Upper Volta		
Fell on 2/26/1972.		
ME 3001	Small saw-cut slice with crust on one edge.	7.60 g
GUILFORD COUNTY	IIIA	
North Carolina, U.S.A.		
Found in 1822.		
ME 1066	Weathered fragment	2.50 g
ME 2143	Etched fragment, polished; embedded in plastic.	13.20 g
GUIN	UNGR	
Marion County, Alabama, U.S.A.		
Found in 1969.		

Catalog of Field Museum Meteorites

ME 3085	Polished saw-cut slice with crust on one edge.	281.50 g
ME 3098	Polished saw-cut slice with crust on one edge.	36.80 g
GÜTERSLOH H4		
Nordrhein-Westfalen, Germany		
Fell on 4/17/1851 at 2000 hrs.		
ME 1495	Fragments from interior.	1.60 g
HAIG IIIA		
Western Australia, Australia		
Found in 1951.		
ME 2704	Small slice; polished and etched on one side.	14.10 g
HAINHOLZ MES		
Minden, Nordrhein-Westfalen, Germany		
Found in 1856.		
ME 267	Interior fragment.	1.40 g
ME 1287	Mass with crust and polished surface.	957.70 g
ME 1288	Mass with crust and polished surface.	765.00 g
ME 1290	Full sized section, polished.	386.00 g
HAJMAH (A) AURE		
Near Hajmah, Jiddat al Harasis, Oman		
Found in 1958.		
ME 2954	Fragment	3.80 g
HALLINGEBERG L3		
Vèstervik, Kalmar, Sweden		
Fell on 2/1/1944 at 1400 hrs.		
ME 2444	Two fragments from interior.	4.50 g
HAMILTON (QUEENSLAND) L6		
Near Dirranbandi, Queensland, Australia		
Found in 1966.		
ME 2991	Small weathered saw-cut slice with crust on 1 edge	21.70 g

Catalog of Field Museum Meteorites

HAMLET

LL4

Starke County, Indiana, U.S.A.

Fell on 10/13/1959 at 0905 hrs.

ME 2574	One-half of the complete individual	568.20 g
ME 2588	Fragment	2.15 g
ME 2679	Small chip with partial crust.	27.00 g

HAMMOND

IRANOM

St. Croix County, Wisconsin, U.S.A.

Found in 1884.

ME 124	Slice, polished on one side; etched on the other.	35.30 g
ME 987	Etched section with crust.	97.10 g

HAMMOND DOWNS

H4

South Gregory, Queensland, Australia

Found in 1950.

ME 2977	Small cube of weathered matrix.	14.30 g
---------	---------------------------------	---------

HANGMAN CROSSING

H4

Near Seymour, Jackson County, Indiana, U.S.A.

Found in May, 1976.

ME 3151	Saw-cut slice with crust on one edge.	7.70 g
---------	---------------------------------------	--------

HANIET-EL-BEGUEL

IA

Oued Mzab, Algeria

Found in 1888.

ME 944	Full sized section with polished surface.	11.00 g
--------	---	---------

HAPPY (A)

H

Swisher County, Texas, U.S.A.

Found in 1971.

ME 3083	Saw-cut slice with crust on edges + one chip	84.10 g
---------	--	---------

HAPPY CANYON

E6

Armstrong County, Texas, U.S.A.

Found in 1971.

ME 2760	Cut slice + small fragment + powder in vial.	61.05 g
---------	--	---------

Catalog of Field Museum Meteorites

ME 2780	Saw-cut slice.	21.10 g
HARDWICK	L4	
Black Plain Township, Rock County, Minnesota, U.S.A.		
Found in 1937.		
ME 2292	Slice with polished surface.	276.00 g
HARLETON	L6	
Harrison County, Texas, U.S.A.		
Fell on 5/30/1961 at 2230 hrs.		
ME 2686	Two fragmental pieces with a little fusion crust	508.60 g
HARLOWTON	IA	
Wheatland County, Montana, U.S.A.		
Found in 1975.		
ME 2869	Small saw-cut slice with crust.	247.20 g
HARRISON COUNTY	L6	
Indiana, U.S.A.		
Fell on 3/28/1859 at 1600 hrs.		
ME 1494	Fragments from interior	1.30 g
HARRISON TOWNSHIP		
Greenley County, Kansas, USA		
Found in 1945		
ME 3231	Slice; one side polished.	175.30
HARRISONVILLE	L6	
Cass County, Missouri, U.S.A.		
Found on 4/9/1933.		
ME 2198	Polished slice of aerolite.	93.20 g
ME 2217	Complete individual, sliced.	1,434.20 g
HASKELL	L6	
Haskell County, Texas, U.S.A.		
Found in 1909.		
ME 2856	Large slice with crust on two sides.	819.00 g

Catalog of Field Museum Meteorites

HASPAROS	IA	
Lincoln County, New Mexico, U.S.A.		
Found in 1935.		
ME 3040	Saw-cut slice, crust on edges, one face polished.	980.20 g
HASSAYAMPA	H	
Maricopa County, Arizona, USA		
Found in 1963, or before this year.		
ME 3219	Thin slice; one side polished.	110.70
HASSI-JEKNA	IIICD-ANO	
Oued Mequiden, El Golea, Algeria		
Fell in 1880, or some years before.		
ME 1065	Fragment.	0.50 g
HAWK SPRINGS	H5	
Goshen County, Wyoming, U.S.A.		
Found on 12/23/1935.		
ME 2306	Fragment with crust; 1.25x2 in	54.30 g
HAYDEN CREEK	IIIA	
Lemhi County, Idaho, U.S.A.		
Found in 1895.		
ME 489	Etched section with crust.	45.00 g
ME 1020	Etched section with crust.	23.50 g
HEBRON	H6	
Thayer County, Nebraska, USA		
Found in 1965, Summer.		
ME 3220	Thin slice; one side polished.	229.50
HEDESKOGA	H5	
Ystad, Sweden		
Fell on 4/20/1922 at 1945 hrs.		
ME 2445	Fragment with crust and polished faces.	40.16 g
HENBURY	IIIA	
Northern Territory, Australia		
Found in 1931.		

Catalog of Field Museum Meteorites

ME 2156	Two individuals.	75.20 g
ME 2173	Individual	13,669.00 g
ME 2174	Complete individual.	2,684.00 g
ME 2175	Individual stone.	261.70 g
ME 2176	Individual	266.90 g
ME 2177	Slug (complete individual)	202.50 g
ME 2178	Slug, individual.	359.30 g
ME 2179	Individual torn off from meteorite when landing.	76.30 g
ME 2180	Individual torn off from meteorite when landing.	911.80 g
ME 2187	Shale balls from meteor crater.	93.00 g
ME 2188	Shale ball from meteor crater.	81.10 g
ME 2189	Shale ball from meteor crater.	92.90 g
ME 2202	Etched half of slug (individual).	429.20 g
ME 2203	Etched slice	351.00 g
ME 2669	Irregular fragment.	15.80 g
ME 2671	Two single individuals.	28.50 g

HENDERSONVILLE **L5**

Henderson County, North Carolina, U.S.A.

Found in 1901.

ME 1773	Fragment with crust.	23.00 g
---------	----------------------	---------

HEREDIA **H5**

San Jose, Costa Rica

Fell on 4/1/1857, at night hrs.

ME 442	Fragment from interior.	4.50 g
--------	-------------------------	--------

ME 1781	Fragment with crust.	5.10 g
---------	----------------------	--------

HERMITAGE PLAINS **L6**

County Canbelego, New South Wales, Australia

Found in 1909.

Catalog of Field Museum Meteorites

ME 784	Mass with crust.	216.50 g
HESSLE		
H5		
Uppsala, Sweden		
Fell on 1/1/1869 at 1230 hrs.		
ME 297	Sawed fragment with crust.	8.60 g
ME 298	Nearly complete individual.	6.00 g
ME 1750	Complete individual.	363.00 g
ME 1751	Complete individual; minutely pitted.	42.90 g
ME 1752	Complete individual	1.70 g
HEX RIVER MOUNTAINS		
IIA		
Cape Province, South Africa		
Found in 1882.		
ME 115	Sawed slab, one surface etched.	446.00 g
ME 986	Polished slab with crust.	233.00 g
HIGH POSSIL		
L6		
Glasgow, Strathclyde, Scotland		
Fell on 4/5/1804, morning.		
ME 1551	Fragments with crust.	3.60 g
HILL CITY		
IVA		
Graham County, Kansas, U.S.A.		
Found in 1947.		
ME 2413	Thin slab, etched and polished.	22.30 g
ME 2417	Slice, etched and polished.	139.00 g
HOBBA		
IVB		
Grootfontein, Namibia		
Found in 1920.		
ME 2191	Weathered portion of outer crust of meteorite.	197.10 g
ME 2200	Meteorite iron shale.	1,322.80 g
ME 2201	Fragment of meteorite shale.	26.60 g

Catalog of Field Museum Meteorites

ME 2477	Mass with crust; in several sawn pieces.	220.42 g
HOBBS	H4	
Lea County, New Mexico, U.S.A.		
Found in 1933.		
ME 2206	Polished slice.	141.20 g
HÖKMARK	L4	
Vèsterbotten, Sweden		
Fell on 6/9/1954 at 2031 hrs.		
ME 2443	Three fragments with crust.	9.50 g
HOLBROOK	L6	
Navajo County, Arizona, U.S.A.		
Fell on 7/19/1912 at 1915 hrs.		
ME 801	170 small complete individuals.	505.40 g
ME 2014	8 Complete individuals	48.50 g
ME 2016	Complete individual.	3.30 g
ME 2017	Complete individual.	57.30 g
ME 2018	Complete individual.	23.80 g
ME 2019	Complete individual.	36.00 g
ME 2020	Complete individual.	126.50 g
ME 2021	Complete individual.	188.20 g
ME 2022	Complete individual.	462.30 g
ME 2023	Complete individual.	316.90 g
ME 2024	Complete individual.	305.80 g
ME 2025	Complete individual.	145.80 g
ME 2026	A complete individual.	84.10 g
ME 2027	Complete individual	380.40 g
ME 2028	Complete individual.	573.00 g
ME 2029	Complete individual	559.00 g

Catalog of Field Museum Meteorites

ME 2030	Complete individual.	1,673.80 g
ME 2032	Complete individual.	3,477.00 g
ME 2033	Complete individual.	180.40 g
ME 2494	Microscopic slide; thin section with cover.	
HOLLAND'S STORE		
IIA		
Chattooga County, Georgia, U.S.A.		
Found in 1887.		
ME 1007	Full sized slab, thin with polished surface.	206.40 g
HOLYOKE		
H4		
Phillips County, Colorado, U.S.A.		
Found in 1933.		
ME 2307	Polished slice with crust, 4x6 in	328.50 g
HOMESTEAD		
L5		
Iowa County, Iowa, U.S.A.		
Fell on 2/12/1875 at 2215 hrs.		
ME 312	Complete individual.	3,172.00 g
ME 313	3/4 of a complete individual + 93g fragments.	7,576.00 g
ME 314	Full sized polished section, 16x20 cm	1,744.00 g
ME 691	Microscopic slides; two thin section with cover	
ME 1345	Complete individual. Form, pyramidal.	5,092.00 g
HONOLULU		
L5		
Oahu, Hawaii, U.S.A.		
Fell on 9/27/1825 at 1030 hrs.		
ME 1553	Two fragments with crust.	15.30 g
HOPE		
IA		
Hempstead County, Arkansas, USA		
ME 3234	Slice; one side etched.	420.70

Catalog of Field Museum Meteorites

HOPPER	IIIB	
Henry County, Virginia, U.S.A.		
Found in 1889.		
ME 136	Cleavage pieces, much oxidized.	39.00 g
HORACE	H5	
Greeley County, Kansas, U.S.A.		
Found in 1940.		
ME 2362	End piece.	1,098.10 g
HORSE CREEK	MESANOM	
Baca County, Colorado, U.S.A.		
Found in 1937.		
ME 2308	Etched slice with crust, 1.5x1.25 cm.	23.20 g
ME 2309	Etched slice with crust, 1.25x 1 in	14.90 g
HOWE	H5	
Grayson County, Texas, U.S.A.		
Found in 1938.		
ME 2310	Polished slice; 3x6 in	380.10 g
HRASCHINA	IID	
Zagreb, Croatia, Yugoslavia		
Fell on 5/26/1751 at 1800 hrs.		
ME 1072	Etched interior fragment; figures distinct.	9.00 g
HUCKITTA	PAL	
Northern Territory, Australia		
Found in 1924.		
ME 2594	Irregular pieces with one cut & polished face.	351.50 g
HUECO TANKS	L6	
W of Hueco Tanks State Park, El Paso, Texas, U.S.A.		
Found on 12/25/1985.		
ME 3112	Saw-cut slice with crust on edges.	40.20 g
HUGOTON	H5	
Stevens County, Kansas, U.S.A.		
Found in 1927.		

Catalog of Field Museum Meteorites

ME 2221	Mass with crust and polished surface.	1,263.30 g
HUIZOPA	IVA	
Temosachic, Guerrero District, Chihuahua, Mexico		
Found in 1907.		
ME 2137	Etched slab.	302.20 g
HUNGEN	H6	
Hessen, Germany		
Fell on 5/17/1877 at 0700 hrs.		
ME 1573	Three fragments with crust.	0.80 g
HUNTER	LL5	
Garfield County, Oklahoma, U.S.A.		
Found in 1962.		
ME 2887	Small saw-cut slice with crust on one edge.	54.00 g
HUNTSMAN	H4	
Cheyenne County, Nebraska, U.S.A.		
Found in 1910.		
ME 2788	Saw-cut fragment.	89.45 g
HVITTIS	E6	
Abo, Finland		
Fell on 10/21/1901 at 1200 hrs.		
ME 578	Sawings and polished thin sections.	7.10 g
ME 1470	Mass with crust and polished surface.	411.89 g
IBBENBÜREN	ADIO	
Nordrhein-Westfalen, Germany		
Fell on 6/17/1870 at 1400 hrs.		
ME 1554	Fragments from interior.	3.20 g
IBITIRA	AEUC	
Martinho Campos, Minas Gerais, Brazil		
Fell on 6/30/1957 at 1715 hrs.		
ME 3211	Two sawn pieces	191.77 g

Catalog of Field Museum Meteorites

IDALIA

Yuma County, Colorado, U.S.A.

Found in 1968.

ME 3018	Saw-cut slice with crust on edges.	198.54 g
---------	------------------------------------	----------

ILIMAES (IRON)

Taltal, Atacama, Chile

Found in 1870.

ME 939	End piece with etched surface. Embedded in epoxy.	7.40 g
--------	---	--------

ILLINOIS GULCH

Powell County, Montana, U.S.A.

Found in 1899.

ME 838	Full sized thick section with polished surfaces.	458.00 g
--------	--	----------

ME 839	End piece with polished surface.	55.80 g
--------	----------------------------------	---------

IMILAC

Atacama Desert, Atacama, Chile

Found in 1822.

ME 160	Fragment	13.00 g
--------	----------	---------

ME 161	Fragment	17.20 g
--------	----------	---------

ME 162	Etched section.	205.00 g
--------	-----------------	----------

ME 742	Sawn fragment w/ crust; polished.	392.00 g
--------	-----------------------------------	----------

ME 1267	Full sized section, 22x31 cm, polished.	10,076.37 g
---------	---	-------------

ME 1325	Complete individual.	117.20 g
---------	----------------------	----------

ME 1326	End piece.	219.50 g
---------	------------	----------

ME 1328	Polished slab.	29.90 g
---------	----------------	---------

ME 2627	Fragment?	1,335.00 g
---------	-----------	------------

INDARCH

Shusha, Elisavetpol, Azerbaydzhan SSR, USSR

Fell on 4/7/1891 at 2010 hrs.

ME 640	Microscopic slide; thin section with cover	
--------	--	--

Catalog of Field Museum Meteorites

ME 1402	Powder in glass vial.	0.70 g
ME 1403	Five fragments from polished slab.	18.05 g
ME 1404	Nearly complete individual; one surface polished.	10,827.27 g
INDIAN VALLEY IIA		
Floyd County, Virginia, U.S.A.		
Found in 1887.		
ME 154	One-half of the original mass.	7,416.00 g
ME 1950	Sawings	4.70 g
INDIANOLA L5		
Red Willow County, Nebraska, U.S.A.		
Found in 1939.		
ME 2311	Polished slice with crust; 3.5x5 in	196.10 g
INDIO RICO H6		
Buenos Aires Province, Argentina		
Found in 1887.		
ME 1520	Fragment with crust.	11.30 g
IOKA L3		
Duchesne County, Utah, U.S.A.		
Found in 1931.		
ME 3102	Saw-cut chunk with crust on one edge.	27.50 g
IQUIQUE IVB		
Pampa del Tamarugal, Tarapaca, Chile		
Found in 1871.		
ME 1067	Etched slab with crust.	16.39 g
IREDELL IIB		
Bosque County, Texas, U.S.A.		
Found in 1898.		
ME 1079	Fragment from surface, etched.	11.70 g
IRON CREEK IIIA		
Battle River, Alberta, Canada		
Found in 1869.		

Catalog of Field Museum Meteorites

ME 1897	Full sized etched section. Re-etched 1917.	237.30 g
ISNA		
CO3		
Luxor, Egypt		
Found in 1970.		
ME 2794	Small slice.	7.90 g
ME 2799	Small slice.	18.00 g
ISOULANE-N-AMAHAR		
L6		
Algeria		
Found on 5/19/1945.		
ME 2976	Saw-cut portion of a slice which was broken off.	9.10 g
ITAPICURU-MIRIM		
H5		
Maranhão, Brazil		
Fell in March, 1879.		
ME 1747	Mass with crust and sawed surface.	221.00 g
IVANPAH		
IIIA		
San Bernardino County, California, U.S.A.		
Found in 1880.		
ME 1118	Etched slab with crust.	220.30 g
JACKSON COUNTY		
IIIA		
Tennessee, U.S.A.		
Found in 1846.		
ME 1116	Cleaved mass with nearly plane surfaces.	114.84 g
JAMESTOWN		
IVA		
Stutsman County, North Dakota, U.S.A.		
Found in 1885.		
ME 1021	End piece etched.	576.70 g
JAMKHEIR		
H6		
Ahmadnagar District, Maharashtra, India		
Fell on 10/5/1866 at 1200 hrs.		
ME 1572	Fragment with crust and polished surface.	1.20 g

Catalog of Field Museum Meteorites

JELICA

LL6

Serbia, Yugoslavia

Fell on 12/1/1889 at 1430 hrs.

ME 511	Fragment with crust.	68.50 g
ME 616	Microscopic slide: 2 thin sections #'s 616 & 616a.	
ME 1353	Mass with crust; good example of meteorite.	32.90 g
ME 1354	Mass with crust; good example of meteorite.	67.65 g
ME 1355	Mass with crust; good example of meteorite.	71.80 g

JENNY'S CREEK

IA

Wayne County, West Virginia, U.S.A.

Found in 1883.

ME 114	Chiseled fragment.	16.80 g
ME 954	Two masses showing cleavage octahedrons, separated	113.70 g

JEROME (IDAHO)

L

Jerome County, Idaho, U.S.A.

Found in 1954.

ME 3127	Saw-cut slices with crust on edges, weathered.	218.70 g
ME 3141	Saw-cut end piece, weathered.	1.70 g
ME 3142	Saw-cut end piece, weathered.	0.90 g

JEROME (KANSAS)

L4

Gove County, Kansas, U.S.A.

Found in 1894.

ME 1518	Mass with crust.	54.00 g
---------	------------------	---------

JHUNG

L5

Lyallpur District, Punjab, Pakistan

Fell in June, 1873, at 1500 hrs.

ME 305	Fragment with polished surface.	0.90 g
ME 306	Fragment with polished surface.	4.50 g
ME 727	Microscopic slide; thin section with cover	

Catalog of Field Museum Meteorites

ME 1798	Two fragments with crust.	12.60 g
ME 1799	Polished interior fragment.	5.30 g
JILIN	H5	
Jilin, Yongji Co., China		
Fell on 3/8/1976 at 1500 hrs.		
ME 2800	Fragment	20.70 g
ME 2815	Fragments from interior.	59.30 g
ME 2819	Fragment with some crust.	92.10 g
ME 2822	Fragment with partial crust.	12.20 g
ME 2932	Fragment, no crust.	6.20 g
ME 3053	Gray chunk	11.70 g
JODZIE	AHOW	
Panavezys, Kovno, Lithuanian SSR, USSR		
Fell on 6/17/1877 at 0430 hrs.		
ME 1371	Mass with crust.	17.92 g
JOEL'S IRON	IIIA	
Atacama, Chile		
Found in 1858.		
ME 940	Full sized etched section.	43.60 g
JOHNSON CITY	L6	
Stanton County, Kansas, U.S.A.		
Found in 1937.		
ME 2900	Small saw-cut slice with crust on two edges.	53.00 g
JOHNSTOWN	ADIO	
Weld County, Colorado, U.S.A.		
Fell on 7/6/1924 at 1620 hrs.		
ME 2058	Complete individual.	56.80 g
ME 2059	Nearly complete individual.	106.81 g
ME 2060	Complete individual.	5.70 g

Catalog of Field Museum Meteorites

JONZAC

Charente Maritime, France

Fell on 6/13/1819 at 0545 hrs.

ME 1482	Fragments with some crust.	7.00 g
---------	----------------------------	--------

AEUC

JUDESEGERI

Tumkur District, Karnataka, India

Fell on 2/16/1876, evening.

ME 1529	Fragment from interior.	3.70 g
---------	-------------------------	--------

H6

JULESBURG

Sedgewick County, Colorado, U.S.A.

Found in 1983.

ME 3111	Saw-cut slice, one face polished, crust on 2 edges	192.40 g
---------	--	----------

ME 3116	Saw-cut slice with crust on edges.	20.10 g
---------	------------------------------------	---------

JUNCAL

Atacama, Chile

Found in 1866.

ME 140	Etched slab with crust.	60.70 g
--------	-------------------------	---------

ME 1201	Etched slab with crust.	45.60 g
---------	-------------------------	---------

IIIA

JUVINAS

Libonnes, Entraigues, Ardeche, France

Fell on 6/15/1821 at 1500 hrs.

ME 664	Microscopic slide; thin section with cover.	
--------	---	--

ME 726	Microscopic slides; two thin sections with cover	
--------	--	--

ME 1365	Mass with crust.	107.60 g
---------	------------------	----------

ME 1366	Mass from interior.	46.42 g
---------	---------------------	---------

ME 2649	Fragment from interior.	141.20 g
---------	-------------------------	----------

AEUC

KABA

Debreczen, Hungary

Fell on 4/15/1857 at 2200 hrs.

ME 1745	Fragment from interior.	1.10 g
---------	-------------------------	--------

CV3

Catalog of Field Museum Meteorites

KADONAH	H6	
Agra District, Uttar Pradesh, India		
Fell on 8/7/1822, night hrs.		
ME 584	Fragment from interior.	0.60 g
ME 1508	Fragment with crust.	19.00 g
KAFFIR (B)	H	
Swisher County, Texas, U.S.A.		
Found in 1966.		
ME 2968	Small saw-cut slice with crust on one edge.	16.90 g
KAINSAZ	CO3	
Muslyumov, Tatar Republic, USSR		
Fell on 9/13/1937 at 1415 hrs.		
ME 2654	Polished thin section.	
ME 2755	Fragment with fusion crust on two ends.	104.92 g
KAKANGARI	CHANOM	
Tiruppatur taluq, Dharmapuri District, Tamil Nadu, India		
Fell on 6/4/1890 at 0800 hrs.		
ME 2830	Fragment	6.50 g
KAKOWA	L6	
Oravita, Romania		
Fell on 5/19/1858 at 0800 hrs.		
ME 1493	Fragments	0.10 g
KALKASKA	IIIA	
Kalkaska County, Michigan, U.S.A.		
Found in 1947, or 1948, in the summer.		
ME 3109	Saw-cut slice with crust on almost all edges.	27.50 g
KALVESTA	H	
Finney County, Kansas, U.S.A.		
Found in 1968.		
ME 3120	Small saw-cut slice with crust on one edge.	14.15 g

Catalog of Field Museum Meteorites

KAPOETA

AHOW

Equatoria, Sudan

Fell on 4/22/1942 at 1900 hrs.

ME 2811 Fragment with crust on one edge. 49.28 g

ME 3084 Polished thin section only

ME 3129 Irregularly shaped mass with 3 saw-cut faces. 45.80 g

KARAKOL

LL6

Ayagus, Semipalatinsk, Federated SSR, USSR

Fell on 5/9/1840 at 1200 hrs.

ME 1498 Mass with crust and polished surface. 30.80 g

KARGAPOLE

H4

Kurgan Region, Federated SSR, USSR

Found in July, 1961.

ME 2795 Small slice. 15.90 g

KARKH

L6

Jhalawan, Baluchistan, Pakistan

Fell on 4/27/1905 at 1300 hrs.

ME 2246 Four fragments, 1 with crust. 30.00 g

KAROONDA

C5

Buccleuch County, South Australia, Australia

Fell on 11/25/1930 at 2253 hrs.

ME 2666 Interior fragment. 26.18 g

ME 2676 Interior fragment. 85.00 g

KARVAL

H

Lincoln County, Colorado, U.S.A.

Found in 1936.

ME 2385 Polished slice. 194.50 g

KAUFMAN

L5

Kaufman County, Texas, USA

Found in 1893.

ME 3228 Slice; one side polished. 82.96

Catalog of Field Museum Meteorites

KAYAKENT	IIIA		
Turkey			
Fell in April, 1961.			
ME 3013	Small saw-cut slice.		8.20 g
KEDIRI	L4		
Java, Indonesia			
Fell about 1940.			
ME 2879	Small saw-cut slice with crust on two sides		65.30 g
KELLY	LL4		
Logan County, Colorado, U.S.A.			
Found in 1937.			
ME 2235	Polished slice.		2,075.91 g
KENDALL COUNTY	IRANOM		
Kendall County, Texas, U.S.A.			
Found in 1887.			
ME 1022	Full sized slab with polished surface.		257.50 g
ME 1023	Full sized slab with polished surface.		392.00 g
KENDLETON	L4		
Fort Bend County, Texas, USA			
Fell on 5/2/1939, at 1925 hrs.			
ME 3229	Fragment with some black crust.		228.40
KENNA	AURE		
Roosevelt County, New Mexico, U.S.A.			
Found in 1972, approximately.			
ME 2759	Thin slice, broken into several pieces.		34.63 g
ME 2841	Saw-cut fragment		33.10 g
KENTON COUNTY	IIIA		
Kentucky, U.S.A.			
Found in 1889.			
ME 133	About one-third of original mass.		39,454.00 g
ME 134	Etched full sized slab; 14x49 cm.		6,845.00 g

Catalog of Field Museum Meteorites

ME 135	Full sized slab, 23x44 cm; both sides polished.	9,577.00 g
ME 766	Full sized etched section.	909.80 g
ME 1053	Full sized slab.	8,506.00 g
ME 1185	Long, narrow end piece, etched.	941.60 g
KERILIS		H5
Mâel Pestivien, Callac, Cotes-du-Nord, France		
Fell on 11/26/1874 at 1030 hrs.		
ME 758	Fragment with crust	2.90 g
ME 1524	Slab with crust, one surface polished.	35.00 g
ME 1525	Fragment with crust.	4.00 g
KERMICHEL		L6
Vannes, Morbihan, France		
Found in 1911, but perhaps fell on 6/30/1903.		
ME 796	Mass much oxidized.	63.20 g
KERNOUVE		H6
Morbihan, France		
Fell 5/22/1869 at 2200 hrs.		
ME 299	Interior fragment.	0.40 g
ME 300	Fragment from interior.	0.50 g
ME 301	Mass with polished surface.	24.40 g
ME 639	Microscopic slides; two thin sections #639 & 639A	
ME 703	Microscopic slide; thin section with cover	
ME 1484	Mass from interior.	98.60 g
KESEN		H4
Iwate, Honshu, Japan		
Fell on 6/13/1850 at 0500 hrs.		
ME 257	Mass showing crust and interior.	1,264.80 g
ME 258	Mass from interior with crust.	1,188.00 g

Catalog of Field Museum Meteorites

ME 641	Microscopic slide; thin section with cover	
ME 697	Microscopic slide; thin section with cover	
ME 1828	Fragments and powder.	8.40 g
KEYES		L6
Cimarron County, Oklahoma, U.S.A.		
Found in 1939.		
ME 2375	Large fragment.	350.90 g
ME 2415	Fragment, one side polished.	310.60 g
KHAIRPUR		E6
Bahawalpur, Sind, Pakistan		
Fell on 9/23/1873 at 0500 hrs.		
ME 662	Microscopic slide; thin section with cover.	
ME 1538	Slab with polished surface.	45.70 g
KHANPUR		LL5
Ghazipur District, Uttar Pradesh, India		
Fell on 7/8/1932 at 1200-1300 hrs.		
ME 2782	Fragment with crust and saw-cut face.	10.00 g
KHARKOV		L6
Sumy Region, Ukraine, USSR		
Fell on 10/12/1787 at 1500 hrs.		
ME 1535	Fragment with crust.	10.70 g
ME 1536	Fragment from interior with polished surface.	6.60 g
KHETRI		H6
Shekhawati, Jaipur, Rajasthan, India		
Fell on 1/19/1867 at 0900 hrs.		
ME 1485	Fragment from interior.	5.20 g
KHOHAR		L3
Banda District, Uttar Pradesh, India		
Fell on 9/19/1910 at 1300 hrs.		
ME 3110	Irregularly shaped chunk with 2 saw-cut faces.	16.30 g

Catalog of Field Museum Meteorites

KIKINO

H6

Vyazma, Smolensk, Federated SSR, USSR

Fell in 1809.

ME 632 Microscopic slide; thin section with cover

ME 1496 Mass with crust. 31.50 g

KILBOURN

H5

Columbia County, Wisconsin, U.S.A.

Fell on 6/16/1911 at 1700 hrs.

ME 795 Microscopic slides; thin section with cover.

ME 797 Full sized sawed section with crust. 61.60 g

ME 1991 Fragments from interior. 7.70 g

ME 1992 Portion of a barn floor through which Kilbourn

KILLETER

H6

County Tyrone, Ireland

Fell on 4/29/1844 at 1530 hrs.

ME 1477 Fragment with crust. 3.35 g

KINGFISHER

L5

Kingfisher County, Oklahoma, U.S.A.

Found in 1950.

ME 2624 Polished slab. 308.40 g

KINGSTON

IRANOM

Sierra County, New Mexico, U.S.A.

Found in 1891.

ME 800 End piece, etched. 1,100.10 g

KINLEY

L6

Saskatchewan, Canada

Found in 1965, or 1966.

ME 3068 Four thin weathered saw-cut slices. 21.50 g

KISSIJ

H5

Chistopol, Kazan, Tatar Republic, USSR

Found in 1899.

Catalog of Field Museum Meteorites

ME 1471	Mass with crust and polished surfaces.	296.60 g
KLAMATH FALLS		
	IIIF	
Klamath County, Oregon, U.S.A.		
Found in 1952.		
ME 2789	Small slice, unetched.	134.60 g
KLEIN-WENDEN		
	H6	
Nordhausen, Erfurt, Germany		
Fell on 9/16/1843 at 1645 hrs.		
ME 1534	Fragment with crust and polished surface.	1.80 g
KLONDIKE (SKOOKUM GULCH)		
	IVB	
Yukon, Northwest Territories, Canada		
Found in 1905.		
ME 1963	Etched section.	693.19 g
KNYAHINYA		
	L5	
Nagybereszna, Ungvar, Ukraine, USSR		
Fell on 6/9/1866 at 1700 hrs.		
ME 285	Complete individual cut into two halves.	8.60 g
ME 286	Complete individual	239.60 g
ME 287	Saw cut specimen	3,215.00 g
ME 638	Microscopic slides; two thin sections #638 & 638A	
ME 696	Microscopic slide; thin section with cover	
ME 1821	Complete individual, form flattened.	1,528.40 g
ME 1822	Complete individual, form angular. Oriented	1,495.40 g
ME 1823	Mass with crust and polished surface	1,914.70 g
KODAIKANAL		
	IIE-ANOM	
Palni Hills, Madura District, Tamil Nadu, India		
Found in 1898, perhaps fell 8 years previously.		
ME 574	Cut section with crust.	105.10 g
ME 943	Broad etched slice with crust.	127.97 g

Catalog of Field Museum Meteorites

KOFA

Yuma County, Arizona, U.S.A.

Found in 1893.

ME 1993	Mass with polished surface.	346.90 g
---------	-----------------------------	----------

IRANOM

KOKOMO

Howard County, Indiana, U.S.A.

Found in 1862.

ME 1060	Thin, etched slab with crust.	22.00 g
---------	-------------------------------	---------

ME 1061	Etched slab with crust.	40.00 g
---------	-------------------------	---------

IVB

KOKSTAD

Griqualand East, Cape Province, South Africa

Found in 1884.

ME 936	Slab with crust and etched surface.	24.00 g
--------	-------------------------------------	---------

ME 1015	Broad, thin etched slab with crust.	255.04 g
---------	-------------------------------------	----------

IIIE

KOTA-KOTA

Marimba District, Malawi

Found in 1905.

ME 2828	Fragment	2.00 g
---------	----------	--------

E4

KRÄHENBERG

Zweibrücken, Rheinland-pfalz, Germany

Fell on 5/5/1869 at 1830 hrs.

ME 1488	Fragments with crust.	0.20 g
---------	-----------------------	--------

LL5

KRAMER CREEK

Pueblo County, Colorado, U.S.A.

Found in 1966.

ME 2685	Flat slice with natural crust on one side.	37.50 g
---------	--	---------

ME 2743	Piece cut flat on one side, with fusion crust	29.80 g
---------	---	---------

L4

KRASNOI-UGOL

Ryazan, Federated SSR, USSR

Fell on 9/9/1829 at 1400 hrs.

ME 1564	Fragment from interior	0.10 g
---------	------------------------	--------

L6

Catalog of Field Museum Meteorites

KRASNOJARSK

PAL

Yeniseisk, Federated SSR, USSR

Found in 1749.

ME 159	Fragments of iron and chrysolite.	71.50 g
ME 1254	Mass	156.10 g
ME 1255	Mass	300.00 g
ME 1256	Mass	217.60 g

ME 3047	Saw-cut slice with crust on one edge.	21.30 g
---------	---------------------------------------	---------

KRYMKA

LL3

Nicholayev Region, Ukraine, USSR

Fell on 1/21/1946.

ME 2753	Piece of individual with fusion crust.	38.60 g
---------	--	---------

KULESCHOVKA

L6

Poltava, Ukraine, USSR

Fell on 3/12/1811 at 1100 hrs.

ME 1349	Mass with crust	10.20 g
ME 1350	Mass from interior	13.80 g

KULNINE

L6

Wentworth County, Victoria, Australia

Found in 1886.

ME 3022	Small weathered irregularly shaped chunk.	8.30 g
---------	---	--------

KUMERINA

IIC

Western Australia, Australia

Found in February, 1937.

ME 2846	Saw-cut fragment	79.80 g
---------	------------------	---------

KUNASHAK

L6

Chelyabinsk Region, Federated SSR, USSR

Fell on 6/11/1949 at 0814 hrs.

Catalog of Field Museum Meteorites

ME 2765	Interior fragment.	10.60 g
KUTTIPPURAM	L6	
Ponnani taluq, Malabar District, Kerala, India		
Fell on 4/6/1914 at 0700 hrs.		
ME 1999	Mass showing crust.	67.30 g
KYANCUTTA	IIIA	
Le Hunte County, South Australia, Australia		
Found in June, 1932.		
ME 2204	Block with crust and three polished surfaces.	1,409.20 g
KYBUNGA	L5	
South Australia, Australia		
Found in 1956.		
ME 2703	Small slice.	8.50 g
KYLE	L6	
Hayes County, Texas, U.S.A.		
Found in 1965.		
ME 2969	Small weathered saw-cut slice with crust on one	7.70 g
KYUSHU	L6	
Kyushu, Japan		
Fell on 10/26/1886 at 1500 hrs.		
ME 1783	Mass with primary and secondary crust.	156.50 g
ME 1784	Complete individual.	85.30 g
ME 1785	Mass with crust and sawed surface.	54.30 g
L'AIGLE	L6	
Orne, France		
Fell on 4/26/1803 at 1300 hrs.		
ME 218	Gray powder	0.20 g
ME 219	Mass with crust	110.80 g
ME 657	Microscopic slides; two thin sections with cover.	
ME 711	Microscopic slide; thin section with cover	

Catalog of Field Museum Meteorites

ME 1405	Interior fragment with polished surface.	12.70 g
ME 1406	Portions of three individuals with crust.	198.00 g
ME 1407	Portions of two individuals with crust.	402.70 g
LA BÉCASSE	L6	
Dun le Pöelier, Indre, France		
Fell on 1/31/1879 at 1230 hrs.		
ME 741	Slab with crust.	61.10 g
ME 1364	Slab with crust and saw surfaces.	27.90 g
LA CAILLE	IRANOM	
Grasse, Alpes Maritimes, France		
Found in 1828.		
ME 900	Poorly etched slab with crust.	60.10 g
ME 901	Etched mass with crust.	34.00 g
ME 902	Etched slab with crust.	7.90 g
LA CRIOLLA	L6	
300 mi N of Buenos Aires, Entre Rios Prov., Argentina		
Fell on 1/6/1985 at 1815 hrs.		
ME 3074	Entire individual	329.40 g
ME 3132	Entire individual.	80.65 g
ME 3133	Broken chunk, one face polished, one w/ crust.	37.80 g
LA GRANGE	IVA	
Oldham County, Kentucky, U.S.A.		
Found in 1860.		
ME 84	Polished section with crust.	46.70 g
ME 1194	Etched section with crust.	172.40 g
LA LANDE	L5	
De Baca County, New Mexico, U.S.A.		
Found in 1933.		
ME 2842	Saw-cut fragment.	34.90 g

Catalog of Field Museum Meteorites

LA PORTE

IIIA

La Porte County, Indiana, U.S.A.

Found in 1900.

ME 2269	Part of individual with etched surface.	9,244.20 g
ME 2271	Etched slice	672.20 g
ME 2343	Full-sized etched slice.	805.00 g

LA PRIMITIVA

IRANOM

Santa Catalina, Tarapaca, Chile

Found in 1888.

ME 1071	Thin slab, polished.	29.40 g
---------	----------------------	---------

LA VILLA

H4

Hidalgo County, Texas, U.S.A.

Found in April, 1956.

ME 2901	Fragment	29.42 g
---------	----------	---------

LABOREL

H5

Drome, France

Fell on 6/14/1871 at 2000 hrs.

ME 1670	Two fragments with crust.	16.70 g
---------	---------------------------	---------

LADDER CREEK

L6

Greeley County, Kansas, U.S.A.

Found in July, 1937.

ME 2233	One polished end slice with crust.	441.10 g
---------	------------------------------------	----------

LAFAYETTE (STONE)

SNC

Tippecanoe County, Indiana, U.S.A.

Found in 1931.

ME 2116	Fragment with fusion crust on one side.	51.87 g
---------	---	---------

LAKE LABYRINTH

LL6

South Australia, Australia

Found in 1924, probably fell in 1924.

ME 2236	Mass with crust and polished face.	112.70 g
---------	------------------------------------	----------

Catalog of Field Museum Meteorites

LAKETON	L6	
Gray County, Texas, U.S.A.		
Found in 1937.		
ME 3038	Small weathered saw-cut slice w/ crust on 1 edge.	12.60 g
LAKEVIEW	H4	
Swisher County, Texas, U.S.A.		
Found in 1970.		
ME 2938	Very weathered saw-cut slice broken into 3 pcs.	171.40 g
LAKEWOOD	L6	
Eddy County, New Mexico, U.S.A.		
Found in 1955.		
ME 2661	Polished slab.	174.90 g
LALITPUR	L6	
Jhansi District, Uttar Pradesh, India		
Fell on 4/7/1887 at 1030 hrs.		
ME 1516	Sawed fragment with crust.	9.80 g
LAMESA	IIICD	
Dawson County, Texas, U.S.A.		
Found in 1981.		
ME 2947	Rough hewn slice, crust on edges.	2,171.00 g
LAMONT	MES	
Greenwood County, Kansas, USA		
Found in 1940.		
ME 3206	Sawn slab; polished on both sides; crust weathered	4,928.00 g
LANCÉ	CO3	
Vendome, Loir-et-Cher, France		
Fell on 7/23/1872 at 1720 hrs.		
ME 589	Mass with crust.	71.20 g
ME 1351	Mass with crust and sawed surface.	83.10 g
LANCON	H6	
Bouches du Rhone, France		
Fell on 6/20/1897 at 2030 hrs.		

Catalog of Field Museum Meteorites

ME 526	Fragment with small piece of crust.	74.50 g
ME 635	Microscopic slide; thin section with cover.	
ME 728	Microscopic slide; thin section with cover	
ME 1803	Fragment with small piece of crust.	101.30 g
LANDES	IA	
Grant County, West Virginia, U.S.A.		
Found in 1930, approximately.		
ME 2657	14.5x8x1 cm; black silicate inclusions in iron.	530.00 g
ME 2658	Slab, 9x18 cm; highly polished on both sides.	474.40 g
ME 2659	Slab, 9x18 cm, polished and etched on both sides.	351.20 g
LÅNGHALSEN	L6	
Vrena, Södermanland, Sweden		
Fell on 2/6/1947 at 1515 hrs.		
ME 2446	Fragment with crust and polished surface.	64.90 g
LAURENS COUNTY	IRANOM	
South Carolina, U.S.A.		
Found in 1857.		
ME 959	Thin broad full sized section.	41.10 g
ME 960	Thin broad full sized section.	41.10 g
LAZBUDDIE	LL5	
Parmer County, Texas, U.S.A.		
Found in 1970.		
ME 2863	Medium-sized saw-cut slice, crust on 3 sides.	225.70 g
LE PRESSEIR	L6	
Indre-et-Loir, France		
Fell on 1/25/1845 at 1500 hrs.		
ME 439	Fragment with crust.	17.00 g
ME 668	Microscopic slide; thin section with cover.	
ME 1664	Mass with crust and polished surface.	48.80 g

Catalog of Field Museum Meteorites

LE TEILLEUL	AHOW	
Manche, France		
Fell on 7/14/1845 at 1500 hrs.		
ME 1418	Three fragments with crust.	7.90 g
LEEDEY	L6	
Dewey County, Oklahoma, U.S.A.		
Fell on 11/25/1943 at 1900 hrs.		
ME 2591	Rectangular slab	94.90 g
LEEDS	IA	
Quebec, Canada		
Found in 1931.		
ME 2197	Etched slice.	80.30 g
LEIGHTON	H5	
Colbert County, Alabama, U.S.A.		
Fell on 1/12/1907 at 2000 hrs.		
ME 768	Nearly complete individual w/ polished surface.	363.30 g
ME 794	Microscopic slides; thin sections with cover	
LEIKANGER	L6	
Sognefjord, Norway		
Found on 7/22/1978.		
ME 2852	Two small saw-cut fragments with crust.	6.00 g
LENARTO	IIIA	
Saros, Slovensko, Czechoslovakia		
Found in 1814.		
ME 1177	Etched slab with crust.	336.30 g
ME 1178	Etched slab with crust and well-marked figures.	273.40 g
ME 1179	Small slab with torn edges; etched.	67.80 g
LEON	H5	
Butler County, Kansas, U.S.A.		
Found in 1943.		
ME 3135	Saw-cut slice with crust on one edge.	40.50 g

Catalog of Field Museum Meteorites

ME 3191	Polished, part slice.	404.60 g
LEONOVKA	L6	
Novgorod-syeveresk Dist., Chernigov Govt., Ukraine, USSR		
Fell on 8/23/1900 at 2100 hrs.		
ME 1413	Fragment with crust.	1.10 g
LEOVILLE	CV3	
Decatur County, Kansas, U.S.A.		
Found in 1961, or 1962.		
ME 2628	Fragment	167.00 g
LES ORMES	L6	
Yonne, France		
Fell on 10/1/1857 at 1700 hrs.		
ME 1417	Fragments with crust.	1.60 g
LESVES	L6	
Namur, Belgium		
Fell on 4/13/1896 at 0730 hrs.		
ME 542	Fragment with crust.	10.60 g
ME 1661	Mass with crust; crust is brown-black.	31.80 g
LEWISTON	H4	
SE 1/4 of Sec. 21, T2S, R32E, Roosevelt Co., New Mexico, U.S.A.		
Recognized 1983.		
ME 3020	Weathered saw-cut slice with crust on edges.	80.50 g
LEXINGTON COUNTY	IA	
South Carolina, U.S.A.		
Found in 1880.		
ME 111	Etched slab with crust.	23.20 g
ME 1113	Etched slab with crust.	86.90 g
LICK CREEK	IIA	
Davidson County, North Carolina, U.S.A.		
Found in 1879.		
ME 1074	Etched slab.	14.40 g

Catalog of Field Museum Meteorites

LILLAVERKE	H5	
Kalmar, Smaland, Sweden		
Fell on 5/11/1930 at 1600 hrs.		
ME 2447	Mass with crust.	67.10 g
LIME CREEK	IRANOM	
Claiborne, Monroe County, Alabama, U.S.A.		
Found in 1834.		
ME 937	Full sized etched section.	84.80 g
LIMERICK	H5	
County Limerick, Ireland		
Fell on 9/10/1813 at 0900 hrs.		
ME 233	Polished chip.	1.50 g
ME 1795	Nearly complete individual.	51.25 g
LINCOLN COUNTY	L6	
Colorado, U.S.A.		
Found in 1937.		
ME 2319	End piece with polished surface; 2.25x2.5 in.	65.20 g
LINUM	L	
Fehrbellin, Potsdam, Germany		
Fell on 9/5/1854 at 0800 hrs.		
ME 1414	Fragment with crust.	0.10 g
LINVILLE	IRANOM	
Burke County, North Carolina, U.S.A.		
Found in 1882.		
ME 1110	Thin slab, etched.	27.50 g
LINWOOD	IA	
Butler County, Nebraska, U.S.A.		
Found in 1940, or 1941.		
ME 2395	Polished and etched slice.	729.10 g
ME 2585	Thin polished slab; 50x20x3 mm.	17.50 g

Catalog of Field Museum Meteorites

LISSA

L6

Bunzlau, Bohemia, Czechoslovakia

Fell on 9/3/1808 at 1530 hrs.

ME 510 Interior fragment. 30.10 g

ME 666 Microscopic slide; thin section with cover.

ME 1410 Mass with crust. 150.20 g

LITTLE PINEY

L5

Pulaski County, Missouri, U.S.A.

Fell on 2/13/1839 at 1530 hrs.

ME 1423 Two fragments from interior. 3.40 g

LITTLE RIVER (A)

H6

Rice County, Kansas, U.S.A.

Found in 1967.

ME 2895 Small saw-cut slice with crust on curved edge. 30.20 g

LITTLE RIVER (B)

H4-5

Rice County, Kansas, U.S.A.

Found in 1965.

ME 2744 Thin cut slab, polished on one side. 128.20 g

LIVINGSTON (TENNESSEE)

IRANOM

Overton County, Tennessee, U.S.A.

Found in 1937.

ME 2404 Fragment 57.70 g

LIXNA

H4

Dvinsk, Latvian SSR, USSR

Fell on 7/12/1820 at 1730 hrs.

ME 1764 Mass with crust and armored surface. 61.60 g

ME 1765 Slice from interior with polished surface 10.50 g

LOCUST GROVE

IIA

Henry County, Georgia, U.S.A.

Found in 1857.

ME 558 Thick etched slab with crust. 370.00 g

Catalog of Field Museum Meteorites

LODRAN

LOD

Multan, Punjab, Pakistan

Fell on 10/1/1868 at 1400 hrs.

ME 1260	Three fragments	2.00 g
---------	-----------------	--------

LOMBARD

IIA

Broadwater County, Montana, U.S.A.

Found in 1953.

ME 2596	Slab	76.70 g
---------	------	---------

LONACONING

IIE

Allegheny County, Maryland, U.S.A.

Found in 1888.

ME 941	Full sized etched section.	39.80 g
--------	----------------------------	---------

LONE TREE

H4

Iowa, U.S.A.

Found in 1971.

ME 3079	Saw-cut slice with crust on one edge.	17.70 g
---------	---------------------------------------	---------

LONG ISLAND

L6

Phillips County, Kansas, U.S.A.

Found in 1891.

ME 350	Four large masses with crust.	532,910.43 g
--------	-------------------------------	--------------

ME 637	Microscopic slides; two thin sections # 637 & 637A	
--------	--	--

ME 690	Microscopic slides; two thin sections #690 & #690A	
--------	--	--

ME 1889	Mass with crust.	8,657.70 g
---------	------------------	------------

ME 1891	Polished mass from interior.	1,902.00 g
---------	------------------------------	------------

ME 2061	Mass with polished surface.	794.00 g
---------	-----------------------------	----------

ME 2062	Mass with polished surface.	1,466.00 g
---------	-----------------------------	------------

LOOP

L6

Gaines County, Texas, U.S.A.

Found in 1962.

ME 2868	Small saw-cut slice; crust on three sides.	21.20 g
---------	--	---------

Catalog of Field Museum Meteorites

LOS LUNAS	H4	
Valencia County, New Mexico, U.S.A.		
Found in February, 1978.		
ME 2939	Very weathered end piece.	52.78 g
LOS REYES	IIIB	
Mexico State, Mexico		
Found in 1897.		
ME 454	Nearly complete individual	14,605.00 g
ME 1986	Etched section.	11.10 g
ME 1987	End piece, etched.	1,882.10 g
ME 2223	Etched section.	637.00 g
LOSTTOWN	IID	
Cherokee County, Georgia, U.S.A.		
Found in 1868.		
ME 1058	Polished mass with crust.	75.20 g
LUBBOCK	L5	
Lubbock County, Texas, U.S.A.		
Found on 11/28/1938.		
ME 2312	Polished slice with crust.	150.70 g
LUCÉ	L6	
Sarthe, France		
Fell on 9/13/1768 at 1630 hrs.		
ME 1421	Two fragments from interior.	4.50 g
LUCKY HILL	IIIA	
Bellevue, St. Elizabeth, Jamaica		
Found in 1885.		
ME 1151	Six oxidized fragments.	51.25 g
LUIS LOPEZ	IIIB	
Socorro County, New Mexico, U.S.A.		
Found in 1896.		
ME 913	About 1/2 of original mass w/ etched surface.	2,992.00 g

Catalog of Field Museum Meteorites

LUJAN

Buenos Aires Province, Argentina

Found in 1878.

ME 1400	Three crust fragments	2.60 g
---------	-----------------------	--------

LUMPKIN

H6

Stewart County, Georgia, U.S.A.

Fell on 10/6/1869 at 1145 hrs.

ME 1412	Slice with crust and polished surface	3.10 g
---------	---------------------------------------	--------

LUNDSGÅRD

L6

Ljungby, Skane, Sweden

Fell on 4/3/1889 at 2030 hrs.

ME 1398	Mass with crust.	33.62 g
---------	------------------	---------

ME 1399	Mass with crust.	21.50 g
---------	------------------	---------

LUOTOLAX

AHOW

Viborg, Finland

Fell on 12/13/1813 at 1000 hrs.

ME 1613	Fragments from interior.	2.00 g
---------	--------------------------	--------

LUPONNAS

H3-5

Ain, France

Fell on 9/7/1753 at 1300 hrs.

ME 1419	Mass with crust.	14.90 g
---------	------------------	---------

MACAU

H5

Rio Grande do Norte, Brazil

Fell on 11/11/1836 at 0500 hrs.

ME 636	Microscopic slide; thin section with cover	
--------	--	--

ME 787	Fragment with crust.	4.50 g
--------	----------------------	--------

ME 1640	Three fragments with crust.	68.10 g
---------	-----------------------------	---------

ME 1641	Slab with crust and polished surface.	12.30 g
---------	---------------------------------------	---------

MACY

L6

Roosevelt County, New Mexico, U.S.A.

Found in 1984.

Catalog of Field Museum Meteorites

ME 3049	Weathered saw-cut slice with crust on one edge.	83.60 g
MADOC		
IIIA		
Hastings County, Ontario, Canada		
Found in 1854.		
ME 65	Spheroidal fragment showing natural surface.	8.80 g
ME 66	Thin sawed slab with natural surface.	5.30 g
ME 1189	Slab with crust and etched surface.	10.50 g
MADRID		
L6		
Spain		
Fell on 2/10/1896 at 0930 hrs.		
ME 1422	Fragments from interior.	0.40 g
MAGURA		
IA		
Arva, Slovensko, Czechoslovakia		
Found in 1840.		
ME 46	Rough mass showing cleavage.	134.60 g
ME 47	Etched mass; no figures apparent.	165.80 g
ME 887	Rough mass.	846.40 g
ME 888	Etched mass; figures dimly indicated.	359.30 g
ME 1904	Taenite from Magura.	3.10 g
MAINZ		
L6		
Rheinland-Pfalz, Germany		
Found in 1850, or 1852.		
ME 1649	Two fragments with polished surfaces.	27.80 g
ME 1650	Fragment from interior with polished surface.	11.80 g
MAKAREWA		
L6		
Invercargill, County Southland, New Zealand		
Found in 1879.		
ME 1590	Polished fragment with crust.	2.90 g
ME 2496	Microscopic slide; thin section with cover.	

Catalog of Field Museum Meteorites

MALAKAL

L5

Upper Nile Province, Sudan

Fell on 8/15/1970; or fell a few days before.

ME 2787	Saw-cut slice with one polished surface.	20.30 g
---------	--	---------

MANBHOOM

LL6

Purulia, West Bengal, India

Fell on 12/22/1863 at 0900 hrs.

ME 583	Fragments from interior.	5.80 g
--------	--------------------------	--------

ME 1620	Mass with crust.	11.20 g
---------	------------------	---------

ME 1621	Mass from interior.	15.75 g
---------	---------------------	---------

MANEGAON

ADIO

Bhusawal, East Khandesh District, Maharashtra, India

Fell on 6/29/1843 at 1530 hrs.

ME 1632	Small chip; fragment from interior	0.85 g
---------	------------------------------------	--------

MANGWENDI

LL6

Mashonaland, Zimbabwe

Fell on 3/7/1934 at 1245 hrs.

ME 2812	Fragment with saw cut side and some crust.	52.20 g
---------	--	---------

MANTOS BLANCOS

IVA

Atacama, Chile

Found in 1876.

ME 1062	Thin slab, etched.	57.70 g
---------	--------------------	---------

MAPLETON

IIIA

Monona County, Iowa, U.S.A.

Found on 6/17/1939.

ME 2286	Four fragments w/ crust sawed from main individual	32,771.80 g
---------	--	-------------

MARILIA

H4

São Paulo, Brazil

Fell on 10/5/1971 at 1700 hrs.

ME 3023	Small chunk with one saw-cut face & no crust.	10.23 g
---------	---	---------

Catalog of Field Museum Meteorites

MARION (IOWA)

L6

Linn County, Iowa, U.S.A.

Fell on 2/25/1847 at 1445 hrs.

ME 255	Mass with crust	121.30 g
ME 621	Microscopic slides; two thin sections #621 & 621A	
ME 730	Microscopic slide; thin section	
ME 1749	Mass with crust and polished surface.	60.23 g

MARION (KANSAS)

L5

Marion County, Kansas, U.S.A.

Found in 1955.

ME 2876	Two small saw-cut slices with crust.	133.20 g
---------	--------------------------------------	----------

MARJALAHTI

PAL

Viiipuri, Karelia ASSR, USSR

Fell on 6/1/1902 at 2200 hrs.

ME 1323	Mass with crust.	375.00 g
ME 1324	Mass with crust.	738.00 g

MARMANDE

L5

Lot-et-Garonne, France

Fell on 7/4/1848.

ME 1595	Fragment from interior; friable.	2.00 g
---------	----------------------------------	--------

MARSHALL COUNTY

IIIA

Marshall County, Kentucky, U.S.A.

Found in 1860.

ME 945	Etched fragment with crust.	16.90 g
--------	-----------------------------	---------

MART

IVA

McLennan County, Texas, U.S.A.

Found in 1898.

ME 1040	End piece, etched.	1,020.60 g
---------	--------------------	------------

MASCOMBES

L6

Correze, France

Fell on 1/31/1836 at 1300 hrs.

Catalog of Field Museum Meteorites

ME 1591	Fragment with crust.	6.90 g
ME 1592	Fragment from interior with polished surface.	8.50 g

MÄSSING

AHOW

Eggenfelden, Bayern, Germany

Fell on 12/13/1803 at 1030 hrs.

ME 1648	Fragment	1.50 g
---------	----------	--------

MASUA

Sardinia, Italy

Found in 1967.

ME 3014	Small saw-cut slice with crust on edge.	10.70 g
---------	---	---------

MAUERKIRCHEN

L6

Ober-Österreich, Austria

Fell on 11/20/1768 at 1600 hrs.

ME 211	Mass with crust.	105.60 g
ME 678	Microscopic slides; two thin sections with cover	
ME 731	Microscopic slide; thin section with cover.	
ME 1610	Mass from interior with polished surface.	11.20 g
ME 1611	Fragment with crust.	16.40 g
ME 1612	Fragment with crust.	14.00 g

MAURITIUS

L6

Indian Ocean

Fell in December, 1801 or sometime before this date.

ME 1606	Fragment with crust.	5.70 g
---------	----------------------	--------

MAYFIELD

H

Sumner County, Kansas, U.S.A.

Found in 1972.

ME 2733	Large polished slab.	696.10 g
---------	----------------------	----------

MAYO BELWA

AUB

Adamawa Local Authority, Nigeria

Fell on 8/3/1974, evening hours.

Catalog of Field Museum Meteorites

ME 2807	Interior fragment with no crust.	15.30 g
MAZAPIL	IA	
Zacatecas, Mexico		
Fell on 11/27/1885 at 2100 hrs.		
ME 1977	Etched fragment	19.00 g
MBOSI	IRANOM	
Rungwe District, Tanzania		
Found in 1930.		
ME 2606	Unpolished slice; 4x2x0.25 in	321.00 g
MCKINNEY	L4	
Collin County, Texas, U.S.A.		
Found in 1870.		
ME 729	Microscopic slide; thin section with cover.	
ME 1436	Mass with crust and polished surface.	719.41 g
ME 1437	Full sized polished section.	2,248.00 g
ME 1438	Complete individual w/ one polished face.	52,613.00 g
MEADOW (A)	H5	
Terry County, Texas, U.S.A.		
Found in 1975.		
ME 3048	Small saw-cut slice with crust on edges.	20.50 g
MEJILLONES	IIA	
Atacama, Chile		
Found in 1875.		
ME 1063	Polished etched fragment.	2.00 g
MELROSE (A)	L5	
Curry County, New Mexico, U.S.A.		
Found in 1933.		
ME 2172	Slice with polished faces and fragments.	1,503.90 g
MELVERN LAKE	H5	
1/4 mi N of Melvern Lake, Osage County, Kansas, U.S.A.		
Found on 10/1/1950.		

Catalog of Field Museum Meteorites

ME 3075	Saw-cut slice with crust on two edges.	53.10 g
MENINDEE LAKES 003		
	L6	
Popio Lakes Region, New South Wales, Australia		
Found in 1969, or 1969-1975.		
ME 2898	End piece with two saw-cut sides; weathered.	91.15 g
MENOW		
	H4	
Fürstenburg, Potsdam, Germany		
Fell on 10/7/1862 at 1230 hrs.		
ME 278	Fragment from interior	2.00 g
ME 1388	Mass with crust and two polished surfaces.	587.30 g
ME 1389	Mass from interior.	0.70 g
MERCEDITAS		
	IIIA	
Chañaral, Atacama, Chile		
Found in 1884.		
ME 586	Etched slab with crust.	130.20 g
ME 821	Etched slab with crust.	172.70 g
ME 992	Etched slab with crust.	727.00 g
MERETA		
Mereta, Texas, USA. Coordinates not known.		
ME 3232	Slice; one side polished.	99.30
MERN		
	L6	
Praestö, Sorestrøm, Denmark		
Fell on 8/29/1878 at 1430 hrs.		
ME 1589	Mass with crust.	28.30 g
MERTZON		
	IA-ANOM	
Irion County, Texas, U.S.A.		
Found in 1943.		
ME 2408	Polished slice.	187.27 g

Catalog of Field Museum Meteorites

MESSINA	L5	
Upper Camara Valley, Messina, Sicily, Italy		
Fell on 7/16/1955 at 1307 hrs.		
ME 3002	Small end piece with one saw-cut face.	6.00 g
MEUSELBACH	L6	
Thuringen, Germany		
Fell on 5/19/1897 at 1945 hrs.		
ME 1855	Fragment with crust	2.40 g
MEZÖ-MADARAS	L3	
Harghita, Romania		
Fell on 9/4/1852 at 1630 hrs.		
ME 625	Microscopic slides; two thin sections #625 & 625A	
ME 1607	Mass with crust and polished surfaces.	76.55 g
ME 1608	Mass with crust and armored surfaces.	331.00 g
MHOW	L6	
Azamgarh District, Uttar Pradesh, India		
Fell on 2/16/1827 at 1500 hrs.		
ME 1633	Fragment from interior.	2.00 g
MIAMI	H5	
Roberts County, Texas, U.S.A.		
Found in 1930.		
ME 2858	Large saw-cut slice, crust on three sides.	816.50 g
ME 2889	End-piece with two saw-cut faces.	57.40 g
MIDDLESBROUGH	L6	
Yorkshire, England		
Fell on 3/14/1881 at 1535 hrs.		
ME 1634	Fragments with crust.	0.20 g
MIGHEI	CM2	
Olviopol, Kherson, Ukraine, USSR		
Fell on 6/18/1889 at 0830 hrs.		
ME 1456	Large mass and small fragments	1,574.70 g

Catalog of Field Museum Meteorites

MILENA	L6	
Varazdin, Croatia, Yugoslavia		
Fell on 4/26/1842 at 1500 hrs.		
ME 250	Fragment from interior.	4.00 g
ME 1849	Polished slab with crust.	10.00 g
ME 1850	Fragment from interior.	3.00 g
MILES	IIE	
Queensland, Australia		
Found in 1992.		
ME 3188	Two partly polished slices.	2,086.00 g
MILLBILLILLIE	AEUC	
Wiluna District, Western Australia, Australia		
Fell in October, 1969, day unknown, but about 1		
ME 2737	Flat slice with crust on two edges.	240.89 g
MILLER (ARKANSAS)	H5	
Cleburne County, Arkansas, U.S.A.		
Fell on 7/13/1930.		
ME 2559	Fragment with portion of fusion crust.	32.90 g
MILLS	H6	
Harding County, New Mexico, U.S.A.		
Found in 1970.		
ME 2662	Polished slab.	171.10 g
MINAS GERAIS	L6	
Minas Gerais, Brazil		
Found in 1888.		
ME 1622	Mass with crust and polished surface.	370.70 g
MINCY	MES	
Taney County, Missouri, U.S.A.		
Found in 1857.		
ME 1253	Polished slab.	2,392.90 g

Catalog of Field Museum Meteorites

MISSHOF

H5

Courland, Latvian SSR, USSR

Fell on 4/10/1890 at 1530 hrs.

ME 643	Microscopic slide; two thin sections with cover	
ME 1630	Mass with crust and polished surface.	85.00 g
ME 1631	Mass with crust and polished surface.	170.80 g

MISTECA

IA

Oaxaca, Mexico

Found in 1804.

ME 32	Full sized etched section.	81.90 g
ME 956	Etched section and polished section	62.10 g
ME 1013	Full sized etched section; 11x10 cm.	266.00 g
ME 1912	Rhabdite from Misteca.	0.30 g

MOCS

L6

Cluj (=Klausenburg, Kolozsvár), Transylvania, Romania

Fell on 2/3/1882 at 1600 hrs.

ME 324	Nearly complete individual. From 5 fragments.	545.40 g
ME 330	One individual.	39.60 g
ME 331	One individual	6.90 g
ME 619	Microscopic slides; two thin sections #619 & 619A	
ME 702	Microscopic slide; thin section with cover	
ME 1444	Complete individual.	2,224.00 g
ME 1445	Complete individual.	840.50 g
ME 1446	Complete individual.	564.00 g
ME 1447	15 Complete individuals	476.00 g
ME 1448	8 small complete individuals.	11.50 g
ME 1449	Complete individual.	291.70 g
ME 1450	Oriented fragment.	188.30 g

Catalog of Field Museum Meteorites

ME 1451	Nearly complete individual.	339.20 g
ME 1453	Mass with crust.	538.20 g
ME 1454	Polished section only.	
MOCTEZUMA IA		
Sonora, Mexico		
Found in 1889.		
ME 926	Etched slab with fractured edges.	358.40 g
MODOC (1905) L6		
Scott County, Kansas, U.S.A.		
Fell on 9/2/1905 at 2130 hrs.		
ME 743	Complete individual showing unusual crust markings	3,194.00 g
ME 744	Complete individual.	115.80 g
ME 747	Mass with oriented crust.	875.00 g
ME 792	Microscopic slides; four thin sections w/ cover.	
ME 1971	Mass with crust.	64.00 g
ME 2348	Troilite from Modoc.	0.20 g
MOKOIA CV3		
Taranaki, North Island, New Zealand		
Fell on 11/26/1908 at 1230 hrs.		
ME 2460	Two fragments from interior.	2.72 g
MOLINA L5		
Murcia, Spain		
Fell 12/24/1858.		
ME 1635	Mass with crust.	33.50 g
MOLONG PAL		
County Ashburnham, New South Wales, Australia		
Found in 1912.		
ME 1970	Many fragments.	510.46 g

Catalog of Field Museum Meteorites

MONAHANS

IIF

Ward County, Texas, U.S.A.

Found in 1938.

ME 2247	Polished slab.	844.30 g
---------	----------------	----------

MONROE

H4

Cabarrus County, North Carolina, U.S.A.

Fell on 10/31/1849 at 1500 hrs.

ME 256	Fragment from interior from microsections.	3.00 g
--------	--	--------

ME 676	Microscopic slide; thin section with cover.	
--------	---	--

ME 1761	Mass from interior; tough and compact.	79.74 g
---------	--	---------

ME 1762	Mass with crust and polished surface.	19.80 g
---------	---------------------------------------	---------

ME 2448	Fragment from interior with polished surface.	5.20 g
---------	---	--------

MONTE MILONE

L5

Macerata, Marche, Italy

Fell at 5/8/1846 at 0915 hrs.

ME 1623	Fragments from interior and with crust.	8.70 g
---------	---	--------

MONTICELLO

AHOW

Lake Cumberland, Wayne County, Kentucky, U.S.A.

Found on 5/29/1982.

ME 3065	Small slice.	18.60 g
---------	--------------	---------

MONTLIVAUT

L6

Loir-et-Cher, France

Fell on 7/22/1838, daytime hrs.

ME 1619	Two fragments with crust and polished surface.	4.20 g
---------	--	--------

MONZE

L6

Southern Province, Zambia

Fell 10/5/1950 at 0410 hrs.

ME 2441	Mass with crust.	153.10 g
---------	------------------	----------

ME 3072	End piece, saw-cut with crust on all but saw-cut	5.80 g
---------	--	--------

Catalog of Field Museum Meteorites

MOORESFORT

H5

County Tipperary, Ireland

Fell in August, 1810 at 1200 hrs.

ME 228	Fragment with crust.	7.20 g
ME 1681	Two fragments from interior.	16.40 g
ME 1682	Two fragments from interior.	14.20 g

MOORUMBUNNA

IIIA

Anna Creek, South Australia, Australia

Found in 1943.

ME 2847	Small etched slice.	54.50 g
---------	---------------------	---------

MORADABAD

L6

Moradabad District, Uttar Pradesh, India

Fell in 1808.

ME 1596	Fragments from interior.	1.00 g
---------	--------------------------	--------

MORITO

IIIA

Chihuahua, Mexico

Found in 1600.

ME 942	Etched fragment with crust.	13.50 g
--------	-----------------------------	---------

MORLAND

H6

Graham County, Kansas, U.S.A.

Found in 1890, approximately.

ME 2213	Mass with polished surface.	984.80 g
---------	-----------------------------	----------

MORNANS

H5

Bourdeaux, Drome, France

Fell in December, 1875.

ME 1599	Sawed fragment with crust.	1.90 g
---------	----------------------------	--------

MORRADAL

IRANOM

Grjotli, between Skiaker and Stryn, Norway

Found in 1892.

ME 824	Thin, etched slab.	17.60 g
ME 961	Thin, etched slab.	4.50 g

Catalog of Field Museum Meteorites

MORRISTOWN

MES

Hamblen County, Tennessee, U.S.A.

Found in 1887.

ME 1281	End piece with polished surface.	1,089.80 g
ME 1282	Wedge-shaped section w/ crust & polished surfaces.	1,671.00 g

MORTON

H6

Cochran County, Texas, U.S.A.

Found in 1980.

ME 2893	Weathered saw-cut slice with crust on two edges.	216.40 g
---------	--	----------

MORVEN

H5

South Canterbury, New Zealand

Found in 1925.

ME 3057	Metal-rich saw-cut slice with crust on edges.	6.90 g
---------	---	--------

MOTI-KA-NAGLA

H6

Goorda, Biana District, Bharatpur, Rajasthan, India

Fell on 12/22/1868 at 1700 hrs.

ME 1683	Fragment with crust and 2 polished surfaces.	7.60 g
ME 1684	Fragment from interior.	4.60 g

MOTPENA (A)

L6

South Australia, Australia

Found in 1968.

ME 2721	Large slice, with crust around three edges.	301.00 g
---------	---	----------

MOTTA DI CONTI

H4

Vercelli, Piemonte, Italy

Fell on 2/29/1868 at 1100 hrs.

ME 1685	Mass with crust; friable.	36.10 g
---------	---------------------------	---------

MOUNT AYLIFF

IA

Griqualand East, Cape Province, South Africa

Found in 1907.

ME 2931	Small saw-cut slice with crust on one edge.	81.90 g
---------	---	---------

Catalog of Field Museum Meteorites

MOUNT BROWNE

H6

Count Evelyn, New South Wales, Australia

Fell on 7/17/1902 at 0930 hrs.

ME 576	Mass with crust; 2 pieces	82.00 g
--------	---------------------------	---------

ME 1329	Mass with crust.	228.70 g
---------	------------------	----------

MOUNT DYRRING

PAL

Singleton District, County Durham, New South Wales, Australia

Found in 1903.

ME 575	Mass with crust.	291.10 g
--------	------------------	----------

ME 1320	Mass with crust.	129.49 g
---------	------------------	----------

MOUNT EDITH

IIIB

Ashburton District, Western Australia, Australia

Found in 1913.

ME 1959	Full sized, etched section; 58x23 cm.	9,681.00 g
---------	---------------------------------------	------------

MOUNT EGERTON

MESANOM

Gascoyne River, Western Australia, Australia

Found in 1941.

ME 2626	Eight individual weathered fragments.	103.00 g
---------	---------------------------------------	----------

MOUNT JOY

IIB

Adams County, Pennsylvania, U.S.A.

Found in 1887.

ME 482	Etched section.	652.10 g
--------	-----------------	----------

ME 1051	Full sized, etched section; 61x83 cm.	20,000.00 g
---------	---------------------------------------	-------------

ME 1899	Etched section	51.30 g
---------	----------------	---------

MOUNT MAGNET

IRANOM

Murchison Goldfield, Western Australia, Australia

Found in 1916.

ME 2719	Saw-cut piece with crust on two sides.	248.60 g
---------	--	----------

MOUNT OURAY

IID

Chaffee County, Colorado, U.S.A.

Found in 1898.

Catalog of Field Museum Meteorites

ME 1112	Slab, 7x4 cm, with thick oxidized crust one side	117.60 g
MOUNT PADBURY		
Meekathara, Western Australia, Australia		
Found in 1964.		
ME 2621	Polished slab.	307.70 g
MOUNT VERNON		
Christian County, Kentucky, U.S.A.		
Fell in 1868.		
ME 567	Fragments and polished slab.	281.75 g
MUDDOOR		
Mandya, Karnataka, India		
Fell on 9/21/1865 at 0700 hrs.		
ME 1593	Fragment with crust.	6.20 g
ME 1594	Fragment from interior	4.60 g
MULESHOE		
Bailey County, Texas, U.S.A.		
Found in 1972.		
ME 2921	1 in polished section	
MUNDRABILLA		
Nullarbor Plain, Western Australia, Australia		
Found in 1911.		
ME 2714	Small slice.	29.95 g
ME 2761	Polished slice with troilite nodule.	1,781.10 g
ME 2816	Block, saw-cut on all sides.	3,125.00 g
MUNGINDI		
County Benarba, New South Wales, Australia		
Found in 1897.		
ME 461	Full sized etched section, 21x9 cm.	627.00 g
ME 1003	End piece with etched and pitted surface, 20x9 cm.	1,263.60 g

Catalog of Field Museum Meteorites

MUONIONALUSTA

IVA

Kiruna, Norrbotten, Sweden

Found in 1906.

ME 2452	Fragment with crust.	43.15 g
ME 2453	Fragment with crust.	41.90 g

MURCHISON

CM2

Victoria, Australia

Fell on 9/28/1969 at 1045-1100 hrs.

MU 2640	Fragments	17,116.66 g
ME 2641	Fragments and individuals from 6" down in size.	5,325.60 g
ME 2642	Mass + 15 thin sections + 1 thick section	1,206.00 g
ME 2644	Four fragments	6,463.10 g
ME 2682	11 Fragmented individuals (largest, 1233 g)	1,485.50 g
ME 2683	Single individual.	1,526.00 g
ME 2684	Many fragments of individuals and whole individual	4,100.11 g
ME 2752	Over 100 individuals ranging from 1 to 10 cm dia.	8,224.20 g

MURFREESBORO

IIIA-ANOM

Rutherford County, Tennessee, U.S.A.

Found in 1847.

ME 58	Etched slab showing distinct figures.	21.00 g
ME 827	Etched slab from surface.	20.30 g
ME 909	Thin, etched slab with crust.	18.70 g
ME 910	Polished mass with oxidized edges.	25.70 g

MURNPEOWIE

IC

South Australia, Australia

Found in 1909.

ME 2832	Saw-cut slice. Not polished.	15.75 g
---------	------------------------------	---------

Catalog of Field Museum Meteorites

MURPHY

IIA

Cherokee County, North Carolina, U.S.A.

Found in 1899.

ME 503	Polished and etched section.	77.10 g
ME 966	Full sized slab, etched.	257.70 g
ME 967	Full sized slab, etched.	305.80 g

MURRAY

CM2

Calloway County, Kentucky, U.S.A.

Fell on 9/20/1950 at 0135 hrs.

ME 2612	Portion of individual, with crust on one side.	93.70 g
---------	--	---------

N'GOUREYMA

IRANOM

Djenne, Ke Macina, Mali

Fell 6/15/1900.

ME 597	Full sized polished section.	98.93 g
ME 978	Full sized, etched section.	850.16 g

NAGARIA

AEUC

Fatehabad pargana, Agra District, Uttar Pradesh, India

Fell on 4/24/1875 at 0730 hrs.

ME 1674	Fragment with crust	0.90 g
---------	---------------------	--------

NAGY-BOROVÉ

L5

Liptó Stredoslovensky, Czechoslovakia

Fell on 5/9/1895.

ME 1604	Complete individual.	167.60 g
ME 1605	Mass with crust and sawed surfaces.	26.40 g

NAGY-VÁZSONY

IA

Vezprém, Hungary

Found in 1890.

ME 974	Thin slab, etched.	36.40 g
--------	--------------------	---------

NAKHLA

SNC

Abu Hommos, Alexandria, Egypt

Fell on 6/28/1911 at 0900 hrs.

Catalog of Field Museum Meteorites

ME 804	Section with crust	6.45 g
ME 2801	Fragment with crust on one side.	9.11 g
NAMIB DESERT	H4	
Between Sossusvlei and the Wittenberg, Namibia		
Found on 4/22/1979.		
ME 2970	Small, weathered saw-cut slice with crust	8.40 g
NAMMIANTHAL	H5	
North Arcot District, Tamil Nadu, India		
Fell on 1/27/1886.		
ME 1627	Mass with crust.	64.80 g
ME 1628	Mass with crust and polished surface.	20.50 g
ME 1629	Mass from interior.	35.70 g
NANJEMOY	H6	
Charles County, Maryland, U.S.A.		
Fell on 2/10/1825 at 1200 hrs.		
ME 238	Fragment from interior.	0.50 g
ME 1625	Mass with crust and polished surface.	24.10 g
ME 1626	Mass with crust and sawed surfaces.	81.30 g
NANTAN	IIICD	
Guangxi, China		
Found in 1958.		
ME 2820	Saw-cut slab, rough polished.	129.90 g
ME 3015	Small saw-cut slice with crust on one edge.	15.40 g
NARAGH	H6	
Iran		
Fell on 8/18/1974 at 1830 hrs.		
ME 3092	Gray chunk with crust on a portion of one side.	12.30 g
NARRABURRA	IIIB	
Temora, County Bland, New South Wales, Australia		
Found in 1855.		

Catalog of Field Museum Meteorites

ME 1142	Full sized section, deeply etched.	127.50 g
NÄS	LL6	
Värvik, Dalsland, Sweden		
Found in 1907.		
ME 2450	Fragment with crust.	9.07 g
NASHVILLE (STONE)	L6	
Kingman County, Kansas, U.S.A.		
Found in 1939.		
ME 2971	Small saw-cut slice with crust on one edge.	10.50 g
NAVAJO	IIB	
Apache County, Arizona, U.S.A.		
Found on 7/10/1921.		
ME 2038	Individual	629,000.30 g
ME 2099	Main mass and broken slice from main mass	684,601.80 g
NAWAPALI	CM2	
Sambalpur District, Orissa, India		
Fell on 6/6/1890 at 1800 hrs.		
ME 1655	Fragment	1.35 g
NAZARETH (IRON)	IIIA	
Castro County, Texas, U.S.A.		
Found in 1968.		
ME 2687	5 mm thick slice, polished on both sides.	82.20 g
ME 2692	3 mm thick slice, polished and etched on both side	107.80 g
NAZARETH (STONE)	H	
Castro County, Texas, U.S.A.		
Found in 1938.		
ME 2862	Moderate sized saw-cut slice; crust on 3 sides.	237.60 g
NEDAGOLLA	IRANOM	
Vishakhapatnam District, Andhra Pradesh, India		
Fell on 1/23/1870 at 1900 hrs.		
ME 1090	Two fragments, etched.	4.70 g

Catalog of Field Museum Meteorites

NEEDLES

IID

San Bernardino County, California, U.S.A.

Found in 1962.

ME 2675	7 mm thick slab with outside edge along 3 sides	778.90 g
---------	---	----------

NEENACH

L6

Los Angeles County, California, U.S.A.

Found in 1948.

ME 2933	Small saw-cut slice with crust on one edge.	21.80 g
---------	---	---------

NEJO

L6

Walaga Province, Ethiopia

Fell on 5/11/1970 at 1130 hrs.

ME 3006	Small chunk, with two saw-cut sides.	4.00 g
---------	--------------------------------------	--------

NELSON COUNTY

IIIF

Kentucky, U.S.A.

Found in 1856.

ME 73	Oxidized scaleing.	23.20 g
-------	--------------------	---------

ME 488	Large polished slab upon which coarse figures	447.20 g
--------	---	----------

ME 1184	Etched section with crust.	281.50 g
---------	----------------------------	----------

NENNTMANNSDORF

IIB

Pirna, Dresden, Germany

Found in 1872.

ME 447	Cleavage pieces.	3.60 g
--------	------------------	--------

ME 1123	Thin slab with polished surface.	21.85 g
---------	----------------------------------	---------

NERFT

L6

Courland, Latvian SSR, USSR

Fell on 4/12/1864 at 0445 hrs.

ME 585	Mass from interior. Microsections.	43.70 g
--------	------------------------------------	---------

ME 683	Microscopic slides; two thin sections with cover.	
--------	---	--

ME 1637	Mass with crust.	61.50 g
---------	------------------	---------

Catalog of Field Museum Meteorites

NESS COUNTY (1894)

L6

Kansas, U.S.A.

Found in 1894.

ME 677	Microscopic slides; two thin sections with cover.	
ME 695	Microscopic slide; thin section with cover.	
ME 754	Complete individual. Microsections.	1,361.30 g
ME 793	Microscopic slides; two thin sections with cover	
ME 806	10 complete individuals.	167.10 g
ME 807	Complete individual.	572.90 g
ME 808	Complete individual; crust black.	2,926.00 g
ME 809	Complete individual.	3,417.00 g
ME 810	Complete individual; form triangular pyramid.	2,411.00 g
ME 811	Complete individual; form rectangular prismatic.	1,190.00 g
ME 812	Complete individual.	972.00 g
ME 813	Two complete individuals.	1,596.20 g
ME 814	Two complete individuals.	575.20 g
ME 815	Mass with polished surface.	954.00 g
ME 816	Complete individual; crust black.	34.30 g
ME 817	Complete individual.	22.40 g
ME 818	Mass with crust and polished surface.	2,525.00 g
ME 2043	Complete individual.	520.20 g
ME 2044	Complete individual.	607.90 g
ME 2046	Complete individual.	693.20 g
ME 2050	Complete individual.	1,335.00 g
ME 2480	Microscopic slide; thin section with cover.	

Catalog of Field Museum Meteorites

NETSCHAËVO

Kaluga, Federated SSR, USSR

Found in 1846.

ME 1152	Mass with crust and etched surface.	132.09 g
---------	-------------------------------------	----------

IIE-ANOM

NEW ALMELO

Norton County, Kansas, U.S.A.

Found in 1917.

ME 2195	Polished slice.	244.90 g
---------	-----------------	----------

ME 3118	Weathered saw-cut slice with crust on edges.	186.00 g
---------	--	----------

L5

NEW BALTIMORE

Somerset County, Pennsylvania, U.S.A.

Found in 1922.

ME 2054	Etched slice.	1,612.50 g
---------	---------------	------------

IRANOM

NEW CONCORD

Muskingum County, Ohio, U.S.A.

Fell on 5/1/1860 at 1245 hrs.

ME 273	Fragments, big piece has crust.	340.80 g
--------	---------------------------------	----------

ME 274	Mass with crust and polished surfaces.	752.00 g
--------	--	----------

ME 670	Microscopic slides; two thin sections with cover.	
--------	---	--

ME 699	Microscopic slide; thin section with cover.	
--------	---	--

ME 1824	Individual cut into 2 parts.	2,716.70 g
---------	------------------------------	------------

ME 1825	Mass with crust and polished surfaces.	650.80 g
---------	--	----------

L6

NEW LEIPZIG

Grant County, North Dakota, U.S.A.

Found in 1936.

ME 2653	Polished, etched slab.	553.50 g
---------	------------------------	----------

IA

NEW WESTVILLE

Preble County, Ohio, U.S.A.

Found in 1941.

ME 2400	Etched slice.	206.30 g
---------	---------------	----------

IVA

Catalog of Field Museum Meteorites

NEWPORT

PAL

Jackson County, Arkansas, U.S.A.

Found in 1923.

ME 2144 End piece, polished and etched. 136.90 g

NGAWI

LL3

Mandioen, Java, Indonesia

Fell on 10/3/1883 at 1715 hrs.

ME 1675 Sawed section with crust. 7.80 g

NIAGARA

I

Grand Forks County, North Dakota, U.S.A.

Found in 1879.

ME 946 Fragment with crust and etched surface. 25.00 g

NIKOLSKOE

L4

Solnechnogorsk, Moscow, USSR

Fell on 3/6/1954 at 1522 hrs.

ME 2786 Interior fragment. 5.30 g

NILPENA

AURE

County Taunton, South Australia, Australia

Found on 6/4/1975.

ME 3011 Weathered chunk with two saw-cut faces. 3.50 g

NINGQIANG

CK3-an.

Ningqiang Co., Shanxi, China

Fell on 6/25/1983 at 1900 hrs.

ME 3207 Fragment with crust 137.74 g

NOBLEBOROUGH

AEUC

Lincoln County, Maine, U.S.A.

Fell on 8/7/1823 at 1630 hrs.

ME 1370 Mass with crust. 12.70 g

NOCHTUISK

Yakutsk, Federated SSR, USSR

Found in 1876.

ME 1175 Apparently a small individual w/ one end etched. 2.40 g

Catalog of Field Museum Meteorites

NOCOLECHE

IC-ANOM

Wanaaring, County Ularara, New South Wales, Australia

Found in 1895.

ME 1039	Full sized etched section.	1,120.10 g
---------	----------------------------	------------

NOGOYA

CM2

Entre Rios, Argentina

Fell on 6/30/1879, evening hours.

ME 1680	Mass with crust.	0.60 g
---------	------------------	--------

ME 2670	Fragment with small portion of fusion crust.	42.60 g
---------	--	---------

NORCATEUR

L6

Decatur County, Kansas, U.S.A.

Found in 1940.

ME 2411	Polished slice.	32.00 g
---------	-----------------	---------

NORFOLK

IIIA

Norfolk County, Virginia, U.S.A.

Found in 1907.

ME 2252	Etched slab.	140.80 g
---------	--------------	----------

NORTH CHILE

IIA

Antofagasta, Chile

Found in 1875.

ME 2595	Slab.	158.36 g
---------	-------	----------

ME 2937	Triangular saw-cut slice; crust on two edges.	239.50 g
---------	---	----------

NORTON COUNTY

AUB

Kansas, U.S.A.

Fell on 2/18/1948 at 1656 hrs.

ME 2843	23 fragments, largest one with some crust.	597.00 g
---------	--	----------

NOVO-UREI

AURE

Karamzimka, Mordovsky, ASSR, USSR

Fell on 9/4/1886 at 0715 hrs.

ME 582	Fragment with crust.	0.30 g
--------	----------------------	--------

ME 1678	Mass with crust and polished surface.	36.00 g
---------	---------------------------------------	---------

Catalog of Field Museum Meteorites

NUEVO MERCURIO

H5

Zacatecas, Mexico

Fell on 12/15/1978 at 1850 hrs.

ME 2818 23 fragments/individuals from shower. 394.00 g

NULLES

H6

Catalonia, Spain

Fell on 11/5/1851 at 1730 hrs.

ME 1676 Fragment with crust. 8.60 g

OAKLEY (STONE)

H6

Logan County, Kansas, U.S.A.

Found in 1895.

ME 658 Microscopic slide; thin section with cover.

ME 701 Microscopic slide; thin section with cover.

ME 1457 Full sized section; 25x30 cm, polished on one side 2,304.00 g

ME 1458 End piece with polished face; 25x30 cm 6,496.20 g

OASIS STATE PARK

Roosevelt County, New Mexico, U.S.A.

Found in 1968.

ME 2987 Saw-cut end piece with crust on all but one side. 18.20 g

OBERNKIRCHEN

IVA

Bückeberg, Rinteln, Niedersachsen, Germany

Found in 1863.

ME 1081 Cuboidal mass with crust and polished surfaces. 124.70 g

ME 1082 Cuboidal mass with crust and polished surfaces. 60.10 g

OCHANSK

H4

Perm, Federated SSR, USSR

Fell on 8/30/1887 at 1300 hrs.

ME 653 Microscopic slides; two thin sections with cover

ME 1440 Fragment from interior. 35.70 g

ME 1441 Mass from interior. 1,063.25 g

Catalog of Field Museum Meteorites

ME 1442	Mass with crust.	2,292.00 g
ME 1443	Mass with crust	8,509.30 g
OCOTILLO		
IAB		
8 km N of Ocotillo, Imperial County, California, USA		
Found in 1990.		
ME 3158	Etched slice.	685.70 g
OCZERETNA		
H4		
Lipovets, Kiev, Ukraine, USSR		
Found in 1871.		
ME 1677	Fragment with crust and sawed surface.	3.02 g
ODESSA (IRON)		
IA		
Ector County, Texas, U.S.A.		
Found in 1922.		
ME 2157	Fragment	6.20 g
ME 2158	Iron shale.	11.40 g
ME 2258	Complete individual.	832.60 g
ME 2329	End piece with polished surface from Me 2328.	721.60 g
ME 2330	One large and 2 small pieces from Me 2328.	473.90 g
ME 2331	Slice from Me 2328.	369.30 g
ME 2332	One large and two small fragments from Me 2328.	60.20 g
ME 2388	Polished slice.	76.00 g
ME 2397	Individual.	10,231.00 g
ME 2398	Etched slice.	1,161.50 g
ME 2572	Small end piece.	33.80 g
ME 2940	Small saw-cut slice.	76.40 g
OESSEL		
L6		
Saaremaa, Estonian SSR, USSR		
Fell on 5/11/1855 at 1530 hrs.		

Catalog of Field Museum Meteorites

ME 264	Fragments with crust.		1.80 g
ME 1688	Mass from interior.		43.80 g
OGALLALA		IA	
Keith County, Nebraska, U.S.A.			
Found in 1918.			
ME 2145	Etched slice.		48.30 g
OGI		H6	
Saga, Kyushu, Japan			
Fell on 6/8/1741 at 1100 hrs.			
ME 1690	Mass with crust and sawed surface.		23.30 g
OHABA		H5	
Alba Iula (=Karlsburg) Transylvania, Romania			
Fell on 10/11/1857 at 0015 hrs.			
ME 1652	Slab with crust and polished surface.		6.90 g
OKECHOBEE		L4	
Palm Beach County, Florida, U.S.A.			
Found in 1916 or before this year.			
ME 1975	Fragment		57.20 g
OKNINY		LL6	
Krzemieniec, Volhynia, Ukraine, USSR			
Fell on 1/8/1834 at 0930 hrs.			
ME 1653	Polished slab with crust and armored surface.		9.10 g
OKTIBBEHA COUNTY		IB	
Mississippi, U.S.A.			
Found in 1854.			
ME 1174	Slice		1.50 g
OLIVENZA		LL5	
Badajoz, Spain			
Fell on 6/19/1924 at 0800 hrs.			
ME 2094	Fragment with crust		39.34 g
ME 2095	Interior mass of Me 2094		179.80 g

Catalog of Field Museum Meteorites

OLIVER	L6	
Kimball County, Nebraska, U.S.A.		
Found in July, 1984.		
ME 3078	Saw-cut slice with portions of crust on one edge.	51.00 g
OLMEDILLA DE ALARCÓN	H5	
Cuenca, Spain		
Fell on 2/26/1929 at 1200 hrs.		
ME 2141	Mass with crust.	399.20 g
ORANGE RIVER (IRON)	IIIB	
Orange River District, Orange Free State, South Africa		
Found in 1855.		
ME 71	Sawed section with natural crust.	113.90 g
ME 72	Etched slab, showing typical octahedral figures	95.70 g
ME 1896	Etched slab with crust.	74.20 g
ORGUEIL	CI	
Montauban, Tarn-et-Garonne, France		
Fell on 5/14/1864 at 2000 hrs.		
ME 509	Tray of loose, crumbly fragments and grains.	34.70 g
ORLOVKA	H5	
River Ui, Federated SSR, USSR		
Found in 1928.		
ME 2784	Fragment with saw-cut side; polished.	30.30 g
ORNANS	CO3	
Doubs, France		
Fell on 7/11/1868 at 1915 hrs.		
ME 294	Fragment sawed from interior.	13.65 g
ME 1766	Two fragments with crust.	43.50 g
ME 2481	Microscopic slide; thin section with cover	
OROVILLE	IIIB	
Butte County, California, U.S.A.		
Found in 1893.		

Catalog of Field Museum Meteorites

ME 859	Full sized etched section.	315.10 g
ORVINIO L6		
Rieti, Lazio, Italy		
Fell on 8/31/1872 at 0515 hrs.		
ME 1651	Three fragments with crust.	37.90 g
ME 2575	Two small polished fragments.	0.60 g
OSCURO MOUNTAINS IA		
Socorro County, New Mexico, U.S.A.		
Found in 1895.		
ME 855	End piece, etched. Re-etched, 11/1917.	637.80 g
OSSEO IA		
Timiskaming, Ontario, Canada		
Found in 1931.		
ME 2242	Etched section.	156.80 g
OTERØY L6		
Kragerø, Norway		
Fell on 10/15/1928 at 1500 hrs.		
ME 2458	Fragments from interior.	0.20 g
ME 2747	Two fragments, fusion crust on one side of each.	18.80 g
OTINAPA PAL		
Durango State, Mexico		
Found in 1986.		
ME 3117	Large saw-cut slice with crust on edges.	288.90 g
OTTAWA LL6		
Franklin County, Kansas, U.S.A.		
Fell 4/9/1896 at 1815 hrs.		
ME 757	Fragment with crust.	1.70 g
ME 1691	Mass with crust.	68.60 g
ME 2482	Microscopic slide; thin section with cover.	

Catalog of Field Museum Meteorites

OUBARI

LL6

Fezzan, Libya

Found on 9/27/1944.

ME 2988	Small piece with one saw-cut face.	20.10 g
---------	------------------------------------	---------

OVID

H6

Sedgwick County, Colorado, U.S.A.

Found in February, 1939.

ME 2364	End piece with polished face.	612.40 g
---------	-------------------------------	----------

OWASCO

L6

Kimball County, Nebraska, U.S.A.

Recognized in 1984.

ME 3039	Saw-cut slice with crust on two edges.	59.70 g
---------	--	---------

OZONA

H6

Crockett County, Texas, U.S.A.

Found in 1929.

ME 2333	Mass with one cut face. Cut from Me 2327.	40,544.00 g
---------	---	-------------

ME 2334	Slice	2,085.00 g
---------	-------	------------

ME 2335	Slice cut from Me 2327.	1,991.70 g
---------	-------------------------	------------

ME 2337	End piece with cut surface cut from Me 2327.	964.00 g
---------	--	----------

ME 2338	Mass with one cut face; cut from Me 2327.	2,345.00 g
---------	---	------------

ME 2339	21 Fragments	216.40 g
---------	--------------	----------

ME 2340	Four fragments.	128.50 g
---------	-----------------	----------

PACULA

L6

Jacala, Hidalgo, Mexico

Fell on 6/18/1881, afternoon.

ME 1615	Mass with crust.	91.60 g
---------	------------------	---------

ME 1616	Mass with crust.	88.40 g
---------	------------------	---------

PADVARNINKAI

AEUC

Androniski, Lithuanian SSR, USSR

Fell on 2/9/1929 at 0045 hrs.

Catalog of Field Museum Meteorites

ME 2600	Fragment	12.50 g
PAMPA (A)	L6	
10 km N of Pampa, between Antofagasta & Mejillones, Chile		
Found on 2/25/1986.		
ME 3122	Weathered, saw-cut end piece.	52.80 g
PAMPA (B)	L4/5	
Approx. 10 km N of Pampa, bet. Antofagasta & Mejillones, Chile		
Found on 3/2/1986.		
ME 3121	Saw-cut weathered end piece.	23.70 g
ME 3124	Weathered irregular chunk.	14.40 g
PAMPA DE AGUA BLANCA	L6	
Antofagasta, Chile		
Found in 1916.		
ME 1901	Much oxidized fragment with crust.	7.92 g
PAMPANGA	L5	
Luzon, Philippines		
Fell on 4/5/1859 at 1700 hrs.		
ME 1598	Fragment with polished surface.	1.50 g
PAN DE AZUCAR	IA	
Atacama, Chile		
Found in 1887.		
ME 1133	Full sized slab, etched.	209.80 g
PANETH'S IRON	IIIE	
No location known.		
Found in 1873.		
ME 2805	Slice, polished and etched.	220.45 g
PANHANDLE	H5	
Carson County, Texas, U.S.A.		
Found on 7/17/1969.		
ME 2896	End piece with two saw-cut sides.	204.80 g

Catalog of Field Museum Meteorites

PANTAR

H5

Lanao, Mindanao, Philippines

Fell on 6/16/1938 at 2045 hrs.

ME 2401	Individual	23.10 g
ME 2536	Microscopic slide; thin section with cover.	

PARAGOULD

LL5

Greene County, Arkansas, U.S.A.

Fell on 2/17/1930 at 0408 hrs.

ME 2135	Complete individual	337,133.10 g
ME 2483	Microscopic slide; thin section with cover.	
ME 2513	Microscopic slide; thin section with cover	
ME 2514	Microscopic slide; thin section with cover	
ME 2516	Microscopic slide; thin section with crust.	
ME 2517	Microscopic slide; thin section with cover.	
ME 2529	Microscopic slide; thin section with cover.	
ME 2530	Microscopic slide; thin section with cover.	
ME 2531	Microscopic slide; thin section with cover.	
ME 2532	Microscopic slide; thin section with cover.	
ME 2533	Microscopic slide; thin section with cover.	
ME 2534	Microscopic slide; thin section with cover.	

PARK

L

Gove County, Kansas, U.S.A.

Found in 1969.

ME 2854	Large slice with crust on all sides.	410.00 g
---------	--------------------------------------	----------

PARNALLEE

LL3

Madura District, Tamil Nadu, India

Fell on 2/28/1857 at 1200 hrs.

ME 437	Polished thin sections.	0.00 g
--------	-------------------------	--------

Catalog of Field Museum Meteorites

ME 672	Microscopic slide; thin section with cover.	
ME 693	Microscopic slide; thin section with cover.	
ME 1847	Thin slab with crust.	158.85 g
ME 1848	Mass with crust and polished surface.	486.00 g
PASAMONTE		AEUC
Union County, New Mexico, U.S.A.		
Fell on 3/24/1933 at 0500 hrs.		
ME 2208	Nearly complete individual.	8.99 g
ME 2623	Single individual with fusion crust.	92.75 g
PATRIMONIO		L6
Conceição Aparecida, Minas Gerais, Brazil		
Fell on 8/6/1950 at 0905 hrs.		
ME 2882	Small piece with crust on one edge.	17.50 g
PAULDING COUNTY		
Paulding County, Georgia, U.S.A.		
Found in 1901, approximately.		
ME 1978	Oxidized fragments.	162.30 g
PAVLODAR (PALLASITE)		PAL
Semipalatinsk, Kazan SSR, USSR		
Found in 1885.		
ME 1313	End piece with polished surface.	1,318.05 g
PAVLOGRAD		L6
Ekaterinoslav, Ukraine, USSR		
Fell on 5/19/1826.		
ME 1644	Sawed mass from interior; oxidized.	87.20 g
ME 1686	Mass with crust and polished surface.	21.90 g
ME 1687	Fragment from interior.	11.60 g
PAVLOVKA		AHOW
Balashov, Sartov Region, Federated SSR, USSR		
Fell on 8/2/1882 at 1700 hrs.		

Catalog of Field Museum Meteorites

ME 1377	Two fragments from interior.	49.20 g
PA 1378	Mass with crust.	93.73 g
PEACE RIVER	L6	
Alberta, Canada		
Fell on 3/31/1963 at 0435 hrs.		
ME 2556	Irregular fragment from larger piece.	581.00 g
PEEKSKILL	H6	
Peekskill, New York, USA		
Fell on 10/9/1992 at 2350 hrs.		
ME 3196	Slices and chips; some fragments.	488.35 g
PEETZ	L6	
Logan County, Colorado, U.S.A.		
Found in 1937.		
ME 2295	Polished slice with crust.	725.80 g
PEÑA BLANCA SPRING	AUB	
Marathon, Brewster County, Texas, USA		
Fell on 8/2/1946, afternoon hours.		
ME 3240	Sawn fragment; sawn side polished.	386.50
PERPETI	L6	
Tippera District, Chittagong, Bangladesh		
Fell on 5/14/1935 at 2300 hrs.		
ME 2245	Fragment with crust.	49.30 g
PERRYVILLE	IIC	
Perry County, Missouri, U.S.A.		
Found in 1906.		
ME 802	Full sized etched section.	166.70 g
PERSIMMON CREEK	IB	
Cherokee County, North Carolina, U.S.A.		
Found in 1893.		
ME 614	Four fragments	112.10 g

Catalog of Field Museum Meteorites

PERVOMAISKY

L6

Ivanovo-Vosnesenk District, Vladimir, Federated SSR, USSR

Fell on 12/26/1933 at 1800 hrs.

ME 3094 Small irregularly shaped chunk w/ crust on 1 edge. 4.30 g

PETERSBURG

AHOW

Lincoln County, Tennessee, U.S.A.

Fell on 8/5/1855 at 1530 hrs.

ME 1356 Mass with crust. 196.10 g

PETROPAVLOVSK

IRANOM

Mrasa River, Tomsk, Federated SSR, USSR

Found in 1841.

ME 1115 Slab from surface, etched, embedded in plastic 45.40 g

PEVENSEY

LL5

Old Man Plain, County Waradgery, New South Wales, Australia

Found in 1868, to 1870.

ME 2709 Two small saw fragments with crust on one side. 13.30 g

PHILLIPS COUNTY

PAL

Colorado, U.S.A.

Found in 1935.

ME 2313 End piece with polished surfaces; 2x4 in. 332.05 g

PHU HONG

H4

Binh-Chanh, Vietnam

Fell on 9/22/1887.

ME 1618 Polished slab with crust. 11.54 g

PHUM SAMBO

H4

Kompong Cham, Cambodia

Fell on 1/9/1933 at 1630 hrs.

ME 2665 Saw cut slab with fusion crust on two edges. 119.87 g

PICACHO

IIIA

Lincoln County, New Mexico, U.S.A.

Found in 1952.

ME 2734 Polished etched slab. 397.70 g

Catalog of Field Museum Meteorites

PICKENS COUNTY	H6	
Georgia, U.S.A.		
Found in 1908.		
ME 836	Mass with crust.	230.60 g
PIEDADE DO BAGRE	IRANOM	
Curvelo, Minas Gerais, Brazil		
Found in 1922.		
ME 2823	Saw cut end piece. Not polished.	1,556.70 g
PIERCEVILLE (IRON)	IIIB?	
Finney County, Kansas, U.S.A.		
Found in 1917.		
ME 3136	End piece with one saw-cut face.	90.05 g
PIERCEVILLE (STONE)	L6	
Finney County, Kansas, U.S.A.		
Found in 1939.		
ME 2314	Polished slice, 2x4 in.	95.00 g
PILLISTFER	E6	
Vohma, Estonian SSR, USSR		
Fell on 8/8/1868 at 1230 hrs.		
ME 1646	Mass with crust.	37.80 g
ME 1647	Mass with crust and polished surface.	16.40 g
ME 2655	Saw cut piece with natural, w/ one crusted surface	45.00 g
PINE RIVER	IA-ANOM	
Waushara County, Wisconsin, U.S.A.		
Found in 1931.		
ME 2382	Fragment of crust.	2.90 g
ME 2390	Etched slice.	84.52 g
PIÑON	IRANOM	
Otero County, New Mexico, U.S.A.		
Found in 1928, or 1930.		
ME 2196	Polished end with cubic streaks.	261.30 g

Catalog of Field Museum Meteorites

PIPE CREEK

H6

Bandera County, Texas, U.S.A.

Found in 1887.

ME 732	Microscopic slide; thin section with cover	
ME 1579	Mass with crust and polished surface.	355.00 g
ME 1580	About 1/3 of original mass, one surface polished.	3,880.00 g

PIRGUNJE

L6

Dinajpur District, East Bengal, Bangladesh

Fell on 8/29/1882.

ME 1639	Mass with crust; contains veins of troilite.	27.20 g
---------	--	---------

PIRTHALLA

H6

Hissar District, Haryana, India

Fell on 2/9/1884 at 1400 hrs.

ME 1643	Fragment with crust.	1.00 g
---------	----------------------	--------

PITTS

IB

Wilcox County, Georgia, U.S.A.

Fell on 4/20/1921 at 0900 hrs.

ME 2039	Fragment	0.50 g
---------	----------	--------

PITTSBURG

IIICD

Allegheny County, Pennsylvania, U.S.A.

Found, no date given.

ME 433	Etched fragment with crust.	4.60 g
ME 823	Etched fragment with crust.	12.80 g
ME 1187	Etched fragment with crust.	21.50 g

PLAINS

H5

Yoakum County, Texas, U.S.A.

Found in 1964.

ME 2899	Weathered saw-cut slice w/ crust on two edges.	46.40 g
---------	--	---------

PLAINVIEW (1917)

H5

Hale County, Texas, U.S.A.

Found in 1917.

Catalog of Field Museum Meteorites

ME 1968	Complete individual in three parts.	1,915.10 g
ME 2323	Individual, 6x8 in	3,849.00 g
ME 2951	3 polished sections, two small pieces and one	85.20 g
PLAINVIEW (D) L6		
Hale County, Texas, U.S.A.		
Found in 1979.		
ME 2945	Small weathered saw-cut portion of a slice	28.00 g
ME 2950	Thick polished section on 1 in glass disc.	4.00 g
PLOSKOVITZ L		
Litomerice, Sevrocesky, Czechoslovakia		
Fell on 6/22/1723 at 1400 hrs.		
ME 493	Fragments with crust.	2.60 g
ME 1617	Fragment from interior.	1.70 g
PLYMOUTH IIIA		
Marshall County, Indiana, U.S.A.		
Found in 1893.		
ME 1130	Full sized section, etched.	617.90 g
ME 1131	Full sized section etched.	460.50 g
PNOMPEHN L6		
Cambodia		
Fell on 6/20-30/1968 at 1500 hrs.		
ME 1597	Fragments from interior.	0.10 g
POHLITZ L5		
Gera, Germany		
Fell on 10/13/1819 at 0800 hrs.		
ME 236	Fragment from interior.	0.50 g
ME 660	Microscopic slide; thin section with cover.	
ME 1624	Three fragments with crust.	11.30 g

Catalog of Field Museum Meteorites

POLLEN	CM2	
Nord-Sjona, Nesna District, Norway		
Fell on 4/6/1942 at 1900 hrs.		
ME 2746	Fragment	3.70 g
POLUJAMKI	H4	
Mikhailovsky District, Altay Region, USSR		
Found in 1971.		
ME 2793	Small slice	8.30 g
ME 3100	Saw-cut slice with crust on edges.	26.20 g
PONTLYFNI	CHANOM	
Gwynedd, Wales, England		
Fell on 4/14/1931 at 1153 hrs.		
ME 2829	Fragment with crust.	17.90 g
PONY CREEK		
Runnels County, Texas, USA		
Found, year not reported.		
ME 3233	Slice, fractured; one side polished.	208.20
POTTER	L6	
Cheyenne County, Nebraska, U.S.A.		
Found in 1941.		
ME 2370	Slice with polished surface.	351.40 g
ME 2381	Complete individual; broken.	86,042.80 g
ME 2525	Microscopic slide; thin section with cover.	
ME 2528	Microscopic slide; thin section with cover.	
PRAIRIE DOG CREEK	H3	
Decatur County, Kansas, U.S.A.		
Found in 1893, approximately.		
ME 563	Fragment from interior.	10.00 g
ME 1337	Mass with crust.	88.70 g
ME 1338	Mass with crust	62.85 g

Catalog of Field Museum Meteorites

PRAMBANAN

Surakarta, Java, Indonesia

Found in 1797.

ME 1160	Etched fragment with crust; polished.	14.60 g
---------	---------------------------------------	---------

PRICETOWN

Highland County, Ohio, U.S.A.

Fell on 2/13/1893.

ME 1768	Fragment with crust.	3.80 g
---------	----------------------	--------

ME 2484	Microscopic slide; thin section with cover.	
---------	---	--

PUENTE DEL ZACATE

Monclova District, Coahuila, Mexico, probable location

Found in 1904.

ME 2253	Polished and etched slice.	495.20 g
---------	----------------------------	----------

PULSORA

Ratlam District, Madhya Pradesh, India

Fell on 3/16/1863, afternoon.

ME 1638	Fragment from interior.	4.70 g
---------	-------------------------	--------

PULTUSK

Warsaw, Poland

Fell on 1/30/1868 at 1900 hrs.

ME 289	Part of large individual. Microsections.	377.20 g
--------	--	----------

ME 290	48 small individuals	663.90 g
--------	----------------------	----------

ME 291	2 Medium sized individuals	141.80 g
--------	----------------------------	----------

ME 292	4 Medium sized individuals.	247.90 g
--------	-----------------------------	----------

ME 651	Microscopic slides; two thin sections with cover	
--------	--	--

ME 700	Microscopic slide; thin section with cover	
--------	--	--

ME 1581	Complete individual	7,897.00 g
---------	---------------------	------------

ME 1582	Medium sized individual.	354.50 g
---------	--------------------------	----------

ME 1583	One medium sized individual.	371.40 g
---------	------------------------------	----------

Catalog of Field Museum Meteorites

ME 1584	Medium sized individual.	275.70 g
ME 1585	95 small individuals	1,864.20 g
ME 1587	Individual cut in 2 and surfaces polished	56.80 g
ME 1588	Individual showing primary and secondary crust.	646.30 g
PUQUOIS	IID	
Copiapo, Atacama, Chile		
Found in 1885.		
ME 377	Full sized slab, etched.	153.80 g
ME 1106	Nearly full sized section, etched.	164.90 g
PUTINGA	L6	
Encantada District, Rio Grande Do Sul, Brazil		
Fell on 8/16/1937 at 1630 hrs.		
ME 3007	Chunk with one saw-cut edge, one edge w/ crust.	14.50 g
PUTNAM COUNTY	IVA	
Georgia, U.S.A.		
Found in 1839.		
ME 892	Polished slab with crust.	26.30 g
ME 893	Fragments	27.70 g
QINGZHEN	EH3	
Yongle, Qingzhen County, Guizhou, China		
Fell on 9/13/1976 at 1640 hrs.		
ME 3063	Many small pieces used in 3 thin sections.	
QUARAT AL HANISH	IIICD-ANO	
Egypt		
Found on 6/25/1979.		
ME 2849	Small saw-cut slice.	40.10 g
QUARTZ MOUNTAIN	IIIA	
Nye County, Nevada, U.S.A.		
Found in 1935.		
ME 3010	Small saw-cut slice.	5.40 g

Catalog of Field Museum Meteorites

QUEEN'S MERCY	H6	
Matatiele, Griqualand East, Cape Province, South Africa		
Fell on 4/30/1925 at 2000 hrs.		
ME 2100	Mass with crust.	2,010.15 g
QUENGGOUK	H4	
Bassein District, Burma		
Fell on 12/27/1857 at 0230 hrs.		
ME 1614	Mass with crust.	279.37 g
QUESA	IRANOM	
Enguera, Valencia, Spain		
Fell on 8/1/1898 at 2100 hrs.		
ME 1169	Etched fragment.	1.05 g
QUINCAY	L6	
Vienne, France		
Fell in Summer, 1851.		
ME 1657	Two fragments with crust and polished surfaces.	10.70 g
QUINN CANYON	IIIA	
Nye County, Nevada, U.S.A.		
Found in 1908.		
ME 775	Complete individual.	954,001.70 g
RACO	H5	
Tafi, Tucuman, Argentina		
Fell on 11/17/1957, at night hrs.		
ME 2455	Fragment from interior	4.80 g
RAFRÜTI	IRANOM	
Emmenthal, Canton Bern, Switzerland		
Found in 1886.		
ME 1136	Two slabs with crust; etched.	8.45 g
RAGLAND	L3	
Quay County, New Mexico, U.S.A.		
Found in 1892.		
ME 3044	Saw-cut slice broken into two pieces, chunk & dust	118.37 g

Catalog of Field Museum Meteorites

RAGULI	H3-4	
Stavropol District, Federated SSR, USSR		
Found in 1972.		
ME 3093	Very small saw-cut slice with crust on one edge.	0.85 g
RAKOVKA	L6	
Tula, Federated SSR, USSR		
Fell on 11/20/1878 at 1500 hrs.		
ME 1654	Mass with crust.	162.50 g
RAMSDORF	L6	
Borken, Nordrhein-Westfalen, Germany		
Fell on 7/26/1958 at 1830 hrs.		
ME 2558	Three light gray fragments.	35.80 g
RANCHO DE LA PILA (1882)	IIIA	
Durango, Mexico		
Found in 1882.		
ME 1172	Etched section with crust on three edges.	73.70 g
RANCHO DE LA PRESA	H5	
Zenapecuaro, Michoacan, Mexico		
Fell in 1899.		
ME 1671	Fragment with crust.	3.15 g
RANCHO GOMELIA	IIIB	
Durango, Mexico		
Found in 1975.		
ME 2874	Small saw-cut slice with crust.	140.20 g
RANGALA	L6	
Jodhpur, Rajasthan, India		
Fell 12/29/1937 at 1000 hrs.		
ME 2785	Fragment with crust and one saw-cut face.	7.50 g
RANSOM	H4	
Ness County, Kansas, U.S.A.		
Found in 1938.		
ME 2249	Polished slab.	320.55 g

Catalog of Field Museum Meteorites

RED DEER HILL (2)

L6

Prince Albert, Saskatchewan, Canada

Found in May, 1975.

ME 3069	Weathered end piece, with two saw-cut faces.	436.00 g
---------	--	----------

RED RIVER

IIIA

Texas, U.S.A.

Found in 1808.

ME 34	Chiseled fragment, one end etched.	55.30 g
-------	------------------------------------	---------

ME 917	Etched fragment with crust.	32.75 g
--------	-----------------------------	---------

ME 918	Small etched slab.	20.50 g
--------	--------------------	---------

RED ROCK

IIIA

Near Red Rock Canyon, Kern County, California, U.S.A.

Found in 1976, approximately.

ME 2999	Large saw-cut slice with crust on two edges.	535.00 g
---------	--	----------

REDFIELDS

IRANOM

Wongan Hills District, Western Australia, Australia

Found in 1969.

ME 2741	Small slice with crust on two edges.	47.95 g
---------	--------------------------------------	---------

REED CITY

IRANOM

Osceola County, Michigan, U.S.A.

Found in 1895.

ME 1041	Full sized, etched section, 9x26 cm.	729.30 g
---------	--------------------------------------	----------

ME 1042	Kidney-shaped end piece, etched; 8x23 cm.	2,014.94 g
---------	---	------------

REMBANG

IVA

Java, Indonesia

Fell on 8/30/1919.

ME 2713	Small slice, polished and etched on one side.	30.70 g
---------	---	---------

RENAZZO

CM2

Ferrara, Emilia, Italy

Fell on 1/15/1824 at 2030 hrs.

ME 1656	Two fragments with crust	3.50 g
---------	--------------------------	--------

Catalog of Field Museum Meteorites

RHINE VILLA	IIIE	
County Sturt, South Australia, Australia		
Found in 1900.		
ME 869	Full sized etched section.	137.15 g
RHINELAND	H5	
Knox County, Texas, U.S.A.		
Found in 1961.		
ME 2892	Saw-cut slice with crust on three edges.	119.00 g
RICA AVENTURA	IVA	
Antofagasta, Chile		
Found in 1910.		
ME 2798	Polished, etched slab.	62.50 g
RICHARDTON	H5	
Stark County, North Dakota, U.S.A.		
Fell 6/30/1918 at 2200 hrs.		
ME 1994	Complete individual.	3,165.54 g
ME 1995	Two individuals.	56.76 g
RICHFIELD	LL3.7	
Morton County, Kansas		
Found in 1983.		
ME 3210	Thin slice with one side polished	214.05 g
RICHLAND	IIA	
Navarro County, Texas, USA		
Found in 1951		
ME 3236	Slice; one side etched.	439.60
RICHMOND	L5	
Chesterfield County, Virginia, U.S.A.		
Fell on 6/4/1828 at 0830 hrs.		
ME 239	Fragments from interior.	3.30 g
ME 1735	Section with crust and polished surface.	35.50 g
ME 2485	Microscopic slide; thin section with cover.	

Catalog of Field Museum Meteorites

ROCHESTER	H6	
Fulton County, Indiana, U.S.A.		
Fell on 12/21/1876 at 2045 hrs.		
ME 1636	Two fragments with crust.	1.50 g
ROCK CREEK	L4	
Swisher County, Texas, U.S.A.		
Found in 1980.		
ME 2927	Individual with two saw-cut faces; weathered.	941.08 g
RODA	ADIO	
Huesca, Spain		
Fell in Spring, 1871.		
ME 1376	Fragment	15.40 g
RODEO	IID	
Durango, Mexico		
Found in 1852.		
ME 590	About 1/2 of the original mass; etched surface.	23,000.00 g
ME 1951	Full slice polished and etched.	1,795.40 g
ROEBOURNE	IIIA	
Hamersley Range, Western Australia, Australia		
Found in 1892.		
ME 872	Full sized etched section.	2,409.00 g
ME 873	Full sized etched section, 6 cm thick.	19,352.00 g
ME 874	End piece, 20 cm long, etched.	12,116.00 g
ROOSEVELT COUNTY 020	L5	
Roosevelt County, New Mexico, U.S.A.		
Found in 1983.		
ME 3043	Very weathered saw-cut slice with crust on edges.	21.25 g
ME 3058	Very weathered saw-cut slice with crust on edges.	2.50 g
ROOSEVELT COUNTY 021	H5	
Roosevelt County, New Mexico, U.S.A.		
Found in 1983.		

Catalog of Field Museum Meteorites

ME 3059	Small weathered saw-cut slice with crust on edges.	2.60 g
ROPER RIVER	IIIB	
Northern Territory, Australia		
Found in 1953.		
ME 2710	Fragment, cut along one side; not polished.	38.05 g
ROSAMOND DRY LAKE	L	
Kern County, California, U.S.A.		
Found on 11/24/1940.		
ME 2677	Fragment with two saw-cut surfaces + 2 chips.	113.75 g
ROSARIO	IA	
Honduras		
Found in 1896.		
ME 1132	Full sized etched section.	450.00 g
ROSE CITY	H5	
Ogemaw County, Michigan, U.S.A.		
Fell on 10/17/1921 at 2300 hrs.		
ME 2396	Complete individual cut into 3 pieces	1,238.21 g
ROUND TOP (B)	H4S3	
Fayette County, Texas, USA		
Known since 1939.		
ME 3221	Slice, one side polished.	205.10
ROUNDUP	IIIAB	
Roundup, Montana, USA		
Found in 1990.		
ME 3199	Full slice with crust, polished and etched.	395.00 g
ROWTON	IIIA	
Wellington, Shropshire, England		
Fell on 4/20/1876 at 1545 hrs.		
ME 1164	Fragment with crust and etched surfaces.	13.00 g
ROY (1933)	L5	
Harding County, New Mexico, U.S.A.		
Found in the Spring, 1933.		

Catalog of Field Museum Meteorites

ME 2207	Mass with polished surface.	493.05 g
RUFF'S MOUNTAIN		
IIIA		
Lexington County, South Carolina, U.S.A.		
Found in 1844.		
ME 1114	End piece, etched. Bands crooked, width variable.	960.90 g
ME 1170	Mass with crust and etched surfaces.	68.60 g
ME 1171	Mass with crust and etched surface.	116.70 g
RUSH COUNTY		
H5		
Indiana, U.S.A.		
Found in 1948.		
ME 2615	Rough slice.	132.00 g
RUSH CREEK		
L6		
Kiowa County, Colorado, U.S.A.		
Found in 1938.		
ME 2315	End piece with crust; 4x4 in	464.60 g
RUSHVILLE		
L5		
Franklin County, Indiana, U.S.A.		
Found in 1866.		
ME 1672	Two fragments from interior.	17.75 g
ME 2486	Microscopic slide; thin section with cover	
RUSSEL GULCH		
IIIA		
Gilpin County, Colorado, U.S.A.		
Found in 1863.		
ME 1157	Etched slab with crust.	273.20 g
SACRAMENTO MOUNTAINS		
IIIA		
Eddy County, New Mexico, U.S.A.		
Found in 1890, approximately.		
ME 465	Full sized etched section, 12x40 cm.	2,335.00 g
ME 875	Full sized etched section; 15x53 cm.	6,110.00 g

Catalog of Field Museum Meteorites

SAINT CAPRAIS-DE-QUINSAC	L6	
Gironde, France		
Fell on 1/28/1883 at 1445 hrs.		
ME 1668	Fragment from interior.	3.75 g
SAINT CHRISTOPHE-LA-CHARTREUSE	L6	
Roche-Serviere, Vendée, France		
Fell on 11/5/1841, evening hrs.		
ME 1693	Slice with crust.	7.40 g
SAINT DENIS WESTREM	L6	
Ghent, Belgium		
Fell on 6/7/1855 at 1945 hrs.		
ME 1642	Two fragments with crust.	12.80 g
SAINT FRANCOIS COUNTY	IC	
Missouri, U.S.A.		
Found in 1863.		
ME 866	Full sized etched section. Re-etched 11/1917.	676.10 g
SAINT GENEVIEVE COUNTY	IIIF	
Missouri, U.S.A.		
Found in 1888.		
ME 512	Large etched slab.	667.60 g
ME 1048	Full sized etched section	7,616.00 g
ME 1049	About 1/2 of the original mass.	98,428.00 g
SAINT GERMAIN-DU-PINEL	H6	
Vitré, Elle-et-Vilaine, France		
Fell on 7/4/1890 at 1530 hrs.		
ME 805	Mass with crust.	105.30 g
SAINT LAWRENCE	LL6	
Glasscock County, Texas, U.S.A.		
Found in 1965.		
ME 2972	Saw-cut slice with crust on one side; weathered.	12.25 g

Catalog of Field Museum Meteorites

SAINT MARK'S

E5

St. Mark's Mission Station, Transkei, Cape Province, South Africa

Fell on 1/3/1903 at 2300 hrs.

ME 2608	Small slab, 7/8x3/4x1/4 in.	19.69 g
---------	-----------------------------	---------

SAINT MESMIN

LL6

Aube, France

Fell on 5/30/1866 at 1545 hrs.

ME 612	Mass with crust	31.80 g
--------	-----------------	---------

ME 1722	Three fragments, one with crust.	9.70 g
---------	----------------------------------	--------

SAINT MICHEL

L6

Mikkeli, Finland

Fell on 7/12/1910 at 1925 hrs.

ME 1947	Mass with crust.	232.40 g
---------	------------------	----------

SAINT PETER

L5

Graham County, Kansas, U.S.A.

Found in 1957.

ME 3081	Saw-cut slice with crust on one edge.	13.90 g
---------	---------------------------------------	---------

SAINT-SÉVERIN

LL6

Charente, France

Fell on 6/27/1966 at 1540 hrs.

ME 2664	Saw-cut slab with fusion crust along one edge.	224.30 g
---------	--	----------

SALAIQUES

H4

Chihuahua, Mexico

Found in 1971.

ME 2929	Small end piece with one saw-cut face & fragment	163.30 g
---------	--	----------

SALINE

H5

Saline Township, Sheridan County, Kansas, U.S.A.

Found in 1901; possibly fell 11/15/1898 at 2130

ME 527	About 2/3 of the original individual.	19,497.00 g
--------	---------------------------------------	-------------

ME 565	Polished section	
--------	------------------	--

ME 671	Microscopic slides; two thin sections with cover.	
--------	---	--

Catalog of Field Museum Meteorites

ME 704	Microscopic slide; thin section with cover.	
ME 733	Microscopic slides; three thin sections with cover	
ME 1334	Mass with crust	1,093.20 g
SALLES		H6
Villefranche, Rhone, France		
Fell 3/12/1798 at 1800 hrs.		
ME 1723	Mass with crust and sawed surface.	102.10 g
SALT LAKE CITY		H5
Utah, U.S.A.		
Found in 1869.		
ME 1859	Mass with crust and polished surfaces.	122.70 g
SALT RIVER		IIC
Bullitt County, Kentucky, U.S.A.		
Found in 1850, approximately.		
ME 1141	Etched mass with crust.	78.85 g
ME 1155	Fragment embedded in plastic	7.00 g
SAM'S VALLEY		IIIB
Jackson County, Oregon, U.S.A.		
Found in 1894.		
ME 1976	Etched and polished section.	500.70 g
SAN ANGELO		IIIA
Tom Green County, Texas, U.S.A.		
Found in 1897.		
ME 478	Full sized etched section, 12x27 cm.	1,459.60 g
ME 964	Full sized etched section w/ one troilite nodule.	1,678.40 g
ME 965	Full sized etched section.	2,596.80 g
SAN CRISTOBAL		IB
Antofagasta, Chile		
Found in 1882, approximately.		
ME 1146	End piece etched.	110.20 g

Catalog of Field Museum Meteorites

SAN EMIGDIO	H4	
San Emigdio Mountains, Kern County, California, U.S.A.		
Found in 1887.		
ME 446	Polished fragment + small chips.	31.43 g
ME 1713	Polished section only.	
SAN FRANCISCO DEL MEZQUITAL	IIA	
Durango, Mexico		
Found in 1868.		
ME 1135	Etched slab with crust.	12.00 g
SAN FRANCISCO MOUNTAINS	IVA	
Arizona, U.S.A.		
Found in 1920, approximately.		
ME 2391	Etched slice.	36.50 g
SANDERSON	IIIB	
Terrel County, Texas, U.S.A.		
Found in March, 1936.		
ME 2316	Etched slice with crust; 2.5x4 in	335.50 g
SANDIA MOUNTAINS	IIB	
Near Albuquerque, New Mexico, U.S.A.		
Found in 1925.		
ME 2199	Polished section.	460.90 g
SANDTOWN	IIIA	
Independence County, Arkansas, U.S.A.		
Found in 1938.		
ME 982	Etched slice.	265.00 g
ME 2265	Flattened shape individual.	7,426.00 g
SANTA APOLONIA	IIIA	
Nativitas, Tlaxcala, Mexico		
Found in 1872.		
ME 1010	Etched end piece.	219.60 g

Catalog of Field Museum Meteorites

SANTA BARBARA

L4

Porto Alegre, Rio Grande do Sul, Brazil

Fell on 9/26/1873.

ME 1851	Mass with crust.	41.20 g
---------	------------------	---------

SANTA CATHARINA

IRANOM

Santa Catarina, Brazil

Found in 1875.

ME 98	Individual	183.30 g
-------	------------	----------

ME 103	Individual	3,962.00 g
--------	------------	------------

ME 104	Individual; crust highly oxidized.	3,241.50 g
--------	------------------------------------	------------

ME 1919	Polished slice.	1,005.70 g
---------	-----------------	------------

ME 1920	Two individuals	2,152.00 g
---------	-----------------	------------

SANTA CLARA

IVB

Near Santa Clara, Durango, Mexico

Found in 1976.

ME 2859	Large saw-cut slice with crust on three sides.	896.50 g
---------	--	----------

SANTA LUZIA

IIB

Goias, Brazil

Found in 1921.

ME 2047	Complete individual.	2,496.90 g
---------	----------------------	------------

ME 2063	Etched section of Me 2047	427.50 g
---------	---------------------------	----------

ME 2068	Etched section.	88.15 g
---------	-----------------	---------

ME 2069	End piece with polished surface.	29.80 g
---------	----------------------------------	---------

SANTA ROSA

IC

Tunja, Boyaca, Colombia

Found in 1810.

ME 571	Polished section.	68.35 g
--------	-------------------	---------

ME 762	Polished slab with numerous troilite inclusions.	1,812.20 g
--------	--	------------

ME 1945	End piece, sawn on three sides + small piece cut	99,493.10 g
---------	--	-------------

Catalog of Field Museum Meteorites

SANTIAGO PAPASQUIERO

IRANOM

Durango, Mexico

Found in 1958, approximately.

ME 2857	Large saw-cut slice, crust on three sides.	1,264.80 g
---------	--	------------

SÃO JULIÃO DE MOREIRA

IIB

Ponte do Lima, Minho, Portugal

Found in 1883.

ME 556	Full sized polished section; 13x27 cm, w/ crust.	1,737.20 g
--------	--	------------

ME 1104	Full sized, etched section.	782.70 g
---------	-----------------------------	----------

ME 1908	Schreibersite powder.	187.80 g
---------	-----------------------	----------

ME 2345	Schreibersite powder from meteorite.	1.20 g
---------	--------------------------------------	--------

ME 2346	Schreibersite powder from meteorite.	18.00 g
---------	--------------------------------------	---------

SARATOV

L4

Near Donguz, Penza, Federated SSR, USSR

Fell on 9/6/1918 at 1500 hrs.

ME 2673	Rough fragment with fusion crust on one small edge	133.37 g
---------	--	----------

SARDIS

IA

Burke County, Georgia, U.S.A.

Found in 1940.

ME 2625	Polished, etched, slice embedded in plastic.	1,074.10 g
---------	--	------------

SAREPTA

IA

Volgograd Region, Federated SSR, USSR

Found in 1854.

ME 1145	Etched section with crust.	275.50 g
---------	----------------------------	----------

SAUGUIS

L6

St. Etienne, Basses-Pyrénées, France

Fell on 9/7/1868 at 0230 hrs.

ME 295	Fragment with crust.	13.00 g
--------	----------------------	---------

ME 708	Microscopic slide; thin section with cover.	
--------	---	--

Catalog of Field Museum Meteorites

SAVTSCHENSKOJE	LL4	
Tiraspol, Kherson, Ukraine, USSR		
Fell on 7/27/1894 at 2000 hrs.		
ME 1852	Crusted mass.	17.08 g
SCHELLIN	L	
Stargard, Stettin, Poland		
Fell on 4/11/1715 at 1600 hrs.		
ME 1600	Fragment from interior.	0.50 g
SCHÖNENBERG	L6	
Pfaffenhausen, Schwaben, Bayern, Germany		
Fell on 12/25/1846 at 1400 hrs.		
ME 254	Fragment with crust.	8.20 g
ME 1853	Thin slab with crust.	23.80 g
SCHWETZ	IIIA	
Kwidzyn, Poland		
Found in 1850.		
ME 1163	Etched slab with crust.	91.20 g
ME 2928	Small saw-cut slice with crust on two sides.	226.50 g
SCOTT CITY	H5	
Scott County, Kansas, U.S.A.		
Found in 1905.		
ME 1957	Nearly complete individual with one polished face.	785.60 g
ME 1958	Complete individual.	133.90 g
SCOTTSVILLE	IIA	
Allen County, Kentucky, U.S.A.		
Found in 1867.		
ME 91	Full sized slab; 12x17 cm; etched.	360.30 g
ME 1043	End piece, etched.	742.00 g
SCURRY	H5	
Mitchell County, Texas, U.S.A.		
Found in 1937.		

Catalog of Field Museum Meteorites

ME 2688	5 mm thick slice, polished on one side.	26.10 g
SEAGRAVES (B) H5		
Gaines County, Texas, U.S.A.		
Found in 1976.		
ME 3077	Saw-cut slice with crust on one edge.	24.40 g
SEAGRAVES (C) L6/7		
Terry County, Texas, USA		
Found in Summer, 1989.		
ME 3192	Sawn, part slice.	177.60 g
SEARSMONT H5		
Waldo County, Maine, U.S.A.		
Fell on 5/21/1871 at 0815 hrs.		
ME 302	Fragments from interior.	5.10 g
ME 682	Microscopic slide; thin section with cover.	
ME 1710	Fragment with crust.	5.70 g
SEELÄSGEN IA		
Schwiebus (=Swiebodzin), Zielona Gora, Poland		
Found in 1847.		
ME 57	Chiseled fragment.	41.60 g
ME 375	Etched slab.	12.65 g
ME 1054	Cuboidal mass with crust and etched surfaces.	375.50 g
ME 1055	Etched slab.	622.40 g
SEGOWLIE L6		
Bettiah, Champaran District, Bihar, India		
Fell on 3/4/1853 at 1200 hrs.		
ME 1863	Slice from interior w/ polished surfaces.	11.60 g
ME 1864	Fragments from interior.	6.50 g
ME 1865	Broad mass with crust and polished surface.	166.40 g

Catalog of Field Museum Meteorites

SEIBERT (A)	H5	
Kit Carson County, Colorado, U.S.A.		
Found in 1941.		
ME 2386	Slice with polished surface.	143.30 g
SELAKOPI	H5	
Near Bandung, Java, Indonesia		
Fell on 9/26/1939.		
ME 2925	End piece with crust on one side.	29.90 g
SELDEN		
Sheridan County, Kansas, U.S.A.		
Found in 1960.		
ME 3119	Saw-cut end piece with three saw-cut faces.	98.80 g
SELMA	H4	
Dallas Copunty, Alabama, U.S.A.		
Found in 1906.		
ME 1868	Mass from interior with polished surface.	23.96 g
SEMINOLE	H4	
Gaines County, Texas, U.S.A.		
Found in 1961.		
ME 2580	Thin polished slice; 85x60 mm.	79.00 g
SEMINOLE (D)	H6	
Gaines County, Texas, U.S.A.		
Recognized in 1976.		
ME 2912	Saw-cut slice with crust on edges.	104.30 g
SEMINOLE DRAW (A)	L6	
Gaines County, Texas, U.S.A.		
Found in 1976.		
ME 3082	Saw-cut slice with crust on three edges.	23.60 g
SENA	H4	
Sarinena, Huesca, Spain		
Fell on 11/17/1773 at 1200 hrs.		
ME 445	Fragment from the interior.	5.07 g

Catalog of Field Museum Meteorites

ME 1854	Two fragments, one with crust.	1.28 g
SENECA FALLS	IIIA	
Cayuga County, New York, U.S.A.		
Found in 1850.		
ME 60	Sawed section showing natural surface & fracture.	202.50 g
ME 1200	Full sized section, etched.	104.50 g
SENECA TOWNSHIP	IVA	
Lenawee County, Michigan, U.S.A.		
Found in 1923.		
ME 2256	Etched slice.	127.39 g
SERES	H4	
Macedonia, Greece		
Fell in June, 1818.		
ME 1866	Mass from interior	34.03 g
ME 1867	Mass with polished surface.	5.15 g
SETH WARD	H5	
Hale County, Texas, U.S.A.		
Found in 1977.		
ME 2946	Saw-cut slice with crust on one edge.	26.76 g
SEVILLA	LL4-6	
Andalucia, Spain		
Fell on 11/1/1862.		
ME 1601	Fragments with crust.	0.08 g
SEVRUKOVO	L5	
Belgorod, Kursk, USSR		
Fell on 5/11/1874 at 2345 hrs.		
ME 1602	Mass from interior with polished interior.	130.90 g
ME 1603	Mass from interior with polished surface.	49.20 g
SEYMOUR	IA	
Webster County, Missouri, U.S.A.		
Found in 1940, approximately.		

Catalog of Field Museum Meteorites

ME 2635	Polished slab; somewhat rusted in patches.	496.10 g
SHAFTER LAKE	H	
Andrews County, Texas, USA		
Found 1933 approximately; recognized 1936.		
ME 3222	Slice; one side polished.	72.14
SHALKA	ADIO	
Bishnupur, Bankura district, West Bengal, India		
Fell on 11/30/1850, early morning.		
ME 572	Four small fragments, three w/ some crust.	18.95 g
SHALLOWATER	AUB	
Lubbock County, Texas, U.S.A.		
Found in July, 1936.		
ME 2234	One polished slice.	136.20 g
SHAW	L6	
Lincoln County, Colorado, U.S.A.		
Found in 1937.		
ME 2592	Slab.	42.40 g
SHELBURNE	L5	
Grey County, Ontario, Canada		
Fell on 8/13/1904 at 2000 hrs.		
ME 606	One-half of small individual.	2,910.00 g
ME 684	Microscopic slides; four thin sections w/ cover.	
ME 1336	Mass with crust and two polished surfaces.	1,756.00 g
ME 2142	Full sized section.	7.75 g
SHERGOTTY	SNC	
Gaya, Bihar, India		
Fell on 8/25/1865 at 0900 hrs.		
ME 1372	Mass with crust.	33.17 g
SHEYANG	L6	
Sheyang Co., Jiangsu, China		
Fell on 7/11/1976 at 1330 hrs.		

Catalog of Field Museum Meteorites

ME 3152	Small interior chip	2.50 g
SHIELDS		
H5		
Lane County, Kansas, U.S.A.		
Found in 1962, approximately.		
ME 2694	4 mm thick slice; polished on one side.	90.70 g
SHINGLE SPRINGS		
IRANOM		
El Dorado County, California, U.S.A.		
Found in 1869, or 1870.		
ME 1137	Etched section with crust.	116.90 g
SHREWSBURY		
IA		
York County, Pennsylvania, U.S.A.		
Found in 1907.		
ME 776	Etched section	85.40 g
ME 777	Rough fragment.	18.50 g
SHYTAL		
L6		
Madhupur Jungle, Mymensingh District, Tangail, Bangladesh		
Fell on 8/11/1863 at 1200 hrs.		
ME 1696	Fragment from interior.	8.35 g
ME 1697	Two fragments with polished surface.	12.95 g
SIENA		
LL5		
Tuscany, Italy		
Fell on 6/16/1794 at 1900 hrs.		
ME 1698	Mass with crust.	51.55 g
ME 1699	Fragment	12.55 g
SIERRA BLANCA		
I		
Jimenez, Chihuahua, Mexico		
Found in 1784.		
ME 1144	Two fragments	1.90 g
SIERRA GORDA		
IIA		
Antofagasta, Chile		
Found in 1898.		

Catalog of Field Museum Meteorites

ME 2420	Polished slice.	550.00 g
SIKHOTE-ALIN		
	IIB	
Maritime Territory, Federated SSR, USSR		
Fell on 2/12/1947 at 1038 hrs.		
ME 2456	Mass from interior.	71.40 g
ME 2839	Fragment with ragged edges formed during impact.	714.90 g
SILVER BELL		
	IIB	
Pima County, Arizona, U.S.A.		
Found in 1939.		
ME 2403	Etched slice.	88.80 g
SILVER CROWN		
	IA	
Laramie County, Wyoming, U.S.A.		
Found in 1887.		
ME 130	Etched slab with crust.	71.20 g
ME 995	Etched slab with crust.	105.65 g
SILVERTON (NEW SOUTH WALES)		
	L6	
County Yancowinna, New South Wales, Australia		
Found in 1883, approximately.		
ME 2717	Small slice with crust on one side.	10.80 g
SILVERTON (TEXAS)		
	H4	
Briscoe County, Texas, U.S.A.		
Found in 1938.		
ME 2865	Two small fragments.	3.35 g
ME 2866	Small fragment on slide.	4.20 g
ME 2867	Saw-cut chunk with crust.	122.20 g
SIMONDIUM		
	MES	
Lower Paarl, Cape Province, South Africa		
Found in 1907.		
ME 2826	Fragment; quite weathered.	46.00 g

Catalog of Field Museum Meteorites

SINDHRI	H5	
Khipro taluq, Sanghar District, Sind, Pakistan		
Fell on 6/10/1901 at 2300 hrs.		
ME 573	Mass with crust	351.70 g
ME 1339	Mass with crust	139.80 g
SIOUX COUNTY	AEUC	
Nebraska, U.S.A.		
Fell on 8/8/1933 at 1030 hrs.		
ME 3101	Small saw-cut chunk with crust on one edge.	4.97 g
SITATHALI	H5	
Raipur District, Madhya Pradesh, India		
Fell on 3/4/1875 at 1100 hrs.		
ME 1695	Two fragments with crust and sawed surfaces.	14.25 g
SKI	L6	
Akershuus, Oslo, Norway		
Fell on 12/27/1848, evening hrs.		
ME 1667	Fragment from interior.	0.80 g
ME 2748	Fragment with fusion crust on two sides.	7.80 g
SLAVETIC	H4	
Zagreb (=Agram), Croatia, Yugoslavia		
Fell on 5/22/1868 at 1030 hrs.		
ME 1665	Mass with crust and polished surface.	11.49 g
SLOBODKA	L4	
Yukhov, Kaluga, Federated SSR, USSR		
Fell on 8/10/1818.		
ME 709	Thin section made in Department Laboratory.	
ME 1694	Fragment from interior.	11.53 g
SLOVAK	H5	
Arkansas, U.S.A.		
Found in 1964, approximately.		
ME 3024	Saw-cut slice with crust on edges.	96.80 g

Catalog of Field Museum Meteorites

SMITH'S MOUNTAIN

IIIB

Rockingham County, North Carolina, U.S.A.

Found in 1863, approximately.

ME 85	Etched slice.	17.60 g
ME 452	Large etched section.	228.40 g
ME 1107	Full sized etched section.	212.55 g

SMITHLAND

IVA

Livingstone County, Kentucky, U.S.A.

Found in 1839, or 1840.

ME 1161	Torn fragment, etched.	21.35 g
ME 1162	Mass worked into form of a wedge.	49.30 g
ME 1181	Fragment	21.30 g

SMITHONIA

IIA

Oglethorpe County, Georgia, U.S.A.

Found in 1940.

ME 2383	Complete individual, sliced.	4,571.00 g
---------	------------------------------	------------

SMITHVILLE

IA

De Kalb County, Tennessee, U.S.A.

Found in 1840.

ME 1026	Full sized etched section.	1,886.00 g
ME 1027	Etched end piece.	1,774.50 g

SOCIAL CIRCLE

IVA

Walton County, Georgia, U.S.A.

Found in 1927, or several years before this.

ME 2614	Etched slab	190.68 g
---------	-------------	----------

SOKO-BANJA

LL4

Aleksinac, Serbia, Yugoslavia

Fell on 10/13/1877 at 1400 hrs.

ME 319	Irregular fragment of light gray color.	2.10 g
ME 1373	Mass from interior.	241.86 g

Catalog of Field Museum Meteorites

ME 1374	Mass from interior.	48.50 g
SOMBRERETE	IRANOM	
Sombrerete, Zacatecas, Mexico		
Found in 1958.		
ME 2844	Saw-cut slice.	377.00 g
SOPER	IRANOM	
Choctaw County, Oklahoma, U.S.A.		
Found in 1938.		
ME 2264	Etched slice.	164.85 g
SOUTH BEND	PAL	
St. Joseph County, Indiana, U.S.A.		
Found in 1893.		
ME 607	Nearly complete individual.	755.21 g
SOUTH BYRON	IRANOM	
Genesee County, New York, U.S.A.		
Found in 1915.		
ME 1980	End piece with polished surface	2,685.00 g
ME 2553	Sawings cut from Me 1980.	3.70 g
SOUTH DAHNA		
Rub'al Khali, Saudi Arabia		
Found in 1957.		
ME 2989	Irregularly shaped weathered chunk; 2.5x1x1 in	265.10 g
SOUTH OMAN	E4	
Oman		
Found in 1958, approximately.		
ME 2851	Small saw-cut slice.	2.80 g
SOUTHERN ARIZONA	IA	
Arizona, U.S.A.		
Found in 1947.		
ME 2406	Etched slab.	191.70 g

Catalog of Field Museum Meteorites

SOUTHERN MICHIGAN

Michigan, U.S.A. Coordinates not known

Found, no date given.

ME 2407	Polished and etched slab.	48.70 g
---------	---------------------------	---------

SPEARMAN

IIIA

Hansford County, Texas, U.S.A.

Found in 1934.

ME 2218	Etched slice.	751.10 g
---------	---------------	----------

SPRINGER

H

Carter County, Oklahoma, USA

Found in 1965

ME 3223	End slice; one side polished.	127.00
---------	-------------------------------	--------

SPRINGFIELD

L6

Baca County, Colorado, U.S.A.

Found in 1937.

ME 2317	End piece with crust; 1x2 in	43.60 g
---------	------------------------------	---------

SPRINGLAKE

L6

Lamb County, Texas, U.S.A.

Found in August (approximately), 1980.

ME 2944	Two pieces from single larger saw-cut slice.	73.00 g
---------	--	---------

SPRINGWATER

PAL

Saskatchewan, Canada

Found in 1931.

ME 2220	Polished slice; cut into two pieces.	1,115.55 g
---------	--------------------------------------	------------

SSYROMOLOTOVO

IIIA

Keshma, Krasnoyarsk Region, Russian SSR, USSR

Found in 1873.

ME 1147	Torn fragment; etched.	22.25 g
---------	------------------------	---------

ME 1148	Thin etched slab embedded in plastic mount.	4.00 g
---------	---	--------

STÄLLDALEN

H5

Nya Kopparberg, Örebro, Sweden

Fell on 6/28/1876 at 2330 hrs.

Catalog of Field Museum Meteorites

ME 315	Fragment with crust.	1.80 g
ME 316	Irregular mass, with crust and polished surface.	33.40 g
ME 649	Microscopic slides; two thin sections #649 & 649A	
ME 1658	Mass with crust and armored surfaces.	342.00 g

STANNERN

AEUC

Iglau, Jihomoravsky, Czechoslovakia

Fell on 5/22/1808 at 0600 hrs.

ME 659	Microscopic slides; thin sections with cover.	
ME 692	Microscopic slide; thin section with cover	
ME 1362	Mass with crust.	234.50 g
ME 1363	Encrusted mass.	386.00 g

STAVROPOL

L6

Stavropol Region, Federated SSR, USSR

Fell on 3/24/1857 at 1700 hrs.

ME 1883	Three fragments from interior; w/ polished surface	21.50 g
ME 2488	Microscopic slide; thin section with cover.	

STEINBACH

IVA-ANOM

Erzgebirge, Karl-Marx-Stadt, Germany

Found in 1724.

ME 164	Thin slab, polished.	24.00 g
ME 1321	Slab with crust, polished and etched.	75.10 g
ME 1322	Fragment with polished surfaces.	42.60 g

STRATHMORE

L

Perthshire, Scotland

Fell on 12/3/1917 at 1315 hrs.

ME 2837	Fragment with partial crust.	31.90 g
---------	------------------------------	---------

SULPHUR SPRINGS DRAW

H5

Sulphur Springs Draw, Terry County, Texas, USA

Found on 9/20/1920.

Catalog of Field Museum Meteorites

ME 3193	Stone. Olivine-bronzite chondrite	98.50 g
SUMMERFIELD	L5	
Castro County, Texas, U.S.A.		
Found in 1979.		
ME 2904	Weathered saw-cut slice with crust.	75.40 g
SUMMIT	IIB	
Blount County, Alabama, U.S.A.		
Found in 1890.		
ME 1149	Etched section with crust.	37.90 g
SUNRAY	H4	
Moore County, Texas, U.S.A.		
Recognized in 1985.		
ME 3115	Saw-cut slice with crust on three edges.	96.60 g
SUPUHEE	H6	
Padrauna, Gorakhpur District, Uttar Pradesh, India		
Fell on 1/19/1865 at 1200 hrs.		
ME 1880	Polished fragments with crust.	14.10 g
SURPRISE SPRINGS	IA	
Bagdad, San Bernardino County, California, U.S.A.		
Found in 1899.		
ME 854	Etched end piece.	868.70 g
SUSUMAN	IIIA	
Magadan Region, Federated SSR, USSR		
Found in November, 1957.		
ME 3126	Small saw-cut chunk with crust on one edge.	11.90 g
SUTTON	H5	
Clay County, Nebraska, U.S.A.		
Found in 1964.		
ME 2888	Small saw-cut slice with crust on one edge.	25.30 g
SUWANEE SPRING	L5	
Valencia County, New Mexico, U.S.A.		
Found on 7/21/1979.		

Catalog of Field Museum Meteorites

ME 2906	Weathered saw-cut slice with crust on three edges.	26.45 g
TABOR		
H5		
Jihocesky, Czechoslovakia		
Fell on 7/3/1753 at 2000 hrs.		
ME 209	Fragment from interior.	0.12 g
ME 1856	Mass with crust.	58.80 g
ME 1857	Full sized section, polished. Metal abundant.	51.90 g
TADJERA		
L5		
Setif, Constantine, Algeria		
Fell on 6/9/1867 at 2230 hrs.		
ME 2652	Fragment from interior, polished on one side.	75.50 g
TAIBAN		
L5		
De Baca County, New Mexico, U.S.A.		
Found in 1934.		
ME 2894	Small saw-cut slice with crust on three edges.	29.80 g
TAMARUGAL		
IIIA		
Iquique, Tarapaca, Chile		
Found in 1903.		
ME 819	Square slab with crust; polished and etched.	822.90 g
TAMBO QUEMADO		
IIIB		
Leoncio Prado, Ayacucho, Peru		
Found in 1950, or before this year.		
ME 3041	Polished chunk, embedded in plastic.	18.10 g
TAMENTIT		
IIIA		
Tuat, Algeria		
Found in 1864.		
ME 2272	Etched slice.	392.30 g
TANOKAMI MOUNTAIN		
IIIE		
Kurimoto, Shiga, Honshu, Japan		
Found in 1885.		
ME 1150	Etched slab with crust.	160.20 g

Catalog of Field Museum Meteorites

TARLTON	H4	
By Salt Creek, Nr Tarlton, Fairfield Co., Ohio, USA		
Found in Summer, 1964.		
ME 3105	Weathered saw-cut chunk with crust on four sides.	122.30 g
TATAHOUINE	ADIO	
Foum Tatahouine, Tunisia		
Fell on 6/27/1931 at 0130 hrs.		
ME 2651	Over 100, 1-3 cm fragments	167.18 g
TAUK	L6	
Daquq, Iraq		
Fell in Spring, 1929.		
ME 2834	Fragment with partial crust.	10.80 g
TAWALLAH VALLEY	IVB	
Borrooloola, Northern Territory, Australia		
Found in 1939.		
ME 2705	Small slice, unpolished on any side.	69.73 g
TAZEWELL	IIICD	
Claiborne, Tennessee, U.S.A.		
Found in 1853.		
ME 867	Torn mass.	197.70 g
ME 868	Slab with polished surfaces.	81.75 g
TELL	H6	
Childress County, Texas, U.S.A.		
Found in 1930, or 1932.		
ME 3067	Saw-cut slice, crust on one portion of 1 edge.	21.80 g
TEMPLE	L6	
Bell County, Texas, U.S.A.		
Found in 1959.		
ME 2560	Fragment with one polished side.	33.40 g
TENHAM	L6	
South Gregory, Queensland, Australia		
Fell in the Spring, 1879, at night hrs.		

Catalog of Field Museum Meteorites

ME 2000	Fragment showing crust.	12.80 g
ME 2617	Single individual with crust.	727.10 g
TENNASILM	L4	
Pskov, Estonian SSR, USSR		
Fell on 6/28/1872 at 1200 hrs.		
ME 1874	Mass from interior.	48.08 g
TEPLA	IIIB	
Finsterhölzelries, Marienbad, Zapadocesky, Kraj, Czechoslovakia C		
Found on 9/18/1909.		
ME 803	Etched section with crust.	42.70 g
TERNERA	IVB	
Atacama, Chile		
Found in 1891, or before this year.		
ME 1176	Fragment	1.20 g
TEXLINE	H5	
Dallam County, Texas, U.S.A.		
Found in July, 1937.		
ME 2318	Complete individual; 4x4.25 in	656.90 g
THAL	H6	
Jhamtanwala, Mianwali tehsil, North-west Frontier, Pakistan		
Fell in June, 1950.		
ME 2824	Saw-cut slice with partial crust.	39.50 g
THIEL MOUNTAINS	PAL	
Antarctica		
Found in January, 1962.		
ME 2618	Polished slab	260.01 g
THUNDA	IIIA	
Windorah, County Grey, Queensland, Australia		
Found in 1881.		
ME 128	Sawed slab, one surface etched.	14.80 g
ME 861	Three etched fragments.	63.35 g

Catalog of Field Museum Meteorites

ME 993	Etched section	182.00 g
ME 994	Thick slab with crust, dimly etched.	1,145.10 g
THURLOW	IIIB	
Hastings County, Ontario, Canada		
Found in 1888.		
ME 870	End piece, etched.	197.80 g
TIBERRHAMINE	L6	
Sahara, Algeria		
Found in 1967.		
ME 2663	Fragment with crust on one side and saw-cut	272.95 g
TIERACO CREEK	IIIB	
North Murchison Goldfield, Western Australia, Australia		
Found in 1922, or before this year.		
ME 2102	Six fragments.	15.00 g
TIESCHITZ	H3	
Prostejov, Jihomoravsky, Czechoslovakia		
Fell on 7/15/1878 at 1345 hrs.		
ME 1725	Fragments with crust, + three chips.	13.65 g
ME 2750	Fragment from interior.	10.00 g
TILDEN	L6	
Randolph County, Illinois, U.S.A.		
Fell on 7/13/1927 at 1300 hrs.		
ME 2112	Mass with crust + tiny fragment.	1,139.00 g
ME 2497	Microscopic slides; two thin sections with cover	
TIMOCHIN	H5	
Yukhnov, Kaluga, Federated SSR, USSR		
Fell on 3/25/1807 at 1500 hrs.		
ME 1727	Mass with crust and polished surface.	36.60 g
ME 1728	Mass from interior with sawed surfaces.	17.80 g

Catalog of Field Museum Meteorites

TISHOMINGO

Johnson County, Oklahoma, USA

Found in 1965.

ME 3237	Slice; one side polished and etched.	3,323.00
---------	--------------------------------------	----------

IRANOM

TJABE

Padang, Rembang, Java, Indonesia

Fell on 9/19/1869 at 2100 hrs.

ME 1704	Mass with crust.	47.30 g
---------	------------------	---------

ME 1705	Mass with crust and sawed surface.	22.50 g
---------	------------------------------------	---------

H6

TJEREBON

Java, Indonesia

Fell on 7/10/1922 at 2230 hrs.

ME 2990	Saw-cut slice with crust on one edge.	14.80 g
---------	---------------------------------------	---------

L5

TLACOTEPEC

Tecamachalco, Puebla, Mexico

Found in 1903.

ME 1165	Full sized polished section.	111.80 g
---------	------------------------------	----------

ME 2159	Full sized slab, polished and etched.	1,816.10 g
---------	---------------------------------------	------------

IVB

TOKIO (A)

Terry County, Texas, U.S.A.

Found in 1974.

ME 3050	Weathered saw-cut slice with crust on two edges.	47.90 g
---------	--	---------

H

TOLUCA

Xiquipilco, Mexico State, Mexico

Found in 1776.

ME 7	Complete individual of spheroidal form.	457.40 g
------	---	----------

ME 9	Complete individual of spheroidal form.	251.70 g
------	---	----------

ME 11	Complete individual of spheroidal form.	225.45 g
-------	---	----------

ME 13	Complete individual showing cleavage.	111.00 g
-------	---------------------------------------	----------

ME 15	Nearly complete individual w/ etched surface.	16,126.00 g
-------	---	-------------

IA

Catalog of Field Museum Meteorites

ME 16	End piece with etched surface; 18x40 cm.	6,140.00 g
ME 17	Mass showing cleavage.	1,966.60 g
ME 18	Complete individual.	4,809.00 g
ME 21	Complete individual of spheroidal form.	1,105.90 g
ME 22	Complete individual of hemi-spheroidal form	23,818.80 g
ME 23	Complete individual of hemispheroidal form	44,050.80 g
ME 24	Complete individual.	17,728.00 g
ME 25	Etched section; 18x22 cm; contains troilite nodule	1,860.40 g
ME 26	Etched section, 21x38cm; contains troilite nodules	1,488.40 g
ME 27	Complete individual; crescentic form.	18,968.00 g
ME 370	Full sized etched section; 17x17 cm.	4,528.00 g
ME 372	Complete individual of pyramidal form.	2,588.00 g
ME 1083	Etched slice.	18.60 g
ME 1140	Etched section.	432.00 g
ME 1166	Etched slab with crust.	29.00 g
ME 1173	Oxidized octahedral fragment.	3.30 g
ME 1202	Complete individual.	19,262.00 g
ME 1203	Nearly complete individual with etched surface.	16,123.00 g
ME 1205	Etched end piece with abundant troilite.	4,607.00 g
ME 1206	Complete individual.	4,422.00 g
ME 1207	Individual.	5,788.00 g
ME 1209	Cube 6 cm. on a side; etched.	1,487.20 g
ME 1212	Complete individual (Hammer stone)	947.00 g
ME 1214	Complete individual.	448.10 g
ME 1215	Complete individual.	562.00 g

Catalog of Field Museum Meteorites

ME 1216	Complete individual.	495.70 g
ME 1218	Complete individual.	540.80 g
ME 1224	One of a series of 9 specimens of forged meteorite	597.40 g
ME 1225	One of a series of 9 specimens of forged meteorite	485.00 g
ME 1226	One of a series of 9 specimens of forged meteorite	478.00 g
ME 1227	One of a series of 9 specimens of forged meteorite	382.00 g
ME 1228	One of a series of 9 specimens of forged meteorite	110.00 g
ME 1229	Chisel, forged of meteorite	110.00 g
ME 1230	Chisel forged of meteorite	116.00 g
ME 1231	Section, forged and etched.	60.00 g
ME 1232	Section, forged and etched.	58.00 g
ME 2149	Etched slice.	266.30 g
ME 2350	Taenite from Toluca.	0.24 g
ME 2352	Lawrencite from Toluca.	0.04 g
ME 2597	Polished etched slab (in two pcs).	220.30 g

TOMATLAN

H6

Jalisco, Mexico

Fell on 9/17/1879 at 1630 hrs.

ME 1703	Fragment with crust.	8.10 g
---------	----------------------	--------

TOMBIGBEE RIVER

IRANOM

Choctaw and Sumter County, Alabama, U.S.A.

Found in 1859.

ME 92	Sawed fragment with crust.	5.20 g
ME 504	Etched section; 10x14 cm.	1,575.33 g
ME 1111	Two irregular fragments with oxidized surfaces.	23.60 g
ME 1180	Full sized etched section.	504.80 g

Catalog of Field Museum Meteorites

TOMHANNOCK CREEK

H5

Rensselaer County, New York, U.S.A.

Found in 1863, approximately.

ME	281	Slice showing crust.	5.10 g
ME	734	Microscopic slide; thin section with cover.	
ME	1760	Thin saw-cut slice with crust on three sides.	18.55 g

TONGANOXIE

IIIA

Leavenworth County, Texas, U.S.A.

Found in 1886.

ME	477	Full sized etched section; 8x12 cm; w/ crust.	246.80 g
ME	989	Full sized etched section.	347.00 g

TORREON DE MATA

L6

Chihuahua, Mexico

Found in 1983.

ME	3003	End piece broken off larger mass.	12.30 g
----	------	-----------------------------------	---------

TOUBIL RIVER

IIIA

Krasnoyarsk, Federated SSR, USSR

Found in 1891.

ME	505	Etched mass; re-etched 8/19/40.	164.20 g
ME	1143	Mass with crust. Re-etched 8/19/40.	327.40 g
ME	1167	Etched fragment with crust; re-etched 8/19/40.	46.50 g
ME	1168	Thin etched slab. Re-etched 8/19/40.	9.80 g

TOULON

H5

Stark County, Illinois, U.S.A.

Found in 1962.

ME	2725	Two small sawn slices plus some chips.	57.80 g
----	------	--	---------

TOULOUSE

H6

Haute Garonne, France

Fell on 4/10/1812 at 2000 hrs.

ME	1869	Complete individual.	26.20 g
----	------	----------------------	---------

Catalog of Field Museum Meteorites

TOURINNES-LA-GROSSE

L6

Tirlemont, Belgium

Fell on 12/7/1863 at 1130 hrs.

ME 486	Polished thin section	
ME 1796	Fragment with crust.	11.40 g
ME 1797	Interior fragment.	8.85 g
ME 2489	Microscopic slide; thin section with cover.	
ME 2672	Fragment of individual w/ fusion crust on 2 sides	228.75 g

TRAVIS COUNTY

H5

Travis County, Texas, U.S.A.

Found in 1889.

ME 2611	Slice	97.05 g
---------	-------	---------

TRAVIS COUNTY (B)

H4(S2)W3

Travis County, Texas, USA

Found 1889-1962.

ME 3224	Sawn endpiece; sawn side polished.	76.09
---------	------------------------------------	-------

TRENTON

IIIA

Washington County, Wisconsin, U.S.A.

Found in 1858.

ME 81	Thin slice; etched.	136.30 g
ME 1036	Small etched saw-cut slice.	49.20 g
ME 1037	Full sized etched section. Re-etched 1917.	138.80 g
ME 1038	Etched end piece.	3,311.00 g

TRENZANO

H6

Brescia, Lombardy, Italy

Fell on 11/12/1856 at 1600 hrs.

ME 268	Cubical fragment with crust on 2 surfaces.	55.75 g
ME 618	Microscopic slides; thin sections #618 & 681A.	
ME 735	Microscopic slide; thin section #735	

Catalog of Field Museum Meteorites

ME 1871	Fragment with crust.	32.20 g
TREYSA	IIIB-ANOM	
Hessen, Germany		
Fell on 4/3/1916 at 1530 hrs.		
ME 2561	Small cut slab; etched on one side.	87.80 g
TROMØY	H	
Arendal, Norway		
Fell on 4/9/1950 at 1500 hrs.		
ME 2667	Small fragment with saw-cut on one side.	0.70 g
TRYON	L6	
McPherson County, Nebraska, U.S.A.		
Found in 1934.		
ME 2890	Small thick saw-cut slice with crust on 3 sides.	50.65 g
TSAREV	L5	
Volgograd District, Federated SSR, USSR		
Found in 1968.		
ME 2955	Small rectangular saw-cut chunk w/ crust on 1 edge	14.10 g
ME 3099	Saw-cut slice with crust on one edge.	82.20 g
TUCSON	IRANOM	
Pima County, Arizona, U.S.A.		
Found in 1850.		
ME 858	Full sized polished section.	330.24 g
ME 2087	Full sized polished section.	1,066.00 g
TULIA (A)	H3-4	
Swisher County, Texas, U.S.A.		
Found in 1917.		
ME 2942	End slice, with polished face.	53.49 g
TULIA (B)	L6	
Swisher County, Texas, U.S.A.		
Found in 1917.		
ME 2251	Complete individual.	354.70 g

Catalog of Field Museum Meteorites

ME 2322	Complete individual.	1,724.20 g
TURTLE RIVER	IIIB	
Beltrami County, Minnesota, U.S.A.		
Found in 1953, or between 1953 and 1958.		
ME 2693	5 mm thick slice, etched and polished	615.70 g
TUXTUAC	LL5	
Zacatecas, Mexico		
Fell on 10/16/1975 at 1620 hrs.		
ME 2850	Saw-cut mass plus pieces.	350.90 g
TWANNBERG	UNGR	
Nidau district, canton Bern, Switzerland		
Found on 5/9/1984.		
ME 3153	Polished slice.	410.70 g
TWO BUTTES (A)	H5	
Baca County, Colorado, U.S.A.		
Found in 1962.		
ME 2633	0.25 in slab, broken into many fragments.	469.10 g
TYSNES ISLAND	H4	
Hardanger fiord, Norway		
Fell on 5/20/1884 at 2030 hrs.		
ME 736	Microscopic slide; thin section with cover.	
ME 1719	Mass with crust and armored surface.	305.93 g
ME 3185	Polished thin section	
UBERABA	H5	
Minas Gerais, Brazil		
Fell on 6/29/1903 at 1000 hrs.		
ME 1528	Cuboidal mass with crust on three sides.	138.80 g
UDEI STATION	IA	
Benue River, Nigeria		
Fell in the Spring, 1927.		
ME 3155	Fragment; sawn.	29.85 g

Catalog of Field Museum Meteorites

UDEN	LL6	
Noord-Brabant, Holland		
Fell on 6/12/1840 at 1030 hrs.		
ME 1715	Fragment with crust.	3.10 g
UDIPI	H5	
South Kanara District, Karnataka, India		
Fell in April, 1866 at 1000 hrs.		
ME 1701	Fragments with crust and polished surfaces	16.70 g
ME 1702	Fragments	5.20 g
ULTUNA	H	
Uppsala, Sweden		
Found in 1944.		
ME 2449	Fragment with crust.	14.90 g
ULYSSES	H4	
Grant County, Kansas, U.S.A.		
Found in 1927, approximately.		
ME 2835	Slice with partial crust, polished on one side.	144.84 g
UMBALA	LL5	
Patiala District, Punjab, India		
Fell in 1822, or 1823.		
ME 1717	Polished fragments with crust.	8.50 g
UMBARGER	L3-6	
Randall County, Texas, U.S.A.		
Found in 1954.		
ME 2913	Large saw-cut slice with crust; highly weathered.	836.40 g
UNION COUNTY	IC	
Union County, Georgia, U.S.A.		
Found in 1853.		
ME 63	Cleavage pieces.	1.30 g
ME 1188	Cuboidal mass with crust and etched surfaces.	67.10 g

Catalog of Field Museum Meteorites

UNNAMED METEORITE

Unknown

Date unknown.

ME 2587	Etched slab with crust.	162.10 g
---------	-------------------------	----------

UTE CREEK

H4

Union County, New Mexico, U.S.A.

Found in 1936.

ME 2320	Polished slice with crust; 2.75x2 in	73.65 g
---------	--------------------------------------	---------

UTRECHT

L6

Holland

Fell on 6/2/1843 at 2000 hrs.

ME 1700	Mass with crust.	107.90 g
---------	------------------	----------

UVALDE

H

Uvalde County, Texas, USA

Found in 1915 approximately; recognized 1938.

ME 3225	Thin slice; one side polished.	135.50
---------	--------------------------------	--------

UWET

IIA

Calabar, Cross, Nigeria

Found in 1903.

ME 778	Etched slab.	348.00 g
--------	--------------	----------

VACA MUERTA

MES

Taltal, Atacama, Chile

Found in 1861.

ME 189	Complete individual.	137.50 g
--------	----------------------	----------

ME 193	Complete individual.	514.10 g
--------	----------------------	----------

ME 1266	Polished section.	183.40 g
---------	-------------------	----------

ME 1284	Full sized section; polished. Metal abundant.	170.00 g
---------	---	----------

ME 1286	Individual with polished surface.	22.80 g
---------	-----------------------------------	---------

ME 1291	Complete individual.	243.60 g
---------	----------------------	----------

ME 1292	Complete individual.	38.10 g
---------	----------------------	---------

Catalog of Field Museum Meteorites

ME 1293	Complete individual.	43.35 g
ME 1294	Fragment from interior.	13.25 g
ME 1295	Polished slab.	15.50 g
ME 1299	Individual with polished surface.	26.90 g
ME 1300	Polished thin section only.	
ME 1301	Complete individual.	20.30 g
ME 1879	Fragment with crust and polished surface.	16.00 g
ME 3134	Mass	534.80 g
VALENTINE	L4	
Brown County, Nebraska, U.S.A.		
Found in Spring, 1942.		
ME 3161	Sawn fragment.	2.60 g
VALKEALA	L6	
Kymi, Finland		
Found in May, 1962.		
ME 2974	Highly weathered chunk with a bit of crust.	33.20 g
VALLE DE ALLENDE	L	
Valle de Allende, Chihuahua, Mexico		
Found in 1983.		
ME 3086	Weathered saw-cut slice; polished on one face.	38.20 g
VAVILOVKA	LL6	
Kherson, Ukraine, USSR		
Fell on 6/19/1876 at 1400 hrs.		
ME 1659	Mass with crust.	110.70 g
VERA	L4	
Dept. Vera, Santa Fe, Argentina		
Found in 1941.		
ME 2454	Fragment with crust.	6.70 g

Catalog of Field Museum Meteorites

VERAMIN

MES

Karand, Tehran, Iran

Fell on 4/18/1880, three hours before sunset.

ME 495 Metal phase of meteorite Veramin 5.13 g

ME 1269 Mass with crust and polished surface. 736.40 g

VERKHNE DNIIEPROVSK

IIE

Ekaterinoslav, Ukraine, USSR

Found in 1876.

ME 2838 Small fragment; quite oxidized. 1.55 g

VERKHNE TSCHIRSKAIA

H5

Volgograd, Federated SSR, USSR

Fell on 11/12/1843 at 1200 hrs.

ME 1873 Two fragments with crust; one with armored surface 13.70 g

VERKHNE UDINSK

IIIA

Transbaikal, Federated SSR, USSR

Found in 1854.

ME 1138 Cuboidal, etched mass with crust. 220.20 g

ME 1139 Etched slab with crust. 74.85 g

VERNON COUNTY

H6

Vernon County, Wisconsin, U.S.A.

Fell on 3/26/1865 at 0900 hrs.

ME 1706 Mass from interior with polished surface. 22.70 g

VICTORIA WEST

IRANOM

Cape Province, South Africa

Found in 1860.

ME 871 Etched slab with crust. 16.70 g

VIEW HILL

IIIA

Oxford, Canterbury, New Zealand

Found in 1952, approximately.

ME 2609 Polished and etched slice; 50x20x8 mm. 55.90 g

Catalog of Field Museum Meteorites

VIGARANO

CV3

Ferrara, Emilia, Italy

Fell on 1/22/1910 at 2130 hrs.

ME 782	Mass with crust and polished surface.	72.00 g
--------	---------------------------------------	---------

VIGO PARK

L4

Swisher County, Texas, U.S.A.

Found in 1934.

ME 2943	Two tiny fragments plus very small saw cut.	4.40 g
---------	---	--------

VILLA CORONADO

H5

Chihuahua, Mexico

Found in 1983.

ME 3004	Weathered chunk with one saw-cut edge.	80.80 g
---------	--	---------

VIRBA

L6

Vidin, Bulgaria

Fell on 6/1/1873.

ME 1716	Fragment with crust.	1.75 g
---------	----------------------	--------

VOUILLÉ

L6

Poitiers, Vienne, France

Fell on 5/13/1831 at 2300 hrs.

ME 1662	Mass from interior.	70.45 g
---------	---------------------	---------

ME 1663	Mass with crust and polished surface.	450.00 g
---------	---------------------------------------	----------

WABAR

IIIA

Rub'al Khali, Saudi Arabia

Found in 1863.

ME 523	Etched slab with crust.	71.00 g
--------	-------------------------	---------

ME 1100	Nearly complete individual with one etched surface	48,080.00 g
---------	--	-------------

ME 2266	Individual.	33.30 g
---------	-------------	---------

ME 2267	Individual.	13.00 g
---------	-------------	---------

ME 2731	Single individual intact and slice cut from it.	114.75 g
---------	---	----------

Catalog of Field Museum Meteorites

WACONDA

L6

Mitchell County, Kansas, U.S.A.

Found in 1873.

ME 309	Mass from interior.	1,882.80 g
ME 310	Fragments in vial.	12.30 g
ME 628	Microscopic slides; two thin sections # 628 & 628A	
ME 737	Microscopic slide; thin section with cover	
ME 1730	Sawed mass with crust.	228.30 g
ME 1731	Mass with crust.	883.80 g
ME 2347	Troilite from Waconda.	0.20 g

WAIRARAPA VALLEY

H5

Wellington, New Zealand

Found in 1863.

ME 1882	Mass with crust and polished surface.	62.00 g
---------	---------------------------------------	---------

WALDO

L6

Russell County, Kansas, U.S.A.

Found in 1937.

ME 2831	Saw-cut piece with partial crust.	84.25 g
---------	-----------------------------------	---------

WALDRON RIDGE

IA

Claiborne County, Tennessee, U.S.A.

Found in 1887.

ME 1134	End piece etched. Re-etched 11/1917.	426.70 g
---------	--------------------------------------	----------

WALKER COUNTY

IIA

Alabama, U.S.A.

Found in 1832.

ME 434	Section with crust.	25.10 g
ME 914	Etched section with crust.	38.55 g
ME 938	2 polished slabs.	48.50 g

Catalog of Field Museum Meteorites

WALTERS

L6

Cotton County, Oklahoma, U.S.A.

Fell on 7/28/1946 at 1545 hrs.

ME 2422	Polished slice.	535.00 g
ME 2508	Microscopic slide; thin section with cover.	
ME 2509	Microscopic slide; thin section with cover	
ME 2510	Microscopic slide; thin section with crust.	
ME 2511	Microscopic slide; thin section with cover.	
ME 2512	Microscopic slide; thin section with cover.	
ME 2537	Microscopic slide; thin section with cover.	
ME 2538	Microscopic slide; thin section with cover.	
ME 2540	Microscopic slides; two thin sections with cover	
ME 2541	Microscopic slide; thin section with cover.	
ME 2542	Microscopic slide; thin section with cover	
ME 2543	Microscopic slide; thin section with cover.	
ME 2544	Microscopic slide; thin section with cover.	
ME 2545	Microscopic slide; thin section with cover.	
ME 2547	Microscopic slide; thin section with cover.	
ME 2601	Polished slab with crust on one side.	48.20 g

WALTMAN

L4

Natrona County, Wyoming, U.S.A.

Found in 1948.

ME 3143	Saw-cut slice with crust on two edges.	38.20 g
ME 3144	Saw-cut slice with crust on two edges.	441.20 g

WARDSWELL DRAW

L6

Gaines County, Texas, U.S.A.

Found in 1976.

ME 2840	Saw-cut fragment.	27.25 g
---------	-------------------	---------

Catalog of Field Museum Meteorites

WARRENTON	CO3	
Warren County, Missouri, U.S.A.		
Fell on 1/3/1877 at 0715 hrs.		
ME 1720	Mass with crust.	81.44 g
WATSON	IIE	
Near Watson, South Australia, Australia		
Found in 1972.		
ME 3195	Polished on two faces thick half slice w/ crust.	7,735.03 g
WAYSIDE	H6	
Armstrong County, Texas, U.S.A.		
Found in 1973.		
ME 2745	Cut slab, polished on one side.	329.00 g
WEAVER MOUNTAINS	IVB	
Wickenburg, Maricopa County, Arizona, U.S.A.		
Found in 1898.		
ME 615	Etched section with crust.	370.00 g
ME 2414	Thin polished slab.	497.00 g
WEEKEROO STATION	IIE	
Mannahill, South Australia, Australia		
Found in 1924.		
ME 2118	Etched section. Re-polished by Nininger 3/23/34.	6,282.00 g
WELDONA	H4	
Morgan County, Colorado, U.S.A.		
Found in 1934.		
ME 2321	Polished slice with crust; 6x11 in	1,085.50 g
WELLAND	IIIA	
Welland County, Ontario, Canada		
Found in 1888.		
ME 132	Etched section.	712.70 g
ME 990	Small chips.	2.30 g
ME 991	Slice	199.75 g

Catalog of Field Museum Meteorites

ME 1905	Taenite from Welland.	0.21 g
WELLINGTON	H5	
Collingsworth County, Texas, U.S.A.		
Found in 1955, approximately.		
ME 2891	Saw-cut slice with crust on two edges.	205.20 g
WELLMAN (A)	H5	
Terry County, Texas, U.S.A.		
Found in 1940.		
ME 2696	5 mm thick slice, polished on one side.	7.10 g
WELLMAN (C)	H4	
Terry County, Texas, U.S.A.		
Found in 1964.		
ME 2695	3 mm thick slice, polished on one side.	13.50 g
WELLMAN (D)	H	
Terry County, Texas, U.S.A.		
Found in 1966.		
ME 2697	Small end piece, polished on one side.	10.00 g
WELLMAN (E)	H4	
Terry County, Texas, U.S.A.		
Found in 1973.		
ME 2380	Complete individual.	492.60 g
WESSELY	H5	
Hradisch, Jihomoravsky, Czechoslovakia		
Fell on 9/9/1831 at 1530 hrs.		
ME 1875	Fragment with crust and polished surface.	3.80 g
WESTON	H4	
Fairfield County, Connecticut, U.S.A.		
Fell on 12/14/1807 at 0630 hrs.		
ME 223	Mass with crust and 2 sawed surfaces.	3.50 g
ME 648	Microscopic slide; thin section with cover	
ME 1835	Mass with crust and two sawed surfaces.	12.35 g

Catalog of Field Museum Meteorites

ME 1836	Slab with crust and polished surface.	84.27 g
ME 2751	9 mm thick slab, not polished.	183.60 g
WICHITA COUNTY		
IA		
Wichita County, Texas, U.S.A.		
Found in 1836, or before this year.		
ME 41	Full sized etched section; 18x27 cm.	1,384.34 g
ME 885	Full sized, etched section.	2,493.10 g
WICKENBURG (STONE)		
L6		
Maricopa County, Arizona, U.S.A.		
Found in 1940.		
ME 2361	End piece with polished surface.	1,338.00 g
WIKIEUP		
H5		
Mohave County, Arizona, U.S.A.		
Found in 1965.		
ME 2870	Small saw-cut slice with crust.	25.90 g
WILDARA		
H5		
Western Australia, Australia		
Found in 1968.		
ME 2718	Small slice.	12.70 g
WILEY		
IIC		
Prowers County, Colorado, U.S.A.		
Found in 1938.		
ME 2368	Polished slice.	62.40 g
WILLAMETTE		
IIIA		
Clackamas County, Oregon, U.S.A.		
Found in 1902.		
ME 592	Full sized etched section.	1,487.00 g
ME 1195	Mass with crust and broken surface.	907.90 g
WILLARD (A)		
L6		
Torrence County, New Mexico, U.S.A.		
Found in 1978.		

Catalog of Field Museum Meteorites

ME 3008	Chunk with crust on one edge and many small pieces	7.00 g
WILLOW CREEK		
	III E	
Natrona County, Wyoming, U.S.A.		
Found in 1914.		
ME 2205	Etched slice.	1,807.00 g
WILLOWBAR		
	L 6	
Cimarron County, Oklahoma, U.S.A.		
Found in 1971.		
ME 2875	Medium sized saw-cut slice; crust on 3 edges.	144.80 g
WILUNA		
	H 5	
Wiluna, Western Australia, Australia		
Fell on 9/2/1967 at 2246 hrs.		
ME 2934	Small saw-cut slice with crust on one edge.	40.90 g
WINONA		
	CHANOM	
Coconino County, Arizona, U.S.A.		
Found, Prehistoric.		
ME 2139	Fragment.	12.90 g
WITCHELINA		
	H 4	
South Australia, Australia		
Found in 1920.		
ME 2702	Small slice with crust on one side.	18.14 g
WOLD COTTAGE		
	L 6	
Wold Newton, Scarborough, Yorkshire, England		
Fell on 12/13/1795 at 1530 hrs.		
ME 215	Polished chips.	2.20 g
ME 1833	Fragment from interior with 3 polished surfaces.	9.85 g
ME 1834	Fragment from interior.	2.70 g
ME 2810	Fragment with crust on one side.	28.30 g
WOLF CREEK		
	II B	
S of Hall's Creek, Kimberley, Western Australia, Australia		
Found in 1947.		

Catalog of Field Museum Meteorites

ME 2952	Three saw-cut slices with crust + end piece.	22.30 g
WOLSEY	IAB	
Beadle County, South Dakota, USA		
Found in 1980-81.		
ME 3200	Full slice with crust	1,577.00 g
WONYULGUNNA	IIIB	
Bald Hill, Western Australia, Australia		
Found in June, 1937.		
ME 3037	Saw-cut slice with crust on 2 edges + one chunk	386.05 g
WOOD'S MOUNTAIN	IVA	
McDowell County, North Carolina, U.S.A.		
Found in 1918.		
ME 2255	Etched end piece.	146.60 g
ME 2581	Full sized etched slice with crust; 45x13x4 mm.	91.75 g
WOODBINE	IB-ANOM	
Jo Davies County, Illinois, U.S.A.		
Found in the Spring, 1953.		
ME 2607	Etched polished slab; 10x6.5x0.375 in.	1,708.00 g
WOOLGORONG	L6	
Nedlands, Western Australia, Australia		
Fell on 12/20/1960 at 1400 hrs.		
ME 2836	Interior fragment.	28.90 g
WOOSTER	IIIA?	
Wayne County, Ohio, U.S.A.		
Found in 1858.		
ME 494	Etched fragment.	1.20 g
ME 1193	2 etched fragments.	9.10 g
WRAY	H	
Yuma County, Colorado, U.S.A.		
Found in 1936.		
ME 2387	End piece with polished surface.	24.50 g

Catalog of Field Museum Meteorites

WRAY (B)	L5S2	
Colorado, USA		
Found in 1938.		
ME 3230	Slice; one side polished.	188.50
WYNELLA	H4	
Wynella Station, Queensland, Australia		
Found in 1945.		
ME 2724	Large, thick slab and fragments.	599.40 g
XINGYANG	H5	
Xianwang, Xinyang City, Henan, China		
Fell on 12/1/1977 at 1857 hrs.		
ME 3125	Small irregular chunk with one saw-cut face.	24.90 g
YANDAMA	L6	
Big Plain, Lake Stewart Station, New South Wales, Australia		
Found in 1914.		
ME 2708	Small slice, polished on one side.	20.20 g
YANHUITLAN	IVA	
Oaxaca, Mexico		
Found in 1825.		
ME 962	Full sized section, etched; 23x29 cm.	7,087.47 g
ME 963	End piece, etched; 21x27 cm.	9,677.00 g
YARDEA	IA	
Gawler Range, South Australia, Australia		
Found in 1875.		
ME 935	End piece etched. Bands are broad and swollen.	69.20 g
YARDYMLY	IA	
Near Lenkoran, Azerbaydzhan SSR, USSR		
Fell on 11/24/1959 at 0705 hrs.		
ME 3012	Small saw-cut cube.	9.25 g
YARROWEYAH	IIA	
Moirra, Victoria, Australia		
Found in 1903.		

Catalog of Field Museum Meteorites

ME 2716	Fragment, saw-cut on two sides with crust on one.	24.80 g
YATOOR		
H5		
Nellore, Andhra Pradesh, India		
Fell on 1/23/1852 at 1630 hrs.		
ME 259	Fragment from interior.	0.70 g
ME 1877	Mass with crust and polished surface.	27.00 g
YENBERRIE		
IA		
Northern Territory, Australia		
Found in 1918.		
ME 2004	Section with polished surface.	4,091.60 g
YILMIA		
EL6		
Kambalda District, Western Australia, Australia		
Found in 1969.		
ME 2740	Two pieces, fragmental, quite weathered.	574.60 g
YOCEMENTO		
L4		
Ellis County, Kansas, U.S.A.		
Found in 1966.		
ME 3080	Saw-cut slice with crust on one edge.	10.07 g
YORKTOWN (NEW YORK)		
L5		
Westchester County, New York, U.S.A.		
Fell in September, 1869.		
ME 1763	Three polished fragments with crust.	7.05 g
YOUANMI		
IIIA		
Western Australia, Australia		
Found in 1917.		
ME 2706	Small slice.	7.40 g
YOUNDEGIN		
IA		
Avon, South West Division, Western Australia, Australia		
Found in 1884.		
ME 118	Full sized, elongated section; 10x27 cm, etched.	1,082.50 g
ME 540	Polished and etched section with crust.	98.30 g

Catalog of Field Museum Meteorites

ME 829	Etched fragment.	56.00 g
ME 877	Full sized etched section; 18x44 cm.	4,337.00 g
ME 878	Nearly complete individual.	141,069.00 g
ME 975	Full sized section, etched.	73.40 g
ME 1004	Full sized etched section.	938.70 g
ZABORZIKA	L6	
Zhitomir, Volhynia, Ukraine, USSR		
Fell on 4/11/1818.		
ME 1709	Mass with crust.	50.10 g
ZABRODJE	L6	
Minsk Region, Belorussiya SSR, USSR		
Fell on 9/22/1893, two hrs before sunset.		
ME 1707	Fragment from interior w/ one polished surface.	3.70 g
ZACATECAS (1792)	IRANOM	
Zacatecas, Mexico		
Found in 1792.		
ME 28	Small saw-cut slice with crust on two edges.	1.85 g
ME 894	Mass with three etched surfaces.	1,246.00 g
ME 895	Etched mass with crust.	93.80 g
ZAGAMI	SNC	
Katsina Province, Nigeria		
Fell on 10/3/1962.		
ME 3154	Saw cut fragments.	28.09 g
ZAGORA	IAB	
20 mi S of Zagora, Ouarzazate, Morocco		
Found in 1987.		
ME 3157	Fragments; etched.	52.95 g
ZAVID	L6	
Zvornik, Bosnia, Yugoslavia		
Fell on 8/1/1897 at 1122 hrs.		

Catalog of Field Museum Meteorites

ME 655	Microscopic slides; two thin sections with cover.	
ME 1860	Mass with crust and armored surface.	384.20 g
ME 1861	Mass with crust.	282.20 g
ZEBRAK		H5
Horovice, Beroun, Stredocesky, Czechoslovakia		
Fell on 10/14/1824 at 0800 hrs.		
ME 1708	Mass with crust.	14.50 g
ZEMAITKIEMIS		L6
Ukmerge, Lithuanian SSR, USSR		
Fell on 2/2/1933 at 2033 hrs.		
ME 2599	Saw-cut fragment with crust; surface fairly rusty.	32.30 g
ZERHAMRA		IIIA-ANOM
Sahara, Algeria		
Found in 1967.		
ME 3090	Saw-cut slice with crust on three edges.	69.75 g
ZHOVTNEVYI		H5
Pavlovka, Stalino, Ukraine, USSR		
Fell on 10/10/1938, night hours, or 10/9/1938.		
ME 3095	Small irregularly shaped chunk w/ crust on 1 edge	3.40 g
ZOMBA		L6
Southern Province, Malawi		
Fell on 1/25/1899 at 0745 hrs.		
ME 1360	Fragment with crust	17.80 g
ZSADANY		H5
Bihor District, Romania		
Fell on 3/31/1875 at 1500-1600 hrs.		
ME 1878	Nearly complete individual, one surface polished.	14.60 g